

Wireless active speakers for home cinema and multiroom audio

Ideal for home cinema and music throughout the house

180 watts | 150 watts | 30 watts total music power output

Multiroom audio via DTS Play-Fi, Apple AirPlay, Google Cast, Spotify and Roon

Multichannel home cinema with Loewe wireless digital audiolink

Touch panel made of real glass on the top side

Five favourite buttons for freely selectable sources

Perfect match for Loewe klang bar3 mr and klang bar5 mr





















LOEWE. was found by the Loewe brothers as Radio Frequenz GmbH in Berlin in 1923. Today we still design, develop and produce consumer electronics - Made in Germany. bild – is the German word for picture or image. klang - is the German word for sound or tone.

Data sheet Loewe klang mr5 | mr3 | mr1 December 2024











Wireless active speakers for home cinema and multiroom audio



### Multichannel home cinema.

Loewe wireless digital audiolink (second generation) for lossless and latency-free wireless signal transmission in multichannel home cinema with Loewe klang mr as the active surround speakers.



### Multiroom Audio.

DTS Play-Fi, Apple Airplay and Google Cast offer a variety of services such as Spotify, Amazon Music, Tidal, Deezer and Internet radio.



### Bluetooth direct streaming.

Connect your mobile phone via Bluetooth directly to the speaker and enjoy your playlist.



### Touch surface.

The glass touch panel on the top is easy to operate and offers space for up to five favourites, which can be compiled from any source.



### Powerful sound.

The layout of the speakers in combination with passive radiators creates a perfectly balanced sound experience with 30 / 150 / 180 watts - with powerful bass and crystal clear high tones.



### Elegant.

The design is refined and elegant. The glass top with integrated touch panel and illuminated status LED is a tribute to the Loewe eye. The cabinet is covered with our high-quality acoustic fabric and blends perfectly into your living environment.

C	ol	ი	ш	r



Model	Article
klang mr5	60606
klang mr3	60605
klang mr1	60604

Wireless active speakers for home cinema and multiroom audio

## Achievements





















# "The Loewe klang mr5 is both optically and acoustically a true statement."

HIFI.DE, 18. December 2023 about klang mr5 test score 8.6 VERY GOOD

### "Der Loewe klang mr3 is a speaker that meets the highest demands."

HIFI.DE, 21. December 2023 about klang mr3 test score 8.5 VERY GOOD

## "Der Loewe klang mr1 is enormous flexible and fits practically in every scenario."

HIFI.DE, 5. December 2023 about klang mr5 test score 8.4 GOOD

# "Balanced and pleasant tuning, clean bass and practically unaltered timbres."

Audio Video Foto Bild, edition 12/2022 about klang mr3 TEST WINNER, 1st place, test score 2,1 GOOD

Wireless active speakers for home cinema and multiroom audio

Roon system



Loewe multi.room supports the music information system Roon.
All products within the Loewe multi.room series have received the Roon
Tested certification from Roon Labs.

The Roon Tested certification proves that the Roon music information system can be used in its entirety with Loewe multi.room products. This extends the performance of the Loewe multi.room series and guarantees an outstanding audio experience with the simplest setup and highest realibility.

The Roon music information system offers a comprehensive and sophisticated music experience that seamlessly integrates the elements of navigating, organising and listening. Like an online dictionary, Roon provides the user with every conceivable piece of information about music. The automatic retrieval of artist photos, credits, biographies, reviews, lyrics, tour dates and composers is closely interlinked to create a navigable digital magazine as a music library. Beyond its editorial capabilities, Roon acts as a networked audio platform for multiple rooms and users. It offers features such as bit-perfect playback, DSD and PCM upsampling, multi-channel support and signal path display.

The Loewe multi.room products are perfectly integrated into Roon and ready to use for an excellent, bit-perfect audio experience. In addition, Roon is an interface for all Roon-compatible devices. Loewe's Roon Tested certification stands for power, flexibility and performance in networked audio, coupled with easy set-up and maximum reliability. This certification is a seal of approval for the seamless integration of audio technology.

For more details visit: https://roon.app

Wireless active speakers for home cinema and multiroom audio

## System components

### Loewe multi.room amp Colour Model Article Stereo amplifier for multiroom and homecinema multi.room amp 61600 installations with 1.200 watts total music power Loewe klang bar5 mr 5.1.2 Dolby Atmos soundbar with wireless 60601 basalt grey klang bar5 mr subwoofer and 800 watts total music power Loewe klang bar3 mr 3.1 Dolby Atmos soundbar with integrated basalt grey klang bar3 mr 60614 subwoofer and 360 watts total music power Loewe klang sub5 Any number of klang sub5 can be connected to a klang sub5 60603 basalt grey klang bar3 mr or klang bar5 mr at the same time Loewe remote klang mr Multifunctional IR remote control for Loewe klang mr remote klang mr 74000 and Loewe klang bar to operate all basic functions and sound settings





















All product and company names are trademarks M or registered® trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Google and Chromecast built-in are trademarks of Google LU

idio (acoustic)			
(dio (acoustic)			
equency range (Hz) @ ±3 dB	35-20.000	40-20.000	55-20.000
ientation front / side / up / rear firing	•/•/-/•	•/•/-/•	•/-/-/-
oustic speaker concept	closed + passive membranes	closed + passive membranes	closed
nannel configuration (speaker layout) iver total amount	1.0 (mono)	1.0 (mono) 6	1.0 (mono, rear surround)
iver active	3x 3/4", 3x 2,5", 1x 5"	3x 2", 1x 3,5" + 2x 3,5"	1x 3"
iver passive	2x 5"	2x 3,5"	_
channel crossover	active	• active	_
idio (electric)			
equency range (Hz) @ ±1 dB	20-20.000	20-20.000	20-20.000
ass-D amp		•	•
wer (watts sine / music) tal harmonic distortion @ 1 watt /10 watts	90 / 180 < 0,3 / < 0,3	75 / 150 < 0,3 / < 0,3	15 / 30 < 0,3 / < 0,3
rnamic range / Signal to noise ratio (dB)	24 bit /> 80	24 bit / > 80	24 bit / > 80
ss and treble control / loudness	(remote) / dynamic	• (remote) / dynamic	(remote) / dynamic
otection circuit: heat / current / voltage / short cut	•/•/•/•	•/•/•/•	•/•/•/•
olby Audio / Digital / Digital Plus / Volume / Atmos / Atmos Music	via klang bar mr	via klang bar mr	via klang bar mr
S HD / DTS:X	via klang bar mr	via klang bar mr	via klang bar mr
peration and apps			
splay technology	White LED + Color LED	White LED + Color LED	White LED + Color LED
reen resolution (pixels) reen diagonal (cm / inch)	5x dot + 1x line 6 / 2,4	5x dot + 1x line 6 / 2,4	5x dot + 1x line 6 / 2,4
/ Loewe app / smart apps (all: Android + iOS)	● / DTS Play-Fi app	• / DTS Play-Fi app	• / DTS Play-Fi app
ice control by Alexa skills	•	•	•
ftware update (via USB / Internet)	●/●(DTS Play-Fi)	<ul><li>✓ • (DTS Play-Fi)</li></ul>	
edia and receiption			
B music player	•	•	•
uetooth music player	•	•	•
ernet radio S Play-Fi / Hi-Res Audio		(via DTS Play-Fi app)      / ◆	(via DTS Play-Fi app)
ortify Connect / Google Cast / Apple AirPlay		•/•/•	•/•/•
on tested	•	•	•
ultiroom audio support	•	•	•
ultichannel home cinema support	•	•	•
nnectivity and interfaces			
SB	1 x USB 2.0 (SW update)	1 x USB 2.0 (SW update)	1 x USB 2.0 (SW update)
uetooth		•	•
LAN (Wi-Fi) integrated  N network connection		•	•
reless Digital Audiolink (second generation)		•	•
alogue audio jack in (3.5 mm stereo)	•	•	•
all mount		_	•
etwork and formats			
LAN (Wi-Fi) standard	IEEE 802.11a/b/g/n/ac	IEEE 802.11a/b/g/n/ac	IEEE 802.11a/b/g/n/ac
LAN (Wi-Fi) power (max. mW)	<100mW @2400-2483,5 MHz	<100mW @2400-2483,5 MHz	<100mW @2400-2483,5 MHz
	<100mW @5150-5350 MHz	<100mW @5150-5350 MHz	<100mW @5150-5350 MHz
	<100mW @5470-5725 MHz <25mW @5725-5850 MHz	<100mW @5470-5725 MHz <25mW @5725-5850 MHz	<100mW @5470-5725 MHz <25mW @5725-5850 MHz
LAN (Wi-Fi) encryption	WEP 64, 128 Bit (ASCII, HEX)	WEP 64, 128 Bit (ASCII, HEX)	WEP 64, 128 Bit (ASCII, HEX)
LAN (Wi-Fi) encryption WPA	WPA PSK, WPA2 AES, WPS	WPA PSK, WPA2 AES, WPS	WPA PSK, WPA2 AES, WPS
uetooth standard	4.2	4.2	4.2
uetooth power (max. mW)	<10	<10	<10
uetooth frequency range uetooth protocols	2,4 GHz A2DP SNK, AVRCP	2,4 GHz A2DP SNK, AVRCP	2,4 GHz A2DP SNK, AVRCP
pported audio formats	MP3, M4A, AAC, FLAC, WAC, AIFF, Hi-Res		
ergy and environment			
ains voltages AC	100-240V, 50/60 Hz	100-240V, 50/60 Hz	100-240V, 50/60 Hz
wer consumption eco standby mode (watts)	0,3	0,3	0,3
wer consumption multiroom sleep mode (watts)	6	6	6
nbient temperature while in operation	5-35° C	5-35° C	5-35° C
lative humidity (non-condensing)	20-80%	20-80%	20-80%
mensions			
eight (approx. kg)	4,5	3,2	1,4
* x H x D (approx. cm)	22,5 x 40,1 x 21,5	19,6 x 32,1 x 18,7	16,0 x 18,8 x 15,4
cope of Delivery			
anual / power cord	•/•	•/•	•/•
hers	<u> </u>		wall mount klang mr1

<sup>• =</sup> available, • = optional, — = not available

Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service matters are all handled individually.