
Welcome to the world of Loewe.



Versatile innovations.

Unique passion.

We love to enhance our customers everyday experiences with unique high-tech appliances and to give discerning connoisseurs pleasure with our products every day.

This is why tireless commitment and perfect craftsmanship flow into the creation of our products.



Philosophy

From the inventor of television to a global, traditional company.



For a century, Loewe has stood for inventive spirit and luxury home cinema experiences. From its founding in 1923 to the invention of the television in 1931, Loewe has developed into a traditional company with worldwide operations and is now active in more than 50 countries with its high-quality, elegant TV and audio products.

The traditional manufactory and the high-tech production lines in Kronach in Upper Franconia continue to be the heart of the Loewe brand.

This is how sustainable high-tech products par excellence are created.

Vision & Values.

The epitome of luxury.

Loewe is dedicated to give every product a meaning. A story. A purpose. In dedicated precision work, we want to anchor Loewe as the epitome of luxurious technical products par excellence.

The perfect interplay of technical masterpieces and outstanding design icons is awarded on a regular basis by press and design awards.





Loewe. Made in Germany.

Kronach, Germany - a place where extraordinary innovative power, impressive tradition and perfect craftsmanship come together to produce technically sophisticated, unique masterpieces. We create and develop every Loewe product in Germany and almost our entire television portfolio is "Made in Germany". At the same time, Loewe has remained true to its handcrafted production method in the manufactory at its headquarters in Kronach.

Each set is manufactured with attention to detail and is individually calibrated for naturally brilliant colours through precise fine-tuning and tested under the strictest quality criteria. Ultimate cinema feeling, excellent detail, vivid movements, outstanding colour fidelity and impressive sound quality are only a touch of a button away.

As vivid as real life. Excellent OLED colour reproduction.


Thrillers, football highlights or nature documentaries with excellent details, velvety smooth motions and brilliant colours fidelity from the first moment you switch on: The 4K OLED display is optimised for every Loewe iconic, stellar, inspire and bild i to ensure everything appears absolutely authentic and true to life.

The pre-calibrated 4K OLED displays with their rich, deepest OLED black based on self-illuminating pixels guarantee breath-taking contrasts and enormous picture depths: experience your movies and series as authentically and realistically as never before.

Loewe stellar	6
Loewe iconic	8
Loewe inspire	10
Loewe bild i	12
Loewe callas	14
We. SEE oled	16
We. SEE Icd	18
We. BEAM	20








Ultra HD OLED panels for maximum performance. Made in Germany.

The breath-taking design of the Loewe stellar reinterprets the OLED flat screen completely new - a born show star, that makes a grand entrance in any upscale interior. High-quality materials and a 360-degree design offer an unrivalled aesthetic experience. The unique display cover made of real concrete and the brushed aluminium frame create a unique design. 100% Made in Germany, from the construction to the production of the OLED panel, this Loewe TV offers excellent picture and sound quality that sets new standards. Experience with the Loewe stellar an innovative lighting concept that creates magical moments of light and movement.

Endless smart entertainment possibilities.

The powerful integrated active sound system delivers an impressive total music output of 80 watts. The integrated SSD hard disc recorder offers limitless entertainment. For gaming enthusiasts, the native 144Hz VRR delivers a professional gaming experience. With the new smart Tizen os, you experience limitless connectivity and intuitive operation. Thanks to the intelligent hidden cable management, your environment remains free from annoying cable clutter. Experience the future of television with the Loewe stellar - a masterpiece of German engineering and design aesthetics.





State-of-the-art TV technology. Picture quality Made in Germany.

An impressive combination of television and front-firing soundbar in a setup solution that, in addition to excellent TV and audio technology Made in Germany, impresses above all with its unique design: with its sculptural, coherent design language, the Loewe iconic sets strong accents and new standards for luxury-class home entertainment. The setup solution of the Loewe iconic is handcrafted from the material Syno-Stone. Syno-Stone is a solid mineral material, which is is robust and durable and yet feels as heavy and cool as stone. Available in the colours Graphite Grey and Pure White or customisable through our exclusive colour selection options of the iconic floor stand and speaker covers.

Individual design creation. For the perfect living ambience.

Create your personal TV design icon with the Loewe iconic collection using our exclusive colour selection options. The colour scheme of the Loewe iconic floor stand and the speaker cover can be customised so that your TV design icon integrates seamlessly into your living space.

The timeless design icon presents itself with the highest quality OLED displays in 55' and 65' inch. The powerful soundbar with a total music output of 360 watts and integrated subwoofers is elegantly and discreetly integrated behind a behind a high-quality fabric panel. Enjoy an artfully arranged TV and audio quality with an ultra-realistic, impressive picture and sound experience.

Loewe inspire

Individual all-rounder for smart entertainment.

Ultra HD OLED panels for perfect performance.

Fast and direct streaming.





For smart streaming and entertainment.

The future of smart TVs: pre-calibrated Ultra HD OLED panel with HDR and Dolby Vision™. The Loewe inspire is the modern and individual all-rounder for smart entertainment with extremely fast Loewe os, Apple AirPlay and DTS Play-Fi. Whether watching TV, using video-on-demand, browsing media libraries, listening to music, surfing the Internet or accessing online streaming services - your entertainment programme can be conveniently controlled via the smart TV platform or by voice command. Made in Germany and equipped with integrated Loewe dr+, invisible sound and flexible modular audio solutions. The Loewe inspire impresses with an unmistakable symbiosis of tradition, innovation and modular installation and sound solutions.


Modular sound-solutions for every wish and situation.

The Loewe multi-talent presents itself with the invisible sound as a stylish, minimalist design statement and offers a magical picture and sound experience at the same time. The optional soundbar Loewe klang bar i enhances your audio experience in no time with wide stereo sound and 80 watts total music power. It impresses with front-facing drivers and a clear, natural voice quality, so that the spoken word reaches the ear with impressive purity. Thanks to the compact design that harmonises with the Loewe inspire, the Loewe klang bar i blends seamlessly into any living environment.

tion and modular installation and southers.

Loewe bild i

Impressive home cinema. Stylish appearance.





Superlative realistic picture quality. Thanks to high-contrast images and impressive colour spectrum.


Ready for Smart TV with an ultra-high resolution 4K OLED display with 77" screen: the Loewe bild i is our modern all-rounder for the best entertainment via the Internet. Whether watching TV, using video-on-demand, browsing media libraries, listening to music, surfing the Internet or accessing online streaming services - your entertainment program can be conveniently controlled via the Smart TV platform or by voice command.

Hand-built in Germany and equipped with innovative HDR technology (HDR10, HLG, Dolby Vision™), a voluminous, flexible sound system and integrated dr+ hard drive, the Loewe bild i impresses with an unmistakable symbiosis of tradition and modernity

True to life. With Dolby VisionTM.

combined with the highest quality. The Loewe multi-talent presents itself as a stylish, minimalist design statement and at the same time offers a magical picture and sound experience. The Loewe bild i is optionally available together with the powerful Loewe soundbar klang bar i, which impresses with powerful front-firing stereo sound from eight integrated drivers generating 80 watts of total music power.

With this high-quality sound bar, you benefit from clear dialogues and a pleasant listening experience even at low volumes. Its compact build matches the design of the Loewe bild i perfectly enhancing every living space.





Fast and direct streaming. With Apple AirPlay and DTS Play-Fi.

Brilliant TV experience with UHD resolution and a wide range of HDR formats including Dolby VisionTM. Available in customised 32 and 43 inch slim edge LED panels, the Loewe callas offers an exceptional viewing angle, wide colour gamut for vivid colours, a fast response time and low energy consumption. Its flat housing design without negative clouding or cross-light loss effects ensures the most natural and brilliant picture reproduction even with smaller screen sizes.

Flexible connections. With HDMI 2.1 and USB Recording.

The super-fast and intelligent Loewe os optimises your entertainment experience through seamless interaction and connectivity. It supports Miracast, Apple AirPlay and DTS Play-Fi and enables a seamless connection with smart home and multiroom audio products. The Loewe callas is based on a new high-performance processor and runs the latest Loewe os based on Vidaa for fast access and full support of your favourite features and apps.

We. SEE oled


Newest TV Technology. For Streaming and Gaming Fans.

Super-fast smart TV with OLED panel. With HDR and Dolby VisionTM.

With Apple AirPlay and DTS Play-Fi.

Impressive 60 watts invisible sound with Dolby Atmos.





Ultra HD OLED-Panel. With HDR and Dolby Vision $^{\text{\tiny TM}}$.

Immerse yourself in brilliant action and experience your favourite series and films on We. SEE oled. Enjoy a breathtaking viewing experience with Ultra HD resolution and the full spectrum of HDR formats, including Dolby Vision™, on the latest slim OLED panels. A unique audio experience thanks to Dolby Atmos technology, delivering 60 watts of total music power via integrated, invisible

Fast and direct streaming. With Apple AirPlay and DTS Play-Fi.

speakers, ensuring that every source sounds unique. This brings the best television experience with invisible sound directly to your home. Whether it's football highlights, TV programmes, streaming series or an evening film night. The We. SEE oled is the perfect smart streaming TV for unforgettable entertainment.

We. SEE Icd

For a new perspective. Smart streaming TV.

Brilliant and natural pictures. With Ultra HD LED.

Flexible connections. With HDMI 2.1 and VRR.

Remote control - Intuitive with Bluetooth and voice command.






Television, streaming or gaming. Flexible and brilliant.

Television that inspires. The We. SEE Icd is the perfect blend of cutting-edge technology and tradition. With its state-of-the-art functions, this Ultra HD LED streaming TV impresses with a wide colour spectrum, stunning, high-contrast images and impressive depth effects that guarantee unique visual worlds. The integrated front-firing soundbar with Dolby Atmos generates an unrivalled sound experience with a total music output of 60 watts. The new We. SEE Icd is made for your individual feel-good programme and is always perfectly matched to what you need:

All important streaming services. Direct and fast access.

Television, streaming or gaming. A smart all-rounder for perfect entertainment. The We. by Loewe os8 operating system and the Vidaa App Store offer all important streaming services such as Netflix, YouTube, Amazon prime video, Disney+, Apple tv+, Rakuten, Deezer, Paramount+, HD+, Zattoo, FIFA+ and more. In addition, We. by Loewe also supports Miracast, Apple AirPlay and DTS Play-Fi for even further interaction and connectivity with smart home and multi-room audio products. The stylish remote control enables direct access to five major VOD streaming services at the touch of a button.

 18 –





Discover the future of entertainment with We. BEAM.

The We. BEAM is the first intelligent mini projector with ALPD laser technology in the EU, which offers outstanding picture quality and brightness. With its own powerful operating system and integrated Netflix and a variety of other VoD services, it enables independent streaming without additional devices. It is quick to start, easy to use and offers access to diverse content via the NetRange App Store and an open browser.

The smart mini projector with ALPD engine offers Full-HD, genuine 500 ANSI lumens, high contrast and perfect uniformity.

Home cinema experience. Impressive picture quality.

It has automatic focus, alignment and keystone correction as well as a low-noise fan for maximum ease of use. The ALPD engine is energy-efficient and durable and ensures breathtaking picture quality with vibrant colours and high contrast. Thanks to automatic screen adjustment, the We. BEAM offers flexible screen sizes from 40 to 120 inches with the optimum 'sweet spot' at around 80 inches and a distance of just 1.5 to 4 or 5 metres. Ideal for white walls, dark rooms or covered terraces. It supports standard, rear and ceiling projection for maximum installation flexibility.

Loewe plus

Set-up solutions for every living space.



Perfectly positioned.

The Loewe set-up solutions adapt to any interiors, so each TV can be perfectly integrated into different living environments. Whether wall mounts, table or floor solutions - with our set-up options, everyone will find the perfectly individual solution.

Which set-up solution matches with which Loewe television can be taken from the data sheets. A glimpse of Loewe's beautiful set-up solutions can be found here:



Loewe floor stand universal

Loewe floor stand flex









Loewe floor2ceiling stand

Loewe floor stand motor stellar







Loewe wall mount slim 432

Loewe wall mount slim 221

Loewe wall mount universal

Innovative inhouse design.

Design is firmly anchored in the Loewe DNA. Timeless, highly functional and aesthetically minimalist are the attributes of the Loewe design philosophy that underlie the work of our experienced industrial designers in our Loewe Design Studio.

Excellent design is what drives us. For us, design is more than just a part of our corporate strategy. Loewe design is our pride and joy. This is why we receive several prestigious design awards such as the Red Dot Design Award or the iF Design Award from renowned experts every year.

Thought out down to the smallest detail and made for absolute durability, new design icons are continuously created in Kronach. Classic design features such as the Loewe eye or the Loewe flag are merged into innovative, creative interpretations which provide magical moments in the everyday lives of our technology- and design-savvy customers.





reddot winner 2024





Audio enjoyment. Engineered in Germany.

The unforgettable 360° entertainment experience is rounded off by Loewe audio products. Engineered in Germany, the audio products are developed, tested and continuously optimised for a natural sound sensation by in-house technical specialists. This is how the sound professionals from Loewe regularly fascinate experts and sound enthusiasts.

Whether it's voluminous 360-degree soundbars, powerful TV sub-woofers, multi-room speakers or smart radios: every single audio product goes through a meticulous development process in which every aspect is put through its paces. Whether it's the aethestic fabric cover specially developed for speakers, unique wireless connection technologies or designs that save up to 50 percent of space - every Loewe audio product is a master of its trade.

For your home cinema.

Create your own personal home cinema with Loewe TV and audio products: combine your favourite soundbar, multi-room speaker and subwoofer with your TV and create a sound stage in your home that is second to none. Enjoy immersive 360-degree sound as if you were in the middle of the action - or listen to your favourite music across multiple rooms with our convenient Multiroom solutions.

newe klang bar5 mr & klang sub5	28
newe klang bar3 mr	30
newe home.cinema set	32
newe klang sub1	34
newe multi.room amp	36
newe klang mr	38
newe klang s	40
newe radio.frequency	42
e. HEAR pro	44

Loewe klang bar5 mr & klang sub5

Realistic surround sound of the third dimension.

Don't miss a word. Superior speech quality.

The pure joy of sound. Vibration-free subwoofer.

Versatile. Streaming & multiroom setup. Expandable without limits. HDMI & Auto Remote Control Sync.

Stylish living ambience. Elegant and compact design.

Perfect to combine. Ideal with Loewe klang mr.





Authentic 3D audio experience. Dolby Atmos.

The ultimate multiroom sound system for your home is guaranteed by the Loewe soundbar klang bar5 mr with 440 watt of total music power with the klang sub5 subwoofer with 360 watt of total music power and extension options of multiple wireless speakers. This true Loewe all-rounder offers premium cinema sound as well as versatile music streaming with just one device, while the compact, space-saving design blends seamlessly into any room.

The 5.1.2 Dolby Atmos and DTS:X technology ensure a fascinatingly realistic 3D sound experience as in the cinema. Equipped with DTS

Powerful entertainment. Captivating sound.

Play-Fi, Google Chromecast and Apple AirPlay 2, the soundbar and subwoofer are instantly pairable with other devices, which makes it easy to stream music from any source. This as well as the elegant, timeless Loewe look elevate the set to an absolute must-have for music and film enthusiasts. Two up firing plus two side firing speakers guarantee realistic 3D surround sound by reflections from the wall and ceiling. The two left and right center speakers, the harmonic tuned subwoofer with two 6-inch active speakers, four passive radiators and 800 watts of total music power provide additional power and put you in the middle of action.







 28 $^{-}$

Loewe klang bar3 mr

Powerful sound giant.

Upgrade to a 5.1 system. Wireless with three centre speakers.

Classic sound enjoyment. AVR connection function. Echo-free 3D sound experience. Best WDAL 2.0 technology.

Audio enjoyment everywhere. Thanks to multi-room functionality.





Powerful. 3.1 System Engineered in Germany.

The all-rounder among the soundbars: The powerful 3.1 soundbar Loewe klang bar3 mr shines with an all-round package for almost every area of application. On its own, the device shines with 360 watts of total music power as well as an excellent 3D sound experience thanks to Dolby Atmos. Enjoy immersive, echo and delay-free 360-degree sound with first-class speech intelligibility and voluminous cinema sound, thanks to a forward-facing left, right and centre speaker supported by two integrated subwoofers.

German engineering enables the klang bar3 mr to connect additional front and rear speakers via wireless and latency-free

WDAL 2.0 technology (Loewe Wireless Digital Audiolink 2.0). Adding front speakers, the klang bar3 mr then switches the left and right speakers to centre speakers, enabling even better speech intelligibility. Thanks to the AVR connections there is no need for an additional, expensive adapter if older Loewe and thirdbrand active speakers or active amplifiers, which require a cable connection, shall be integrated into the sound system. Do you prefer audio enjoyment in all your rooms? That is no problem with the Loewe klang bar3 mr either. Thanks to the Multiroom function the device couples wirelessly with the Loewe klang mr across different rooms.



Loewe home.cinema set

The ultimate home cinema.

Complete system with soundbar, subwoofer and surround speaker.

Multi-channel home cinema thanks to Loewe klang mr speakers.


Ready to play immediately via radio thanks to preconfigured plug & play.

Authentic 3D audio experience. Dolby Atmos Soundbar.

Pure sound experience. Vibrationless subwoofer.

Versatile use. Streaming & Multiroom Setup.





Complete home cinema package. Set it up, switch it on and enjoy.

The ultimate home cinema sound system for your home - guaranteed by the Loewe soundbar in a set with subwoofer and the four wireless speakers. The Loewe home.cinema set offers first-class cinema sound and versatile music streaming in one. At the same time, the 5.1.2 Dolby Atmos and DTS:X technology inspire with immersive 3D sound experience with surround speakers - just like

in the cinema. This and the elegant, timeless Loewe look make the Loewe home cinema set, consisting of Loewe klang bar5 mr & Loewe subwoofer klang sub5 and four wireless active speakers for multi-channel surround sound, an absolute must-have for music and movie enthusiasts.



Loewe klang sub1

Compact powerhouse. The first subwoofer with wireless TV connection.

Maximum compatibility. For almost all TVs.

Wireless sound enjoyment. Latency-free Bluetooth pairing.

Instant audio enjoyment. Simplest plug-and-play.

Dynamic and powerful. Upgrade to a 2.1 system.

Discover a 2.1 audio system with full bass due to 160 watt of total music power for a more dynamic sound. The unique feature of latency-free Bluetooth connection allows you to pair the compact subwoofer with your TV. The result is a perfectly balanced sound experience for maximum listening pleasure without sound delay, annoying buzzing and disturbing wires between the subwoofer and TV.

Due to the simplest plug-and-play installation, the Loewe klang sub1 is immediately ready for use with any Loewe television from the SL3 series onwards – for the ultimate in audio enjoyment. Small size, big performance: thanks to the innovative audio technology inside, the Loewe klang sub1 is only half the size of devices with a conventional subwoofer design. This means that this space-saving powerhouse fits perfectly into smaller living rooms without any kind of vibration. By the way, if you own a non-Loewe TV with a regulated audio output, it is possible to connect the Loewe klang sub1 to it.





Loewe multi.room amp

The new world of connectivity. Expand your sound system.

Multiple use cases.

For music enthusiast and professionals.

Powerful sound. With up to 1.200 watts.

Award-winning design. With clear distinction.

Compact size. Fitting everywhere.

Expandable ecosystem.
With Loewe klang mr products.

Easy usability.

Including remote control.





Powerful stereo amplifier for multi-room and home cinema installations.

The Loewe multi.room amp makes your existing speakers smarter. It empowers your passive and active Hi-Fi speakers with a total music power of 1,200 watt and 4 ohms. With the Loewe multi.room amp you can seamlessly connect your speakers through Apple AirPlay, Google Cast, DTS Play-Fi, Spotify Connect and Bluetooth to distribute your favorite audio content. Whether it's music, podcasts, or audiobooks, stream from your smartphone to your speakers throughout your entire home, regardless of your preferred

Endless possibilities for a powerful sound experience.

streaming service. Furthermore, you can connect beloved digital or analog music sources, such as a CD player or turntable, using the analog cinch inputs to expand your smart audio system.

When you connect the Loewe multi.room amp to your TV, you'll unlock the ultimate home cinema experience. You can effortlessly pair any speaker with your Loewe home.cinema system, wirelessly and with no latency. It's your versatile, all-in-one smart amplifier.







Loewe klang mr

Pure wireless audio enjoyment in all rooms.

Unlimited music enjoyment. HD sound & access to streaming services.

Save and play your favorites with a simple tap on the glass touch panel.

Simple voice control. With Smart Home.

Wireless multichannel connectivity. WDAL 2.0.

Room-filling sound experience due to integrated subwoofer. (klang mr3 / klang mr5 only)





Multiple music streaming in any room. With DTS Play-Fi for easy music streaming.

Enjoy the total audio experience – anytime, in any room and always with breathtaking sound. The Loewe klang mr1, klang mr3 and klang mr5 multiroom speakers stream in high resolution with 30, 150, and 180 watts of total music power. Musical pleasure wherever you want it.

Whether music, podcasts, audio books from streaming services, Internet radio or your own playlists, let yourself be inspired by wireless playback with one or more speakers connected via your network and Bluetooth and excellent sound quality. With your new multiroom system, you can experience outstanding sound ambience in every corner of your home thanks to the satisfyingly simple, harmonious interaction of several speakers. They are also the perfect complement for the Loewe klang bar5 mr. The high-quality design of the Loewe klang mr multiroom speakers is thereby made for a sophisticated living ambience.









Loewe **klang s**

Unique sound experience for most diverse audio demands.

Full digital music variety thanks to Internet streaming.

Sensual listening experience. DAB+ and powerful sound. Comfortable operation from anywhere. With 3.2" display or app.

Even more music enjoyment. Integrated CD drive. (klang s3 only)





Whether listening to the radio from international and local stations, streaming music services or playing playlists, the compact Loewe klang s1 and klang s3 internet radios with DAB/DAB+ tuner, USB-MP3 playback and 80/120 watts of total music power never fails to impress. The outstanding network and Bluetooth speakers as well as the latest state-of- the-art technology create a distinctive and captivating sound experience. Moreover, the extraordinary design of this luxurious sound classic blends seamlessly into an upscale living ambience and inspires discerning music lovers.







40 —

Loewe radio.frequency

Sound miracle. Unique natural oak.

Unique radio design with natural oak inlays.

Independent audio enjoyment with full 28 watts sound.

Easiest operation anywhere. With up to 14 hours playtime.

Easy to operate with 2,6" LCD display.

Convenient alarm and snooze function.





Portable DAB+ radio with 28 watts total music power.

The Loewe radio.frequency offers the latest high-end technology and the simplest operation in the smallest space. The DAB + radio offers a timeless deisgn language with its selected materials such as the specially developed acoustic fabric in the Loewe system colour basalt grey. With inlays made of real Canadian oak, the natural structure of the wood creates a unique design. Enjoy a crystal-clear, full sound experience with 28 watts of total music power. With the integrated alarm and snooze function, the radio is a convenient alarm clock on the bedside table.



42 —

We. **HEAR** pro

Sync with Kylian Mbappé.





Inspired by the sporting achievements of football star Kylian Mbappé and perfected with Loewe's cutting-edge technology, the new We. HEAR pro combines the strengths of two powerful partners. Powerful Bluetooth speaker for use at home or on the go. The We. HEAR pro speaker has a total music output of 100 watts and offers rich sound quality. Multiple speakers can be easily paired with true wireless multi-pairing for an even bigger sound stage. The speaker is available in three stylish colours - denim, neon and black. The colour coordination goes beyond the different materials and impresses with great attention to detail. The clear design language is emphasised by the high-quality acoustic fabric,

which is robust and splash-proof according to IPX6 standard – made for outdoor adventures. An extremely long battery life of 24 hours ensures extensive music enjoyment with the We. HEAR pro. The short charging time of two hours is also extremely user-friendly. The attractive compact size allows easy handling and intuitive operation. The sound can be individually adjusted with just a few buttons and the fast Bluetooth connection ensures the best sound experience. Thanks to the built-in microphone, the We. HEAR pro is also suitable as a handsfree telephone loudspeaker or with the 3.5 mm AUX connection for external players.



BUILD FOR THE OUTDOORS

Enjoy your favourite music come rain or shine. The water resistant construction can handle rain, snow and extreme temperatures.



24HR BATTERY NEVER STOPS THE PARTY

With We. HEAR pro, you get 24 hours of battery life in one charge. Fully charged in two hours! It also doubles as a power bank so you can charge your phone too.



YOUR MUSIC, YOUR WAY

Craft your perfect sound with intuitive onspeaker sliders for precise volume, treble and bass adjustments. No app needed.





The perfect Duo. Professional All-in-One solution.

The Loewe aura.pure offers convenience and espresso enjoyment - perfect for all home baristas. The luxurious design of the espresso machine with integrated coffee grinder and elegant real wood accents embodies a passion for pure coffee enjoyment and offers the simplest preparation of premium coffee in an elegant package.

Equipped with three thermal blocks, the Loewe aura.pure ensures a fast heat-up phase of up to 2 minutes. Pure espresso enjoyment without long waiting times. The three thermal blocks heat the coffee machine, the brewing head and the steam system efficiently and ensure even performance and temperature control.

Powerful thermal technology. Without long heat-up phase.

The integrated stainless steel conical burr grinder enables precision grinding for optimum extraction. This ensures excellent flavour and fresh aroma are guaranteed for coffee enjoyment according to your individual flavour flavour preferences. Elegant and practical accessories make coffee preparation a unique art. The accessories with real wood accents such as the portafilter and the tamper are ideally matched to the elegant design of the espresso machine, as well as the milk jug in basalt grey for the preparation of unique latte art. Thanks to numerous functions, you can create a variety of coffee creations and experience that pure barista feeling in your home.

Technical Data	65 dr+ alu brushed + concrete	65 dr+	55 dr+ alu brushed + concrete	55 dr+
Loewe stellar	alu black + lava	alu brushed + alu	alu black + lava	alu brushed + alu
Image				
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm / inch) / Response time (ms) Panel luminance* (ca. cd/m²) / Viewing angle (h/v)	164 / 65 / 1 1.500 / 120°	164 / 65 / 1 1.500 / 120°	139 / 55 / 1 1.500 / 120°	139 / 55 / 1 1.500 / 120°
Ultra HD scaling / Auto Dimming / Auto Contrast / 24p	1.500 / 120	1.500 / 120	1.500 / 120	1.500 / 120
HDR (HLG / HDR10 / HDR10+ / Dolby Vision) / WCG			• / • / • (Adaptive) / — / •	
Receiption				
DVB-T2 / C / S2 / HD / Twin Tuner	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
DVB radio / DiSEqC / Unicable / Dual channel MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	•/•/•/• •/•/•/• (incl. H.266)	•/•/•/• •/•/• (incl. H.266)	•/•/•/• •/•/• (incl. H.266)	•/•/•/• •/•/• (incl. H.266)
TV+ / Zattoo app / HD+ app	• (Samsung TV Plus) / • / —			• (Samsung TV Plus) / • /
Audio				
Power (watts sine / music) / driver (active + passive)	2 x 20 / 2 x 40 / 10 (6 + 4)	2 x 20 / 2 x 40 / 10 (6 + 4)	2 x 20 / 2 x 40 / 10 (6 + 4)	2 x 20 / 2 x 40 / 10 (6 + 4)
Acoustic speaker concept	closed bar + p. membranes	closed bar + p. membranes	closed bar + p. membranes	closed bar + p. membranes
Front firing / down firing / 2-channel crossover Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	•/-/• •/•/•/-	•/=/• •/•/•/-	•/-/• •/•/•/-	•/-/• •/•/•/-
Class-D amp / Auto Volume / EQ / Loudness	•/•/•/•	•/•/•/ -	•/•/•/ -	•/•/•/•
Operation and apps				
Chassis / os / languages (menu, help) / app store	SL9 / Tizen OS / 27 / ●	SL9 / Tizen OS / 27 / ●	SL9 / Tizen OS / 27 / •	SL9 / Tizen OS / 27 / •
my Loewe app / smart apps (all: Android + iOS)	• / SmartThings app	• / SmartThings app	/ SmartThings app	• / SmartThings app
Voice control: Alexa Skills / other EPG / Number of stations in channel list	 — / Bixby voice • / 10.000 	— / Bixby voice ● / 10.000	— / Bixby voice ● / 10.000	— / Bixby voice ● / 10.000
Mediatext (HbbTV) / Teletext / Splitscreen	•/•/•	•/•/•	•/•/•	•/•/•
Multi View / Multi Recording	•/•	•/•	•/•	•/•
Parental Lock / Automatic turn-off / Timer	•/•/•	•/•/•	•/•/•	•/•/•
Software update (via USB / Internet) / Hotel Mode	•/•/-	•/•/—	•/•/—	•/•/—
Multimedia Loewe dr+: capacity / USB recording / timeshift	1TB SSD / • / •	0,5 TB SSD / o / ●	1TBSSD/o/●	0,5 TB SSD / o / ●
Media player / dlna player / browser	•/•/•	0,5183387070	●/●/●	0,5 18 55 57 67 6
YouTube / Amazon / Netflix / Disney+ / Apple tv+	●/●/●/●/—	●/●/●/●/	●/●/●/●/—	●/●/●/●/—
Connectivity and Interfaces				
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1/2/1	1/2/1	1/2/1	1/2/1
HDMI UHD / ALLM / VRR	4 x HDMI 2.1 • / • / • (144 Hz)	4 x HDMI 2.1 • / • / • (144 Hz)	4 x HDMI 2.1 • / • / • (144 Hz)	4 x HDMI 2.1 • / • / • (144 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
USB-A: number x power	1 x 1,0 A, 1 x 2,0 A	1 x 1,0 A, 1 x 2,0 A	1 x 1,0 A, 1 x 2,0 A	1 x 1,0 A, 1 x 2,0 A
USB-C: number x power Bluetooth / Wake on BT / Miracast / AirPlay	2 x 1,0A •/•/•/—	2 x 1,0A • / • / • / —	2 x 1,0A • / • / • / —	2 x 1,0A •/•/•/—
LAN / WLAN (Wi-Fi) / Wake on IP / DTS Play-Fi	•/•/•/—	•/•/•/ -	•/•/•/ -	•/•/•/ -
TOSLINK / center in / cube plug stereo	•/-/-	•/-/-	•/-/-	•/-/-
Audio out control: fix / variable / sub (3.5 mm)	-/•/•	-/•/•	<u>-/•/•</u>	-/•/•
Loewe magic.light / magic.motion Home automation / Control4 / Crestron	/ o (via USB-A 2,0A)(via SmartThings) / — / —	• / • (via USB-A 2,0A)		• / • (via USB-A 2,0A) • (via SmartThings) / — /
Power socket	C17 (D type)	C17 (D type)	C7 (Euro type)	C7 (Euro type)
Energy				
EU energy efficiency class: SDR (EEI) / HDR (EEI)	E/F	E/F	E/F	E/F
EPREL registration No.: https://eprel.ec.europa.eu	1977964	1977964	1977960	1977960
Mains voltages / Power switch / Off mode (watts) Energy consumption SDR / HDR (ca. kWh/1000h)	220-240V, 50 / 60 Hz / • / 0,0 77 / 92	220-240V, 50 / 60 Hz / • / 0,0 77 / 92	220-240V, 50 / 60 Hz / • / 0,0 63 / 76	220-240V, 50 / 60 Hz / • / 0, 63 / 76
Power consumption max. @ audio 1/8 volume (watts)	400	400	300	300
Power consumption standby / network standby (watts)	0,4 / 0,7	0,4 / 0,7	0,4 / 0,7	0,4 / 0,7-
Dimensions (* incl. signature flag: ca. 1 cm)	,	,		
Weight (ca. kg) excl. / incl. standard setup solution	21,5 / 23,7	21,5 / 23,7	17,6 / 19,8	17,6 / 19,8
W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand	146,8 x 88,8 x 4,7 146,8 x 94,0 x 27,5	146,8 x 88,8 x 4,7 146,8 x 94,0 x 27,5	124,9 x 76,5 x 4,7 124,9 x 81,7 x 27,5	124,9 x 76,5 x 4,7 124,9 x 81,7 x 27,5
VESA support / Kensington lock	300 x 200 / ●	300 x 200 / •	300 x 200 / •	300 x 200 / ●
Scope of Delivery				
Speaker	integrated	integrated	integrated	integrated
Setup Solution / rotate-able	table stand / •	table stand / •	table stand / •	table stand / •
Remote control (incl. batteries) Manual / power cord	Loewe remote stellar & mini (4x AAA)	Loewe remote stellar & mini (4x AAA)	Loewe remote stellar & mini (4x AAA)	Loewe remote stellar & mini (4x AAA)
Others	✓ • (2,5 m, black)	• / • (2,5 m, black)	• / • (2,5 m, black)	/ ● (2,5 m, black)
	welcome box	welcome box	welcome box	welcome box
Optional accessories	floor@ooilingstond	floor?ooilirtd	floor?oollistd	floorQooiling the !
Selection of recommended setup solutions and audio systems	floor2ceiling stand floor stand motor stellar	floor2ceiling stand floor stand motor stellar	floor2ceiling stand floor stand motor stellar	floor2ceiling stand floor stand motor stellar
	floor stand flex	floor stand flex	floor stand flex	floor stand flex
	floor stand universal	floor stand universal	floor stand universal	floor stand universal
	wall mount universal wall mount slim 432	wall mount universal wall mount slim 432	wall mount universal wall mount slim 432	wall mount universal wall mount slim 432
		wall mount stellar	wall mount stellar	wall mount stellar
	wall mount stellar	Wall Mount Stellar	Wall IIIUulit Stellal	Wali I I I Uui I L Stellai

^{• =} available, • = optional, — = not available

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

Technical Data	48 dr+		42 dr+	
	alu brushed + concrete	48 dr+	alu brushed + concrete alu	
Loewe stellar	alu black + lava	alu brushed + alu	black + lava	alu brushed + alu
mage			,	
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm / inch) / Response time (ms)	121/48/1	121 / 48 / 1	106 / 42 / 1	106 / 42 / 1
Panel luminance* (ca. cd/m²) / Viewing angle (h/v)	800 / 120°	800 / 120°	800 / 120°	800 / 120°
Ultra HD scaling / Auto Dimming / Auto Contrast / 24p	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
HDR (HLG / HDR10 / HDR10+ / Dolby Vision) / WCG Receiption	• / • / • (Adaptive) / — / •	• / • / • (Adaptive) / — / •	• / • / • (Adaptive) / — / •	• / • / • (Adaptive) / — /
DVB-T2 / C / S2 / HD / Twin Tuner	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
DVB radio / DiSEqC / Unicable / Dual channel	•/•/•/•	•/•/•	•/•/•	•/•/•
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	•/•/• (incl. H.266)	•/•/•/• (incl. H.266)	•/•/•/• (incl. H.266)	•/•/•/• (incl. H.266)
FV+ / Zattoo app / HD+ app	(Samsung IV Plus) / ● / —	(Samsung IV Plus) / ● / —	(Samsung TV Plus) / ● / —	(Samsung IV Plus) / ● / ·
Audio	2 v 20 / 2 v 40 / 10 /6 + 4)	2 v 20 / 2 v 40 / 10 /6 + 4)	2 v 20 / 2 v 40 / 10 /6 + 4)	2 x 20 / 2 x 40 / 10 (6 + 4)
Power (watts sine / music) / driver (active + passive) Acoustic speaker concept	2 x 20 / 2 x 40 / 10 (6 + 4) closed bar + p. membranes	2 x 20 / 2 x 40 / 10 (6 + 4) closed bar + p. membranes	2 x 20 / 2 x 40 / 10 (6 + 4) closed bar + p. membranes	closed bar + p. membranes
ront firing / down firing / 2-channel crossover	•/-/•	•/-/•	•/-/•	•/-/•
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	•/•/•/-	•/•/•/-	•/•/•/-	•/•/•/-
Class-D amp / Auto Volume / EQ / Loudness	•/•/•/•	•/•/•	•/•/•	•/•/•
Operation and apps		-	-	
Chassis / os / languages (menu, help) / app store	SL9 / Tizen OS / 27 / •	SL9 / Tizen OS / 27 / ●	SL9 / Tizen OS / 27 / ●	SL9 / Tizen OS / 27 / •
my Loewe app / smart apps (all: Android + iOS)	/ SmartThings app	✓ SmartThings app	✓ SmartThings app	✓ SmartThings app
oice control: Alexa Skills / other	 / Bixby voice 	— / Bixby voice	— / Bixby voice	— / Bixby voice
PG / Number of stations in channel list	• / 10.000	• / 10.000	• / 10.000	• / 10.000
Mediatext (HbbTV) / Teletext / Splitscreen	•/•/•	•/•/•	•/•/•	•/•/•
Multi View / Multi Recording Parental Lock / Automatic turn-off / Timer	•/•	- •/•	- • / •	· • / •
Software update (via USB / Internet) / Hotel Mode	•/•/-		·/·/-	•/•/-
Multimedia				
.oewe dr+: capacity / USB recording / timeshift	1TBSSD/o/•	0,5 TB SSD / o / •	1TBSSD/o/●	0,5 TB SSD / o / ●
Media player / dlna player / browser	•/•/•	•/•/•	•/•/•	•/•/•
ouTube / Amazon / Netflix / Disney+ / Apple tv+	•/•/•/-	•/•/•/-	•/•/•/-	•/•/•/-
Connectivity and Interfaces				
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1/2/1	1/2/1	1/2/1	1/2/1
HDMI	4 x HDMI 2.1	4 x HDMI 2.1	4 x HDMI 2.1	4 x HDMI 2.1
HDMI UHD / ALLM / VRR	• / • / • (144 Hz)	• / • / • (144 Hz)	• / • / • (144 Hz)	• / • / • (144 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•/• 1 x 1,0 A, 1 x 2,0 A	- 1 × 1,0 A, 1 × 2,0 A	- \(\bullet \ \sigma \sigma \left\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	- 1 × 1,0 A, 1 × 2,0 A
JSB-A: number x power JSB-C: number x power	2 x 1.0 A	2 x 1,0 A, 1 x 2,0 A	2 x 1,0 A, 1 x 2,0 A	2 x 1,0 A, 1 x 2,0 A
Bluetooth / Wake on BT / Miracast / AirPlay	•/•/•/—	•/•/-	•/•/-	•/•/-
AN / WLAN (Wi-Fi) / Wake on IP / DTS Play-Fi	•/•/-	•/•/-	•/•/-	●/●/●/─
FOSLINK / center in / cube plug stereo	•/-/-	•/-/-	•/-/-	•/-/-
Audio out control: fix / variable / sub (3.5 mm)	- / • / •	<u>_/•/•</u>	-/•/•	<u>_/•/•</u>
Loewe magic.light / magic.motion	• / • (via USB-A 2,0A)	•/ o (via USB-A 2,0A)	•/ o (via USB-A 2,0A)	• / • (via USB-A 2,0A)
Home automation / Control4 / Crestron	• (via SmartThings) / — / —		• (via SmartThings) / — / —	
Power socket	C7 (Euro type)	C7 (Euro type)	C7 (Euro type)	C7 (Euro type)
inergy	F / O	F / 0		F / O
U energy efficiency class: SDR (EEI) / HDR (EEI) PREL registration No.: https://eprel.ec.europa.eu	F / G 1977957	F / G 1977957	F/G 1977954	F/G 1977954
Mains voltages / Power switch / Off mode (watts)			220-240V, 50 / 60 Hz / • / 0,0	
nergy consumption SDR / HDR (ca. kWh/1000h)	52 / 63	52 / 63	47 / 54	47 / 54
Power consumption max. @ audio 1/8 volume (watts)	200	200	170	170
Power consumption standby / network standby (watts)	0,4 / 0,7	0,4 / 0,7	0,4 / 0,7	0,4 / 0,7
Dimensions (* incl. signature flag: ca. 1 cm)				
Veight (ca. kg) excl. / incl. standard setup solution	13,9 / 15,8	13,9 / 15,8	12,0 / 13,9	12,0 / 13,9
N* x H x D (cm) without setup solution	109,3 x 67,7 x 4,7	109,3 x 67,7 x 4,7	95,8 x 60,2 x 4,7	95,8 x 60,2 x 4,7
W* x H x D (cm) incl. table stand	109,3 x 72,9 x 19,5	109,3 x 72,9 x 19,5	95,8 x 65,4 x 19,5	95,8 x 65,4 x 19,5
/ESA support / Kensington lock	300 x 200 / ●	300 x 200 / ●	300 x 200 / ●	300 x 200 / ●
Scope of Delivery Speaker	integrated	integrated	integrated	integrated
Setup Solution / rotate-able	integrated table stand / ●	integrated table stand / •	integrated table stand / •	integrated table stand / ●
Remote control	Loewe remote stellar & mini	Loewe remote stellar & mini	Loewe remote stellar & mini	Loewe remote stellar & mini
incl. batteries)	(4x AAA)	(4x AAA)	(4x AAA)	(4x AAA)
Manual / power cord	• / • (2,5 m, black)	●/● (2,5 m, black)	• / • (2,5 m, black)	●/● (2,5 m, black)
Others	welcome box	welcome box	welcome box	welcome box
Optional accessories				
Selection of recommended setup solutions	floor2ceiling stand	floor2ceiling stand	floor2ceiling stand	floor2ceiling stand
and audio systems	floor stand motor stellar	floor stand motor stellar	floor stand motor stellar	floor stand motor stellar
	floor stand flex	floor stand flex	floor stand flex	floor stand flex
	floor stand universal	floor stand universal	floor stand universal	floor stand universal
	wall mount universal wall mount slim 432	wall mount universal wall mount slim 432	wall mount universal wall mount slim 432	wall mount universal wall mount slim 432
	TYUN INDUNE SIIIII #JL	Trun IIIUUIIL JIIIII 4JL	wan Hourt Shill 4JZ	wan Hibuit Sillii 432
	wall mount stellar	wall mount stellar	wall mount stellar	wall mount stellar

^{• =} available, • = optional, — = not available

48 — 49

^{*} according to panel spec typ. values @ HDR 10%

^{*} according to panel spec typ. values @ HDR 10%

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

Technical Data		
rechnical Data	83 dr+	77 dr+
Loewe stellar	alu brushed + alu	alu brushed + alu
Image Consequence by the professional and the profe	LIF LID (2040 2150)	LIII LID (2040 2150)
Screen resolution (pixels) Display technology	Ultra HD (3840 x 2160) OLED (WRGB)	Ultra HD (3840 x 2160) OLED (WRGB)
Screen diagonal (cm / inch) / Response time (ms)	210 / 83 / 1	195 / 77 / 1
Panel luminance* (ca. cd/m²) / Viewing angle (h/v)	1.100 / 120°	1.500 / 120°
Ultra HD scaling / Auto Dimming / Auto Contrast / 24p	●/●/●/●	•/•/•/•
HDR (HLG / HDR10 / HDR10+ / Dolby Vision) / WCG	• / • / • (Adaptive) / — / •	• / • / • (Adaptive) / — / •
Receiption		
DVB-T2 / C / S2 / HD / Twin Tuner	•/•/•/•	•/•/•/•
DVB radio / DiSEqC / Unicable / Dual channel	•/•/•/•	•/•/•/•
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	• / • / • / • (incl. H.266)	• / • / • / • (incl. H.266)
TV+ / Zattoo app / HD+ app	(Samsung TV Plus) / ● / —	(Samsung TV Plus) / • / —
Audio		
Power (watts sine / music) / driver (active + passive)	2x 75 / 2x 150 / 6	2x 75 / 2x 150 / 6
Acoustic speaker concept	active bar + bass reflex	closed bar + p. membranes
Front firing / down firing / 2-channel crossover	- •/-/•	
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD Class-D amp / Auto Volume / EQ / Loudness		<u> </u>
		0,0,0,0
Operation and apps	LO / Times OC / 27 / 4	10 /Times 00 / 27 / -
Chassis / os / languages (menu, help) / app store my Loewe app / smart apps (all: Android + iOS)	L9 / Tizen OS / 27 / • • / SmartThings app	L9 / Tizen OS / 27 / •
Voice control: Alexa Skills / other	- / Smart i nings app - / Bixby voice	- / Smart i nings app - / Bixby voice
EPG / Number of stations in channel list	• / 10.000	• / 10.000
Mediatext (HbbTV) / Teletext / Splitscreen	•/•/•	•/•/•
Multi View / Multi Recording	•/•	•/•
Parental Lock / Automatic turn-off / Timer	•/•/•	•/•/•
Software update (via USB / Internet) / Hotel Mode	•/•/—	•/•/—
Multimedia		
Loewe dr+: capacity / USB recording / timeshift	1TBSSD/o/●	1TB SSD / o / ●
Media player / dlna player / browser	•/•/•	•/•/•
YouTube / Amazon / Netflix / Disney+ / Apple tv+	•/•/•/-	•/•/•/-
Connectivity and Interfaces		
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1/2/1	1/2/1
HDMI	4 x HDMI 2.1	4 x HDMI 2.1
HDMI UHD / ALLM / VRR HDCP 2.2 / HDMI-CEC / ARC / eARC	• / • / • (144 Hz)	• / • / • (144 Hz)
USB-A: number x power	- 1 × 1,0 A, 1 × 2,0 A	• / • / • / • 1 x 1,0 A, 1 x 2,0 A
USB-C: number x power	2 x 1.0A	2 x 1,0 A
Bluetooth / Wake on BT / Miracast / AirPlay	•/•/•/-	<u> </u>
LAN / WLAN (Wi-Fi) / Wake on IP / DTS Play-Fi	•/•/-	●/●/●/—
TOSLINK / center in / cube plug stereo	•/-/-	•/-/-
Audio out control: fix / variable / sub (3.5 mm)	-/•/•	- / • / •
Loewe magic.light / magic.motion	• / • (via USB-A 2,0A)	• / • (via USB-A 2,0A)
Home automation / Control4 / Crestron Power socket	• (via SmartThings) / — / — C17 (D type)	(via SmartThings) / — / — C17 (D type)
	C17 (D type)	C17 (D type)
Energy		
EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu	F / G 2185767	F / G 2185763
Mains voltages / Power switch / Off mode (watts)	2183/6/ 220-240V, 50 / 60 Hz / • / 0,0	2185/63 220-240V, 50 / 60 Hz / • / 0,0
Energy consumption SDR / HDR (ca. kWh/1000h)	121 / 144	126 / 153
Power consumption max. @ audio 1/8 volume (watts)	650	650
Power consumption standby / network standby (watts)	0,4 / 0,5	0,4 / 0,5
Dimensions (* incl. signature flag: ca. 1 cm)		
Weight (ca. kg) excl. / incl. standard setup solution	51,0 / 52,1	47,5 / 48,6
W* x H x D (cm) without setup solution	187,5 x 116,5 x 7,0	173,9 x 108,9 x 7,0
W* x H x D (cm) incl. table stand	187,5 x 122,7 x 41,0	173,9 x 115,2 x 41,0
VESA support / Kensington lock	400 x 200 / —	400 x 200 / —
Scope of Delivery		
Speaker	integrated	integrated
Setup Solution / rotate-able	integrated wall mount / fix	integrated wall mount / fix
Remote control (incl. batteries)	Loewe remote stellar & mini (4x AAA)	Loewe remote stellar & mini (4x AAA)
Manual / power cord	• / • (2,5 m, black)	• / • (2,5 m, black)
Others	welcome box	welcome box
Optional accessories		
Selection of recommended setup solutions and audio systems	floor stand motor stellar 77-83	floor stand motor stellar 77-83
	table stand motor stellar 77-83	table stand motor stellar 77-83
	multi.room amp	multi.room amp

^{• =} available, • = optional, — = not available

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks "a or registered" trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

Technical Data

Loewe iconic inspire	inspire 65	inspire 55
Image		
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm / inch) / Response time (ms)	164/65/1	139 / 55 / 1
Panel luminance* (ca. cd/m²) / Viewing angle (h/v)	1.100 / 120°	1.100 / 120°
Ultra HD scaling / Auto Dimming / Adaptive Contrast / 24p	•/•/•/•	•/•/•/•
HDR (HLG / HDR10 / HDR10+ / Dolby Vision™) / WCG	•/•/•(incl. IQ PD)/•	• / • / • (incl. IQ PD) / •
Receiption	0, 0, 0, 0 (inol. 1Q 1 b), 0	(III.I. 12 1 D) / C
DVB-T2 / C / S2 / HD / Twin Tuner	•/•/•/-	•/•/•/-
DVB-127 C7 S27 HD7 TWITT fuller DVB radio / DiSEqC / Unicable / Dual channel	<u> </u>	•/•/•/ -
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	• / • / • (incl. H.266) • (VIDAA tv) / • / •	• / • / • (incl. H.266) • (VIDAA tv) / • / •
TV+ / Zattoo app / HD+ app	• (VIDAA (V) / • / •	• (VIDAA (V) / • / •
Audio		
Output (ca. watts sine / music) / driver (active + passive)	180 / 360 / 9	180 / 360 / 9
Acoustic speaker concept	klang bar3 mr	klang bar3 mr
Front firing / down firing / 2-channel crossover	• / — / • (active)	• / — / • (active)
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	•/•/•/•	•/•/•/•
Class-D amp / Auto Volume / EQ / Dyn. Loudness	•/•/•/•	•/•/•/•
Operation and apps		-
Chassis / os / languages (menu, help) / app store	SL8/os8/33/•	SL8/os8/33/•
my Loewe app / smart apps (all: Android + iOS)	VIDAA Smart TV app	• / VIDAA Smart TV app
Voice control: Alexa Skills / other	VIDAA SITIAL I V App VIDAA voice	VIDAA SMart IV app VIDAA voice
EPG / Number of stations in channel list	• / 10.000	• / 10.000
Mediatext (HbbTV) / Teletext / Splitscreen	•/•/•	•/•/•
Parental Lock / Automatic turn-off / Timer	•/•/•	
Software update (via USB / Internet) / Hotel Mode	•/•/•	•/•/•
Multimedia		
	1.TD / /	1.TD / /
Loewe dr+: capacity / USB recording / timeshift	1TB/o/•	1TB/o/o
Media player / dlna player / browser	•/•/•	
YouTube / Amazon / Netflix / Disney+ / Apple tv+	•/•/•/•	•/•/•/•
Connectivity and Interfaces		
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1/1/1	1/1/1
HDMI	2 x HDMl 2.0b, 2 x HDMl 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1
HDMI UHD / ALLM / VRR	●/●/● (120 Hz)	•/•/• (120 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•	●/●/●/●
USB-A: number x power	2 x 1,0 A, 2 x 0,5 A	2 x 1,0 A, 2 x 0,5 A
Bluetooth / Wake on BT / Miracast / AirPlay	•/•/•	•/•/•
LAN / WLAN (Wi-Fi) / Wake on IP / DTS Play-Fi	•/•/•	●/●/●/●
TOSLINK / center in / cube plug stereo	•/-/•	•/-/•
Audio out control: fix / variable / sub (3.5 mm)	●/●/●	•/•/•
Home automation / Control4 / Crestron	• (via IP) / • / •	• (via IP) / • / •
Power socket	C7 (Euro type)	C7 (Euro type)
Energy		
EU energy efficiency class: SDR (EEI) / HDR (EEI)	via inspire 65 dr+	via inspire 55 dr+
EPREL registration No.: https://eprel.ec.europa.eu	via inspire 65 dr+	via inspire 55 dr+
Mains voltages / Power switch / Off mode (watts)	220-240 V, 50/60 Hz / - / n.a.	220-240 V, 50/60 Hz / - / n.a.
Energy consumption SDR / HDR (ca. kWh/1000h)	n.a.	n.a.
Power consumption max. @ audio 1/8 volume (watts)	425 + 60	300 + 60
Power consumption standby / network standby (watts)	0,3 + 0,5 / 0,8 + 6,0	0,3 + 0,5 / 0,8 + 6,0
Dimensions	/010	n - 1657
Weight (ca. kg) excl. / incl. standard setup solution	n.a. / 81,8	n.a. / 65,7
W* x H x D (cm) without setup solution	n.a.	n.a.
W* x H x D (cm) incl. table stand	152,3 x 113,7 x 31,8 (floor stand)	130,0 x 101,3 x 31,8 (floor stand)
VESA support / Kensington lock		
Scope of Delivery		
Speaker	klang bar3 mr	klang bar3 mr
Setup Solution / rotate-able	floor stand iconic / fix	floor stand iconic / fix
Remote control (incl. batteries)	Loewe remote alu (2x AAA)	Loewe remote alu (2x AAA)
Manual / power cord	•/•(3m)	•/•(3 m)
Others	multi power extension	multi power extension
Optional accessories	· · · · · · · · · · · · · · · · · · ·	
Selection of recommended setup solutions and audio systems	klang sub5	klang sub5
ocicetion of recommended setup solutions and additional systems	klang mr5	klang mr5
	klang mr3	klang mr3
	klang mr1	klang mr1
	rialik iiii t	nialig iiii 1

ullet = available, ullet = optional, — = not available

^{*} according to panel spec typ. values @ HDR 10%

^{*} according to panel spec typ. values @ HDR 10%

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarksTM or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain terribories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

<u>'</u>			
Image			
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm / inch) / Response time (ms)	164/65/1	139 / 55 / 1	121 / 48 / 1
Panel luminance* (ca. cd/m²) / Viewing angle (h/v)	1.100 / 120°	1.100 / 120°	800 / 120°
Ultra HD scaling / Auto Dimming / Adaptive Contrast / 24p	•/•/•/•	•/•/•	•/•/•/•
HDR (HLG / HDR10 / HDR10+ / Dolby Vision) / WCG	• / • / • / • (incl. IQ PD) / •	• / • / • / • (incl. IQ PD) / •	• / • / • / • (incl. IQ PD) / •
Reception			
DVB-T2 / C / S2 / HD / Twin Tuner	•/•/•/-	•/•/•/-	•/•/•/—
DVB radio / DiSEqC / Unicable / Dual channel	•/•/-	•/•/-	•/•/-
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	•/•/• (incl. H.266)	•/•/• (incl. H.266)	•/•/•/• (incl. H.266)
TV+ / Zattoo app / HD+ app	• (VIDAA tv) / • / •	• (VIDAA tv) / • / •	• (VIDAA tv) / • / •
Audio			
Power (watts sine / music) / driver (active + passive)	2 x 10 / 2 x 20 / 2	2 x 10 / 2 x 20 / 2	2 x 10 / 2 x 20 / 2
Acoustic speaker concept	speaker box + bass reflex	speaker box + bass reflex	speaker box + bass reflex
Front firing / down firing / 2-channel crossover	— / ● (invisible sound) / —	— / ● (invisible sound) / —	— / ● (invisible sound) / —
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	•/•/•/•	•/•/•/•	•/•/•/•
Class-D amp / Auto Volume / EQ / Dynamic Loudness	•/•/•/•	•/•/•/•	•/•/•/•
Operation and apps			
Chassis / os / languages (menu, help) / app store	SL8/os8/33/•	SL8/os8/33/•	SL8/os8/33/•
my Loewe app / smart apps (all: Android + iOS)	 / Vidaa Smart TV app 	• / Vidaa Smart TV app	• / Vidaa Smart TV app
Voice control: Alexa Skills / other	 / Vidaa voice 	 / Vidaa voice 	 / Vidaa voice
EPG / Number of stations in channel list	• / 10.000	• / 10.000	• / 10.000
Mediatext (HbbTV) / Teletext / Splitscreen	•/•/•	•/•/•	•/•/•
Parental Lock / Automatic turn-off / Timer	•/•/•	•/•/•	•/•/•
Software update (via USB / Internet) / Hotel Mode	•/•/•	•/•/•	•/•/•
Multimedia			
Loewe dr+: capacity / USB recording / timeshift	1TB/o/•	1TB/o/•	1TB/o/•
Media player / dlna player / browser	•/•/•	•/•/•	•/•/•
YouTube / Amazon / Netflix / Disney+ / Apple tv+	•/•/•/•	•/•/•/•	•/•/•/•
Connectivity and Interfaces			
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1/1/1	1/1/1	1/1/1
HDMI	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1
HDMI UHD / ALLM / VRR	●/●/● (120 Hz)	●/●/● (120 Hz)	●/●/● (120 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•/•	•/•/•	•/•/•/•
USB-A: number x power	2 x 1,0 A, 2 x 0,5 A	2 x 1,0 A, 2 x 0,5 A	2 x 1,0 A, 2 x 0,5 A
Bluetooth / Wake on BT / Miracast / AirPlay	•/•/•/•	•/•/•	•/•/•/•
LAN / WLAN (Wi-Fi) / Wake on IP / DTS Play-Fi	•/•/•/•	•/•/•/•	•/•/•/•
TOSLINK / center in / cube plug stereo	•/-/•	• / / •	•//•
Audio out control: fix / variable / sub (3.5 mm)	•/•/•	•/•/•	•/•/•
Home automation / Control4 / Crestron	• (via IP) / • / •	• (via IP) / • / •	• (via IP) / • / •
Power socket	C7 (Euro type)	C7 (Euro type)	C7 (Euro type)
Energy			
EU energy efficiency class: SDR (EEI) / HDR (EEI)	F(0,879)/G(0,914)	F (0,893) / F (0,847)	F(0,851)/F(0,848)
EPREL registration No.: https://eprel.ec.europa.eu	1993207	1993193	1653891
Mains voltages / Power switch / Off mode (watts)	220-240 V, 50/60 Hz / - / n.a.	220-240 V, 50/60 Hz / - / n.a.	220-240 V, 50/60 Hz / - / n.a.
Energy consumption SDR / HDR (ca. kWh/1000h)	100 / 104	77 / 73	58 / 58
Power consumption max. @ audio 1/8 volume (watts)	425	300	200
Power consumption standby / network standby (watts)	0,3 / 0,5	0,3 / 0,5	0,3 / 0,5
Dimensions			
Weight (ca. kg) excl. / incl. standard setup solution	29,2 / 35,2	22,8 / 28,8	15,5 / 21,5
W* x H x D (cm) without setup solution	146,0 x 86,8 x 6,4	123,6 x 74,4 x 6,4	107,7 x 65,4 x 6,4
W* x H x D (cm) incl. table stand	146,0 x 88,3 x 29,0	123,6 x 75,9 x 29,0	107,7 x 66,9 x 29,0
VESA support / Kensington lock	300 x 200 / ●	300 x 200 / ●	300 x 200 / ●
Scope of Delivery			
Speaker	invisible sound (in TV integrated)	invisible sound (in TV integrated)	invisible sound (in TV integrated
Setup Solution / rotate-able	table stand i / •	table stand i / •	table stand i / •
Remote control (incl. batteries)	Loewe remote alu (2x AAA)	Loewe remote alu (2x AAA)	Loewe remote alu (2x AAA)
Manual / power cord	• / • (2,5 m, black)	• / • (2,5 m, black)	• / • (2,5 m, black)
Optional accessories			
Selection of recommended setup solutions and audio systems	floor2ceiling stand, floor stand flex	floor2ceiling stand, floor stand flex	floor2ceiling stand, floor stand fle
	wall mount slim 432, wall mount	wall mount slim 432, wall mount	wall mount slim 432, wall mount
	universal, klang bar5 mr	universal, klang bar5 mr	universal, klang bar3 mr
	klang bar3 mr, klang bar i	klang bar3 mr, klang bar i	klang bar i, klang sub1

ullet = available, ullet = optional, ullet = not available

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarksTM or registered[®] trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

Technical Data

Loewe inspire	65 dr+ set	55 dr+ set	48 dr+ set
Image			
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm / inch) / Response time (ms)	164 / 65 / 1	139 / 55 / 1	121 / 48 / 1
Panel luminance* (ca. cd/m²) / Viewing angle (h/v)	1.100 / 120°	1.100 / 120°	800 / 120°
Ultra HD scaling / Auto Dimming / Adaptive Contrast / 24p	•/•/•/•	•/•/•/•	•/•/•/•
HDR (HLG / HDR10 / HDR10+ / Dolby Vision) / WCG	•/•/•/•(incl. IQ PD)/•	•/•/•(incl. IQ PD)/•	•/•/•(incl. IQ PD)/•
Reception	, ,		
DVB-T2 / C / S2 / HD / Twin Tuner	•/•/•/-	•/•/•/-	•/•/•/-
DVB radio / DiSEgC / Unicable / Dual channel	•/•/-	•/•/-	•/•/-
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	• / • / • / • (incl. H.266)	•/•/•/• (incl. H.266)	•/•/•/• (incl. H.266)
TV+ / Zattoo app / HD+ app	• (VIDAA tv) / • / •	• (VIDAAtv) / • / •	• (VIDAA tv) / • / •
Audio			
Power (watts sine / music) / driver (active + passive)	2×20/2×40/8	2x20/2x40/8	2×20/2×40/8
Acoustic speaker concept	klang bar i	klang bar i	klang bar i
Front firing / down firing / 2-channel crossover	•/-/•	•/-/•	•/-/•
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	•/•/•/•	•/•/•/•	•/•/•/•
Class-D amp / Auto Volume / EQ / Dynamic Loudness	•/•/•/•	•/•/•/•	•/•/•
Operation and apps			
Chassis / os / languages (menu, help) / app store	SL8/os8/33/•	SL8/os8/33/•	SL8/os8/33/•
my Loewe app / smart apps (all: Android + iOS)	• / Vidaa Smart TV app	• / Vidaa Smart TV app	• / Vidaa Smart TV app
Voice control: Alexa Skills / other	Vidaa voice	Vidaa voice	Vidaa voice
EPG / Number of stations in channel list	• / 10.000	• / 10.000	•/10.000
Mediatext (HbbTV) / Teletext / Splitscreen	•/•/•	•/•/•	•/•/•
Parental Lock / Automatic turn-off / Timer	•/•/•		
Software update (via USB / Internet) / Hotel Mode	•/•/•	•/•/•	•/•/•
Multimedia			
Loewe dr+: capacity / USB recording / timeshift	1TB/o/•	1TB/o/•	1TB/∘/•
Media player / dlna player / browser	•/•/•	•/•/•	-
You Tube / Amazon / Netflix / Disney+ / Apple tv+	•/•/•/•	•/•/•/•	•/•/•/•
Connectivity and Interfaces			
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1/1/1	1/1/1	1/1/1
HDMI	2 x HDMl 2.0b, 2 x HDMl 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1
HDMI UHD / ALLM / VRR	•/•/• (120 Hz)	●/●/● (120 Hz)	●/●/● (120 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•/•	•/•/•/•	•/•/•/•
USB-A: number x power	2 x 1,0 A, 2 x 0,5 A	2 x 1,0 A, 2 x 0,5 A	2 x 1.0 A. 2 x 0.5 A
Bluetooth / Wake on BT / Miracast / AirPlay	•/•/•/•	•/•/•/•	•/•/•/•
LAN / WLAN (Wi-Fi) / Wake on IP / DTS Play-Fi	•/•/•/•	•/•/•/•	- •/•/•/•
TOSLINK / center in / cube plug stereo	•/-/•	•/-/•	•/-/•
Audio out control: fix / variable / sub (3.5 mm)	•/•/•	•/•/•	•/•/•
Home automation / Control4 / Crestron Power socket	• (via IP) / • / •	• (via IP) / • / •	• (via IP) / • / • C7 (Euro type)
	C7 (Euro type)	C7 (Euro type)	C7 (Euro type)
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI)	uis inserior CE des	via insuius EE dus	si a isana isan 40 dan
	via inspire 65 dr+	via inspire 55 dr+	via inspire 48 dr+
EPREL registration No.: https://eprel.ec.europa.eu	via inspire 65 dr+	via inspire 55 dr+	via inspire 48 dr+
Mains voltages / Power switch / Off mode (watts)	220-240 V, 50/60 Hz / — / n.a.	220-240 V, 50/60 Hz / — / n.a.	220-240 V, 50/60 Hz / — / n.a
Energy consumption SDR / HDR (ca. kWh/1000h)	100 / 104	77 / 73	58 / 58
Power consumption max. @ audio 1/8 volume (watts)	425	300	200
Power consumption standby / network standby (watts)	0,3 / 0,5	0,3 / 0,5	0,3 / 0,5
Dimensions			
Weight (ca. kg) excl. / incl. standard setup solution	31,1 / 37,1	24,7 / 30,7	17,4 / 23,4
W* x H x D (cm) without setup solution	146,0 x 86,8 x 6,4	123,6 x 74,4 x 6,4	107,7 x 65,4 x 6,4
W* x H x D (cm) incl. table stand	146,0 x 88,3 x 29,0	123,6 x 75,9 x 29,0	107,7 x 66,9 x 29,0
VESA support / Kensington lock	300 x 200 / ●	300 x 200 / ●	300 x 200 / ●
Scope of Delivery			
Speaker	klang bar i (in extra carton)	klang bar i (in extra carton)	klang bar i (in extra carton)
Setup Solution / rotate-able	table stand i / ●	table stand i / ●	table stand i / ●
Remote control (incl. batteries)	Loewe remote alu silver (2x AAA)	Loewe remote alu silver (2x AAA)	Loewe remote alu silver (2x AAA
Manual / power cord	• / • (2,5 m, black)	• / • (2,5 m, black)	/ ● (2,5 m, black)
Optional accessories			
Optional accessories Selection of recommended setup solutions and audio systems	floor2ceiling stand, floor stand flex	floor2ceiling stand, floor stand flex	floor2ceiling stand, floor stand f
	floor2ceiling stand, floor stand flex wall mount slim 432, wall mount	floor2ceiling stand, floor stand flex wall mount slim 432, wall mount	
	wall mount slim 432, wall mount		wall mount slim 432, wall mount
		wall mount slim 432, wall mount	floor2ceiling stand, floor stand fl wall mount slim 432, wall mount universal, klang bar3 mr, klang sub1, multi.room amp

^{• =} available, • = optional, — = not available

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarksTM or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

52 —

^{*} according to panel spec typ. values @ HDR 10%

^{*} according to panel spec typ. values @ HDR 10%

Loewe bild i

Singer (pasture) (Spells) Display forthrology	200110 8110 1	77 41.
Dispay technology CLEP (WINDS)	Image	
Display rethrology		Ultra HD (3840 x 2160)
Servent diagonal (cmir/nch) / Response time (ms) 195 / 77 / 1		
Pamel tuminances (cat/ms) / Vewering angle (n/v) 500 / Ve		
#URD (TLRS / HÖRLO / Action		900 / 120°
Auto-dimming interior (CPEC) Ambient brightness control PRE-Reciption DRE-12C/SC PLD / Mult AIV / Unicidite / Dust Channel MREGA / MPSG/ VERGA (1264) 1 (1900	Ultra HD scaling / Image+ Active / Adaptive Contrast / 24p	•/-/•/•
Neception		•/•/•/•
DRB 12/C/S2 HD / Multi AV / Unicable / Dual Channel 0*/	Auto-dimming interior (OPC) / Ambient brightness control	•/•
MPED AL MPE	Receiption	
Audio	DVB-T2/C/S2 HD / Multi ATV / Unicable / Dual Channel	● ^{2B} / ● / ● / —
Audio Originate (Sinse / minicity) / driver (active + passive) Originate (sinse) / minicity / driver (active + passive) Originate (sinse) / minicity / driver (active + passive) Subject (sinse) / minicity / driver (active + passive) Subject (sinse) / minicity / driver (active + passive) Subject (sinse) / minicity / driver (active + passive) Subject (sinse) / minicity / driver (active + passive) Subject (sinse) / minicity / mi		●/●/●/●
Output (wealth a new / music) / driver (active + passave)	Sat over IP / DVB-C over IP / DVB radio	-/-/•
Acoustic speaker concept Mage manner 1/ not firing / down firing /2-channel crossover Dilby Audior / Digital / Digital Plas / Atmos / DIS : HD Dilby Audior / Digital Plas / Atmos / DIS : HD Dilby Audior / Digital Plas / Atmos / DIS : HD Operation Loewe tank to know a control / Loudness Therat EQ / — Dearwel basss / or / home screen (incl. favorities) Loewe thasis / or / home screen (incl. favorities) Loewe thasis / or / home screen (incl. favorities) Loewe thasis / or / home screen (incl. favorities) Loewe app / Video app / my Loewe app / Wideo app / my Loewe app / Wideo app / my Loewe app / Wideo app /	Audio	
Acoustic speaker concept Spoaker box + bass reflex Mage moment / row firing / 2-channel crossover -/ r * / = (invisible sound)	Output (watts sine / music) / driver (active + passive)	2 x 10 / 2 x 20 / 2
Solity Audio / Digital / Digital Plus / Almos / DIS-HD		speaker box + bass reflex
Class-D amp / Auto Volume (AVC) / Mim Sound Personalization individual basis and treble control Loudness	Magic moment / front firing / down firing / 2-channel crossover	— / — / ● / — (invisible sound)
Table Tab		
Coperation Coperation Coperation St.7 / os 7 / ◆ Coperation		
Licewe pay N/DAA pap / my Levew apg (all Android + IOS)	Individual bass and treble control / Loudness	7-Band EQ / —
Leeve app / VIDAA app / my Leeve app (all: Android + 10S)	Operation	
Vacce control by Alexa skills / VIDAA voice	Loewe chassis / os / home screen (incl. favorites)	SL7/os7/•
Electronic Program Guidor / EPG key word search Mediatext (Hoby I/ eletekt 1) year emmory Menulanguages / Context related help Parental Lock / Automatic turn-off / Imer Instant Channel Zapping / Quick Start Mode In ID000 PIP (AV)* / Full PIP / Spiltscreen TV:Videotext Plot Mode (Standard / CEC / IP / RS232) Loewe Gr. storage capacity (GB) / USB recording / timeshirt Loewe Gr. storage capacity (GB) / USB recording / timeshirt Music player / Photo player / Video player* Photo player* Photo player / Video player* Photo player* Photo player / Video player* Photo player*	Loewe app / VIDAA app / my Loewe app (all: Android + iOS)	- /•/•
Mediatext (HibbTV) / Teletext / page memory		
Menu languages / Context related help		
Parental Lock / Automatic turn-off / Timer		
Instant Channel Zapping / Quick Start Mode — / ●		
Number of stations in channel list incl. Al and radio 10000		
PiPC (Ay)* / Full PiP / Spitscreen TVVideotext	11 0 0	
Software update (via USB / Internet) Hotel Mode (Standard / CEC / IP / RS232) ■ / - / - / Multimedia Loewe dr*: storage capacity (GB) / USB recording / timeshift 1.000 / - / Music player / Photo player / Video player Digital Media Renderer (incl. Ultra HD) / Plluetooth music player Internet apps / Internet browser / Internet radio 7		
Multimedia		
Multimedia		
Loewed r+: storage capacity (GB) / USB recording / timeshift Music player / Photo player / Video player?		
Music player / Photo player / Video player		1000 / /•
Digital Media Renderer (incl. Ultra HD) / Bluetooth music player Internet apps / Internet browser / Internet radio *		
Internet apps / Internet prowser / Internet radio youTube / Amazon prime video / Netflix / Disney+ Connectivity and Interfaces HDMI 2.0b / HDMI 2.1º HDCP 2.2 / HDMI-CEC / ARC / eARC USB / Bluetooth / Screen Mirroring (Miracast) LAN network connection / WLAN (Wi-Fi) integrated Antenna [EC / statellite F / Ci + 1 & ECP certified' Audio out control: fix / variable / sub (3.5mm jack) Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / Mains voltages WoLAN / WoWLAN / Fast Power-On (increased consumption) Dimensions Weight (approx. kg) excl. / incl. standard setup solution (*incl. signature flag) W* x + x D (approx. cm) without setup solution (*incl. signature flag) W* x + x D (approx. cm) incl. table stand (*incl. signature flag) W* x + x D (approx. cm) incl. table stand (*incl. signature flag) W* x + x D (approx. cm) incl. table stand (*incl. signature flag) W* x + x D (approx. cm) incl. table stand (*incl. signature flag) W* x + x D (approx. cm) incl. table stand (*incl. signature flag) W* x + x D (approx. cm) incl. table stand (*incl. signature flag) Sepeaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Optional accessories Floor2celling stand floor stand flex wall mount slim 432 klang bar5 mr floor2celling stand floor stand flex wall mount slim 432 klang bar5 mr		
YouTube / Amazon prime video / Netflix / Disney+		
HDMI 2.0b / HDMI 2.1e HDCP 2.2 / HDMI-CEC / ARC / eARC USB / Bluetoth / Screen Mirroring (Miracast) LAN network connection / WLAN (Wi-Fi) integrated Antenna IEC / satellite F / CI+1.4 ECP certified / Antenna IEC / satellite F / CI+1.4 ECP certified / I/1/1 Mini TOSLINK / Center in (via adapter) / Cube plug stereo Audio out control: fix / variable / sub (3.5mm jack) Kensington anti theft lock Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / Mains voltages WoLAN / WoWLAN / Fast Power-On (increased consumption) Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag) VESA support Scape of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Optional accessories Fig. 2 x x x x x y x x x x x x x x x x x x x		
HDMI 2.0b / HDMI 2.1e HDCP 2.2 / HDMI-CEC / ARC / eARC USB / Bluetoth / Screen Mirroring (Miracast) LAN network connection / WLAN (Wi-Fi) integrated Antenna IEC / satellite F / CI+1.4 ECP certified / Antenna IEC / satellite F / CI+1.4 ECP certified / I/1/1 Mini TOSLINK / Center in (via adapter) / Cube plug stereo Audio out control: fix / variable / sub (3.5mm jack) Kensington anti theft lock Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / Mains voltages WoLAN / WoWLAN / Fast Power-On (increased consumption) Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag) VESA support Scape of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Optional accessories Fig. 2 x x x x x y x x x x x x x x x x x x x	Connectivity and Interfaces	
HDCP.2.2 / HDMI-CEC / ARC / eARC USB / Bluetooth / Screen Mirroring (Miracast) LAN network connection / VLAN (Wi-F) integrated Antenna IEC / satellite F / CI+ 1.4 ECP certified' Antenna IEC / satellite F / CI+ 1.4 ECP certified' Antenna IEC / satellite F / CI+ 1.4 ECP certified' Andio out control: fix / variable / sub (3.5mm jack) Audio out control: fix / variable / sub (3.5mm jack) Energy Eu energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / Mains voltages Weight (approx. Rp) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) incl. table stand (* incl. signature flag) Total (approx cm) incl. table stand (* incl. signature flag) Seaker Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Optional accessories Fig. 2		4 x HDMI 2.1
USB / Bluetooth / Screen Mirroring (Miracast) LAN network connection / WLAN (Wi-Fi) integrated Antenna IEC / Ct I + 14 ECP certified? Mini TOSLINK / Center in (via adapter) / Cube plug stereo Audio out control: fix / variable / sub (3.5mm jack) Kensington anti theft lock Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No: https://eprel.ec.europa.eu/qr Power switch / Mains voltages WoLAN / WoWLAN / Fast Power-On (increased consumption) Dimensions Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag) VESA support Sepeaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Optional accessories Fig. 2 v S v S v S v S v S v S v S v S v S v		
Antenna EC / satellite F / Cl+1.4 ECP certified / Mini TOSLINK / Center in (via adapter) / Cube plug stereo		4(2 x USB 3.0) / • / •
Mini TOSLINK / Center in (via adapter) / Cube plug stereo Audio out control: fix / variable / sub (3.5mm jack) Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / Mains voltages WoLAN / WoWLAN / Fast Power-On (increased consumption) Dimensions Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag) VESA support Scope of Delivery Speaker Setup Solution / rotate-able Setup Solution / rotate-able Setup Solution / rotate-able Remote control (incl. batteries) Dional accessories Selection of recommended setup solutions and audio systems ### Control of the control incl. setup solutions and audio systems ### Control of the control incl. setup solutions and audio systems ### Control of the control incl. setup solutions and audio systems ### Control of the control incl. setup solutions and audio systems #### Control of the control incl. setup solutions and audio systems ###################################	LAN network connection / WLAN (Wi-Fi) integrated	•/•
Audio out control: fix / variable / sub (3.5mm jack) Kensington anti theft lock Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / Mains voltages WoLAN / WoWLAN / Fast Power-On (increased consumption) Dimensions Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag) W* x H x D (approx. cm) incl. table stand (* incl. signature flag) T3.1 x 102.3 x 10.5 W* x H x D (approx. cm) incl. table stand (* incl. signature flag) T3.1 x 102.3 x 12.2 (wm universal) VESA support Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Optional accessories Selection of recommended setup solutions and audio systems floor 2ceiling stand floor stand flex wall mount slim 432 klang bar6 mr	Antenna IEC / satellite F / CI+ 1.4 ECP certified ⁷	1/1/1
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / Mains voltages WoLAN / WoWLAN / Fast Power-On (increased consumption) Pimensions Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag) T3.1 x 102.3 x 8.4 W* x H x D (approx. cm) incl. table stand (* incl. signature flag) T3.1 x 102.3 x 12.2 (wm universal) Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Optional accessories Selection of recommended setup solutions and audio systems floor stand flex wall mount slim 432 klang bar5 mr	Mini TOSLINK / Center in (via adapter) / Cube plug stereo	
EU energy efficiency class: SDR (EEI) / HDR (EEI) E (0.650) / C (0.488) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / Mains voltages —/ 220-240V, 50 / 60 Hz WoLAN / WoWLAN / Fast Power-On (increased consumption) Dimensions Weight (approx. kg) excl. / incl. standard setup solution 34.1 / 35.6 (wm universal) W* x H x D (approx. cm) without setup solution (* incl. signature flag) 173.1 x 102.3 x 8.4 W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag) 173.1 x 102.3 x 10.5 W* X H x D (approx. cm) incl. table stand (* incl. signature flag) 173.1 x 102.3 x 12.2 (wm universal) VESA support 300 x 200 Scope of Delivery Speaker		•/•/•
EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / Mains voltages WoLAN / WoWLAN / Fast Power-On (increased consumption) Dimensions Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag) VESA support Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Optional accessories Selection of recommended setup solutions and audio systems E (0,650) / C (0,488) E (0,60) / C (0,	Kensington anti theft lock	•
EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / Mains voltages WoLAN / WoWLAN / Fast Power-On (increased consumption) Dimensions Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag) VESA support Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Optional accessories Selection of recommended setup solutions and audio systems Floor 2 del product of the system of the sys	Energy	
Power switch / Mains voltages WoLAN / WoWLAN / Fast Power-On (increased consumption) Dimensions Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag) VESA support Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Optional accessories Selection of recommended setup solutions and audio systems floor 2 ceiling stand floor stand flex wall mount slim 432 klang bar5 mr		
WoLAN / WoWLAN / Fast Power-On (increased consumption)		
Dimensions Weight (approx. kg) excl. / incl. standard setup solution 34.1 / 35.6 (wm universal) W* x H x D (approx. cm) without setup solution (* incl. signature flag) 173.1 x 102.3 x 8.4 W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag) 173.1 x 102.3 x 10.5 W* x H x D (approx. cm) incl. table stand (* incl. signature flag) 173.1 x 102.3 x 12.2 (wm universal) VESA support 300 x 200 Scope of Delivery Speaker invisible sound (integrated) Setup Solution / rotate-able wall mount universal / — Remote control (incl. batteries) Loewe remote alu silver (2x AAA) Manual / power cord • / • (2.5 m) Optional accessories Selection of recommended setup solutions and audio systems floor stand flex wall mount slim 432 klang bar5 mr		_ / 220-240V, 50 / 60 Hz
Weight (approx. kg) excl. / incl. standard setup solution 34.1 / 35.6 (wm universal) W* x H x D (approx. cm) without setup solution (* incl. signature flag) 173.1 x 102.3 x 8.4 W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag) 173.1 x 102.3 x 10.5 W* x H x D (approx. cm) incl. table stand (* incl. signature flag) 173.1 x 102.3 x 12.2 (wm universal) VESA support 300 x 200 Scope of Delivery setup Solution / rotate-able invisible sound (integrated) Setup Solution / rotate-able wall mount universal / — Remote control (incl. batteries) Loewe remote alu silver (2x AAA) Manual / power cord • / • (2,5 m) Optional accessories Selection of recommended setup solutions and audio systems floor2ceiling stand flox wall mount slim 432 klang bar5 mr	WoLAN / WoWLAN / Fast Power-On (increased consumption)	•/•/•
W* x H x D (approx. cm) without setup solution (* incl. signature flag) 173.1 x 102.3 x 8.4 W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag) 173.1 x 102.3 x 10.5 W* x H x D (approx. cm) incl. table stand (* incl. signature flag) 173.1 x 102.3 x 12.2 (wm universal) VESA support 300 x 200 Scope of Delivery setup Solution / rotate-able Setup Solution / rotate-able wall mount universal / — Remote control (incl. batteries) Loewe remote alu silver (2x AAA) Manual / power cord ● / ● (2,5 m) Optional accessories Selection of recommended setup solutions and audio systems floor 2ceiling stand flox wall mount slim 432 klang bar5 mr	Dimensions	
W* x H x D (approx. cm) incl. wall mount slim (*incl. signature flag) W* X H x D (approx. cm) incl. table stand (*incl. signature flag) VESA support Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Optional accessories Selection of recommended setup solutions and audio systems floor 2 ceiling stand flox wall mount slim 432 klang bar5 mr		
W* x H x D (approx. cm) incl. table stand (* incl. signature flag) 173.1 x 102.3 x 12.2 (wm universal) Scope of Delivery 300 x 200 Speaker invisible sound (integrated) Setup Solution / rotate-able wall mount universal / — Remote control (incl. batteries) Loewer remote alu silver (2x AAA) Manual / power cord • / • (2,5 m) Optional accessories floor 2ceiling stand flor stand flex wall mount slim 432 klang bar5 mr		
VESA support Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Optional accessories Selection of recommended setup solutions and audio systems floor 2ceiling stand floor stand flex wall mount universal / — Loewe remote alu silver (2x AAA) • / • (2,5 m) floor 2ceiling stand floor stand flex wall mount slim 432 klang bar5 mr		
Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Detional accessories Selection of recommended setup solutions and audio systems Solution Forestimate Forest		
Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Optional accessories Selection of recommended setup solutions and audio systems floor 2 ceiling stand floor stand flex wall mount universal / — Loewe remote alu silver (2x AAA) • / • (2,5 m) Optional accessories floor 2 ceiling stand floor stand flex wall mount slim 432 klang bar5 mr		300 x 200
Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Optional accessories Selection of recommended setup solutions and audio systems floor stand flex wall mount universal / — Loewe remote alu silver (2x AAA)	<u> </u>	
Remote control (incl. batteries) Manual / power cord Optional accessories Selection of recommended setup solutions and audio systems floor2ceiling stand floor stand flex wall mount slim 432 klang bar5 mr		
Manual / power cord o/ ● (2,5 m) Optional accessories Selection of recommended setup solutions and audio systems floor2ceiling stand floor stand flex wall mount slim 432 klang bar5 mr		
Optional accessories Selection of recommended setup solutions and audio systems floor2ceiling stand floor stand flex wall mount slim 432 klang bar5 mr		
Selection of recommended setup solutions and audio systems floor2ceiling stand floor stand flex wall mount slim 432 klang bar5 mr	·	● / ● (2,5 m)
floor stand flex wall mount slim 432 klang bar5 mr	Optional accessories	
wall mount slim 432 klang bar5 mr	Selection of recommended setup solutions and audio systems	
klang bar5 mr		
klang bard mr		
		kiang bard mr

- = included/installed = not included / possible
- according to panel spec typ. values @ HDR 10%
 Beception of DVB-T2 HD only in selected countries, may be limited by individual regulations from the respective provider (UK models: Freeview HD compliant)

 bis-cs-cd-ds-et-nes-fr-hr-is-it-lv-lt-hu-nl-no-pl-pt-ro-sq-sk-sl-sr-fi-sv-el-be-bg-kk-mk-ru-uk-tr-ar

All product and company names are trademarksTM or registered® trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them.

Technical changes and delivery optionsare subject to change without notice. The product portfolio may be different and might vary depending on the country. Service offers are all handled individually.

Technical Data

43 32 Loewe callas

Image		
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Full HD (1920 x 1080)
Display technology	LCD + E-LED (semi mat)	LCD + E-LED (semi mat)
Screen diagonal (cm / inch) / Response time (ms)	108/43/8	81/32/6,5
Panel luminance* (ca. cd/m²) / Viewing angle (h/v)	450 / 178°	350 / 178°
Ultra HD scaling / Auto Dimming / Adaptive Contrast / 24p	•/•/•/•	<u>-/•/•/•</u>
HDR (HLG / HDR10 / HDR10+ / Dolby Vision™) / WCG	• / • / • / • (incl. IQ PD) / •	•/•/-/-
Receiption		
DVB-T2 / C / S2 / HD / Twin Tuner	•/•/•/-	•/•/•/-
DVB radio / DiSEgC / Unicable / Dual channel	<u> </u>	•/•/•/ -
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	●/ ●/ ●/ ● (incl. H.266)	•/•/•/ (incl. H.266)
TV+ / Zattoo app / HD+ app	• (VIDAA tv) / • / •	• (VIDAA tv) / • / •
Audio	(VIB/UTEV)/ C/ C	C(VIENVICO) / C/ C
	0.15 (0.20 (4	0.15 (0.20 (4
Output (ca. watts sine / music) / driver (active + passive)	2x15/2x30/4	2×15/2×30/4
Acoustic speaker concept	speaker box + bass reflex	speaker box + bass reflex
Front firing / down firing / 2-channel crossover	•/-/-	•/-/-
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	•/•/•/•	•/•/•/•
Class-D amp / Auto Volume / EQ / Dyn. Loudness	•/•/•/•	•/•/•/•
Operation and apps		
Chassis / os / languages (menu, help) / app store	SL8/os8/33/•	SL8/os8/33/•
my Loewe app / smart apps (all: Android + iOS)	• / VIDAA Smart TV app	• / VIDAA Smart TV app
Voice control: Alexa Skills / other	• / VIDAA Voice	• / VIDAA Voice
EPG / Number of stations in channel list	•/10.000	• / 10.000
Mediatext (HbbTV) / Teletext / Splitscreen	•/•/•	•/•/•
Parental Lock / Automatic turn-off / Timer	•/•/•	●/●/●
Software update (via USB / Internet) / Hotel Mode	•/•/•	●/●/●
Multimedia		
Loewe dr+: capacity / USB recording / timeshift	-/•/•	-/•/•
Media player / dlna player / browser		
YouTube / Amazon / Netflix / Disney+ / Apple tv+		
		-, •, •, •, •
Connectivity and Interfaces		
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1/1/1	1/1/1
HDMI	2 x HDMI 2.0b, 2 x HDMI 2.1	1 x HDMI 2.0b, 2 x HDMI 2.1
HDMI UHD / ALLM / VRR	• / • / • (120 Hz)	●/●/●(FHD 60 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•/•	•/•/•/•
USB-A: number x power	2 x 1,0 A, 2 x 0,5 A	2 x 1,0 A, 2 x 0,5 A
Bluetooth / Wake on BT / Miracast / AirPlay	•/•/•/•	•/•/•/•
LAN / WLAN (Wi-Fi) / Wake on IP / DTS Play-Fi	•/•/•/•	•/•/•/•
TOSLINK / center in / cube plug stereo	•/-/-	•/-/-
Audio out control: fix / variable / sub (3.5 mm)	●/●/●	•/•/•
Home automation / Control4 / Crestron	• (via IP) / • / •	• (via IP) / • / •
Power socket	C7 (Euro type)	C7 (Euro type)
Energy		
EU energy efficiency class: SDR (EEI) / HDR (EEI)	G (0,927) / G (1,474)	F (0,752) / G (1,249)
EPREL registration No.: https://eprel.ec.europa.eu	2001498	1978040
Mains voltages / Power switch / Off mode (watts)	220-240 V, 50/60 Hz / - / n.a.	220-240 V, 50/60 Hz / - / n.a.
Energy consumption SDR / HDR (ca. kWh/1000h)	53 / 85	27 / 46
Power consumption max. @ audio 1/8 volume (watts)	110	70
Power consumption standby / network standby (watts)	0,4 / 0,8	0,4 / 0,8
Dimensions		
Weight (ca. kg) excl. / incl. standard setup solution	12,0 / 14,8	7,3 / 10,0
W* x H x D (cm) without setup solution	97.0 x 58.9 x 6.8	7,5 / 10,0 72,5 x 45,6 x 7,9
W* x H x D (cm) incl. table stand	97,0 x 58,9 x 0,8 97,0 x 63,3 x 25,4	72,5 x 49,8 x 25,4
VESA support / Kensington lock	300 x 300 / •	72,3 x 45,8 x 25,4 100 x 100 / ●
	300 x 3000 / •	100 X 100 / •
Scope of Delivery		
Speaker	integrated	integrated
Setup Solution / rotate-able	table stand c / ●	table stand c / •
Remote control (incl. batteries)	Loewe remote alu (2x AAA)	Loewe remote alu (2x AAA)
Manual / power cord	/ ● (2,5 m, black)	/ ● (2,5 m, black)
Optional accessories		
Selection of recommended setup solutions and audio systems	floor2ceiling stand, floor stand universal	floor2ceiling stand, floor stand c
	floor stand c, wall mount slim 432	wall mount slim 221, wall mount universa
	wall mount universal, klang bar3 mr	klang sub1

ullet = available, ullet = optional, ullet = not available

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarksTM or registered[®] trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain termitories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

54 — **—** 55

^{*} according to panel spec typ. values @ HDR 10%

We. SEE oled	65 oled	55 oled	48 oled
Image			
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm / inch) / Response time (ms)	164/65/1	139/55/1	121/48/1
Panel luminance* (ca. cd/m²) / Viewing angle (h/v)	800/120°	800/120°	800/120°
Ultra HD scaling / Auto Dimming / Adaptive Contrast / 24p	•/•/•/•	•/•/•	•/•/•/•
HDR (HLG / HDR10 / HDR10+ / Dolby Vision) / WCG	• / • / • / • (incl. IQ PD)/ •	●/●/●/● (incl. IQ PD)/●	• / • / • / • (incl. IQ PD)/ •
Receiption			
DVB-T2 / C / S2 / HD / Twin Tuner	•/•/•/-	•/•/•/-	•/•/•/-
DVB radio / DiSEqC / Unicable / Dual channel	•/•/•/-	•/•/-	•/•/•/-
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	•/•/•/• (incl. H.266)	•/•/• (incl. H.266)	•/•/•/• (incl. H.266)
TV+ / Zattoo app / HD+ app	(VIDAA tv)/ ● / ●	• (VIDAA tv)/ • / •	• (VIDAA tv)/ • / •
Audio	(1.2.1.1.)	(1.2)	(1121111)
Power (watts sine / music) / driver (active + passive)	2 x 15/2 x 30/6	2 x 15/2 x 30/6	2 x 15/2 x 30/6
Acoustic speaker concept	invisible sound	invisible sound	invisible sound
· · · · · · · · · · · · · · · · · · ·	-/ • /-	-/ • /-	-/ • /-
Front firing / down firing / 2-channel crossover			
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD Class-D amp / Auto Volume / EQ / Dynamic Loudness			
		0,0,0,0	0,0,0,0
Operation and apps	CL 9 /on9 /22 / =	CL 9 /oo9 /22 / =	CL 9 /oo9 /22 / =
Chassis / os / languages (menu, help) / app store	SL8/os8/33/ ●	SL8/os8/33/ •	SL8/os8/33/ ●
my Loewe app / smart apps (all: Android + iOS)	/VIDAA Smart TV app	/VIDAA Smart TV app	/VIDAA Smart TV app
Voice control: Alexa Skills / other	/VIDAA Voice	• /VIDAA Voice	/VIDAA Voice
EPG / Number of stations in channel list	• /10.000	• /10.000	• /10.000
Mediatext (HbbTV) / Teletext / Splitscreen	•/•/•	•/•/•	•/•/•
Parental Lock / Automatic turn-off / Timer	•/•/•	•/•/•	•/•/•
Software update (via USB / Internet) / Hotel Mode	•/•/•	•/•/•	●/●/●
Multimedia			
Loewe dr+: capacity / USB recording / timeshift	-/ ● / ●	-/•/•	-/•/•
Media player / dlna player / browser	•/•/•	•/•/•	•/•/•
YouTube / Amazon / Netflix / Disney+ / Apple tv+	•/•/•/•	•/•/•/•	•/•/•/•
Connectivity and Interfaces			
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1/1/1	1/1/1	1/1/1
HDMI	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1
HDMI UHD / ALLM / VRR	●/●/● (120 Hz)	●/●/● (120 Hz)	●/●/● (120 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•	•/•/•	•/•/•/•
USB-A: number x power	1 x 1.0 A. 1 x 0.5 A	1 x 1,0 A, 1 x 0,5 A	1 x 1,0 A, 1 x 0,5 A
Bluetooth / Wake on BT / Miracast / AirPlay	•/•/•/•	•/•/•/•	•/•/•/•
LAN / WLAN (Wi-Fi) / Wake on IP / DTS Play-Fi	•/•/•/•	•/•/•/•	•/•/•
TOSLINK / center in / cube plug stereo	• /-/-	•/-/-	<u> </u>
	- ·/-/-	•/•/•	•/-/- •/•/•
Audio out control: fix / variable / sub (3.5 mm)			
Home automation / Control4 / Crestron	• (via IP)/ • / •	• (via IP)/ • / •	● (via IP)/ ● / ●
Power socket	C13 (D type)	C13 (D type)	C7 (Euro type)
Energy	F (0.963) /F (0.601)	F (0.000) /F (0.000)	F (0.002) /F (0.0F0)
EU energy efficiency class: SDR (EEI) / HDR (EEI)	F (0,862)/E (0,601)	F (0,888)/E (0,699)	F (0,893)/F (0,850)
EPREL registration No.: https://eprel.ec.europa.eu	1947856	1947859	1947864
Mains voltages / Power switch / Off mode (watts)	220-240 V, 50/60 Hz/-/n.a.	220-240 V, 50/60 Hz/-/n.a.	220-240 V, 50/60 Hz/-/n.a.
Energy consumption SDR / HDR (ca. kWh/1000h)	98/68	77/60	61/58
Power consumption max. @ audio 1/8 volume (watts)	420	300	250
Power consumption standby / network standby (watts)	0,3/0,8	0,3/0,8	0,3/0,8
Dimensions			
Weight (ca. kg) excl. / incl. standard setup solution	25,5/32	18,7/23,0	14,8/19,1
W* x H x D (cm) without setup solution	145,7 x 83,6 x 6,8	123,4 x 71,2 x 6,8	107,7 x 62,8 x 6,6
W* x H x D (cm) incl. table stand	145,7 x 87,2 x 26,5	123,4 x 74,1 x 23,7	107,7 x 65,7 x 23,7
VESA support / Kensington lock	300 x 200/-	300 x 200/-	300 x 300/-
Scope of Delivery			
Speaker	integrated	integrated	integrated
Setup Solution / rotate-able	table stand/ ●	table stand/ ●	table stand/ ●
Remote control (incl. batteries)	We. REMOTE black (2x AAA)	We. REMOTE black (2x AAA)	We. REMOTE black (2x AAA)
Manual / power cord	• / •	•/•	•/•
'			
Optional accessories	wall mount slim 432	wall mount slim 432	wall mount slim 422
Colontian of recommended actual calutions and audia auti		Wall HIOUHL SHITI 432	wall mount slim 432
Selection of recommended setup solutions and audio systems		and the same to th	condition according to the contract of the con
Selection of recommended setup solutions and audio systems	wall mount universal	wall mount universal	wall mount universal
Selection of recommended setup solutions and audio systems	wall mount universal klang bar5 mr	klang bar5 mr	klang bar3 mr
Selection of recommended setup solutions and audio systems	wall mount universal		

ullet = available, \circ = optional, \cdot = not available

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

Technical data

We. SEE lcd 43 lcd 32 lcd

WC. OLL ICC	45 icu	32 ICU
Image		
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Full HD (1920 x 1080)
Display technology	LCD + E-LED (semi mat)	LCD + E-LED (semi mat)
Screen diagonal (cm / inch) / Response time (ms)	108 / 43 / 8	81 / 32 / 6,5
Panel luminance* (ca. cd/m²) / Viewing angle (h/v)	450 / 178°	350 / 178°
Ultra HD scaling / Auto Dimming / Adaptive Contrast / 24p	•/•/•/•	-/ •/ •/ •
HDR (HLG / HDR10 / HDR10+ / Dolby Vision) / WCG	•/•/•/• (incl. IQ)/•	• / • / - / - / •
	or or or o (mei. ig) / o	
Receiption		
DVB-T2 / C / S2 / HD / Twin Tuner	•/•/•/-	•/•/•/-
DVB radio / DiSEqC / Unicable / Dual channel	• / • / • / -	• / • / • / -
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	• / • / • / • (incl. H.266)	• / • / • (incl. H.266)
TV+ / Zattoo app / HD+ app	• (VIDAA tv) / • / •	● (VIDAA tv) / ● / ●
Audio		
Power (watts sine / music) / driver (active + passive)	2 x 15 / 2 x 30 / 4	2 x 15 / 2 x 30 / 4
Acoustic speaker concept	speaker box + bass reflex	speaker box + bass reflex
Front firing / down firing / 2-channel crossover	• / - / -	<u>• / - / -</u>
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	●/●/●/●	•/•/•/•
Class-D amp / Auto Volume / EQ / Dynamic Loudness	•/•/•/	•/•/•
Operation and apps		
Chassis / os / languages (menu, help) / app store	SL8/os8/33/ •	SL8/os8/33/ ●
my Loewe app / smart apps (all: Android + iOS)	 / VIDAA Smart TV app 	 / VIDAA Smart TV app
Voice control: Alexa Skills / other	• / VIDAA Voice	• / VIDAA Voice
EPG / Number of stations in channel list	• /10.000	• / 10.000
Mediatext (HbbTV) / Teletext / Splitscreen	• / • / •	• / • / •
Parental Lock / Automatic turn-off / Timer	• / • / •	• / • / •
Software update (via USB / Internet) / Hotel Mode	• / • / •	• / • / •
Multimedia		
Loewe dr+: capacity / USB recording / timeshift	-/•/•	-/•/•
Media player / dlna player / browser	• / • / •	• / • / •
YouTube / Amazon / Netflix / Disney+ / Apple tv+	●/●/●/●	•/•/•/•
Connectivity and Interfaces		
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1/1/1	1/1/1
HDMI	2 x HDMI 2.0b, 2x HDMI 2.1	2 x HDMI 2.0b, 2x HDMI 2.1
HDMI UHD / ALLM / VRR	• / • / • (120 Hz)	• / • / • (120 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•/•	•/•/•/•
USB-A: number x power	2 x 1,0 A, 2 x 0,5 A	2 x 1,0 A, 2 x 0,5 A
Bluetooth / Wake on BT / Miracast / AirPlay	•/•/•/•	•/•/•/•
LAN / WLAN (Wi-Fi) / Wake on IP / DTS Play-Fi	•/•/•/•	•/•/•/•
TOSLINK / center in / cube plug stereo	• /-/-	• / - / -
Audio out control: fix / variable / sub (3.5 mm)	• / • / •	• / • / •
Home automation / Control4 / Crestron	• (via IP) / • / •	• (via IP) / • / •
Power socket	C7 (Euro type)	C7 (Euro type)
Energy	C/ (Eulo type)	or (Euro type)
	G (0,927) / G (1,474)	E (0.752) / C (1.240)
EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu	1942112	F (0.752) / G (1.249) 1942107
Mains voltages / Power switch / Off mode (watts)	220-240 V, 50/60 Hz / - / n.a.	220-240 V, 50/60 Hz / - / n.a.
Energy consumption SDR / HDR (ca. kWh/1000h)	53 / 85	27 / 46
	110	70
Power consumption max. @ audio 1/8 volume (watts) Power consumption standby / network standby (watts)	0,4 / 0,8	0,4 / 0,8
	0,47 0,0	U,47 U,0
Dimensions	10.1 /15.1	72 /10 2
Weight (ca. kg) excl. / incl. standard setup solution	12,1/15,1	7,2 / 10,3
W* x H x D (cm) without setup solution	97,5 x 58,9 x 6,6	73,1 x 45,6 x 7,6
W* x H x D (cm) incl. table stand	97,5 x 60,2 x 20,2	73,1 x 46,7 x 20,2
VESA support / Kensington lock	300 x 300 / ●	100 × 100 / ◆
Scope of Delivery		
Speaker	integrated	integrated
Setup Solution / rotate-able	table stand / -	table stand / -
Remote control (incl. batteries)	We. REMOTE black (2x AAA)	We. REMOTE black (2x AAA)
Manual / power cord	 ✓ • (2,5 m, black) 	 / ● (2,5 m, black)
Optional accessories		
Selection of recommended setup solutions and audio systems	floor2ceiling stand, floor stand c	floor2ceiling stand, floor stand c
	wall mount slim 432, wall mount universal	
	klang bar3 mr, klang sub1	klang sub1
	0	

ullet = available, ullet = optional, ullet = not available

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks of registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

56 —

^{*} according to panel spec typ. values @ HDR 10%

^{*} according to panel spec typ. values @ HDR 10%

We. BEAM

We. BEAM

Image	
Resolution (pixels)	Full HD (1920 x 1080)
Display technology / DMD eye protection	ALPD laser / • / •
Diagonal (ca. cm/inch) / Response time (ms)	min. 100/40 - max. 300/120 / 1
Luminance (ca. lumen) / Viewing angle	500 / 120°
24p support	•
HDR / color gamut	HDR10 / Rec. 709
Life span @ normal mode (ca. h)	25.000
Uniformity / contrast ratio (FOFO)	min 85% / typ. 500:1
Offset / Throw ratio	1/1,2:1
Auto: focus / keystone / screen align / obstacle	•/•/•/•
Noise level @ normal mode (dB, 1m)	max. 30
Audio	
Output (watts sine / music) / driver (active + passive)	2x2,5/2x5/2
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	Dolby Audio
	Botoly radio
Operation and apps	CLC (asC / (linux) / (NatDanas)
Loewe chassis / os / home screen / app store	SL6 / os6 / • (Linux) / • (NetRange)
my Loewe app	• • • • • • • • • • • • • • • • • • • •
Menu languages	> 40
Automatic turn-off / Timer	•/•
Software update (via USB / Internet)	•
Multimedia	
Media player / web apps / browser	•/•/•
YouTube / Amazon prime video / Netflix	•/•/•
Connectivity and Interfaces	
HDMI	1
HDCP 1.4 / HDMI-CEC / ARC	•/•/•
USB	2 (1 x USB-C)
USB-A power	5 V / 1,0 A (OUTPUT)
USB-C power	20 V / 3,25 A (INPUT)
Bluetooth	•
Miracast	• <u> </u>
WLAN (Wi-Fi)	• <u> </u>
Audio out control: fix / variable (3.5 mm jack)	
Tripod screw thread (mm / inch)	6,35 / 1/4
Energy	
Mains voltages AC	110-240 V, 50/60 Hz
WoWLAN / Fast Power-On (increased consumption)	•/•
Dimensions	
Weight (ca. grams)	830
W x H x D (cm)	17,5 x 4,8 x 17,5
Scope of Delivery	
Setup Solution / tripod mount	table stand / ●
Remote control (incl. batteries)	• (Bluetooth, 2x AAA)
Manual / power cord	(USB-C power adapter (150 cm, black)
Others	travel adapter plugs (EU, UK, AUS)
Optional accessories	
Selection of recommended setup solutions and audio systems	We. HEAR bluetooth speakers
Selection of recommended setup solutions and additions ystems	Loewe klang bar3 mr
	Loewe kiarig par 3 mil

^{• =} available, • = optional, — = not available

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarksTM or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are not the device are available at the time of purchase of this product. Internet access required. Separate (pardy subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

Technical Data

Loewe aura.pure

aura.pure

Loewe aura.pure	aura.pure
Design	
	la continue de la con
Color	basalt gray
Surface	matt
Housing Material	Painted steel
Material Milk Frother Nozzle	Stainless steel Stainless steel
Brewing Unit	58mm
Material of the Brewing Unit	Chrome
Material of the Cup Tray	Stainless steel
Functions	
Type of Operation	Direct selection buttons, rotary controls
Display Size in Inches	1,5"
Display Technology	LCD Display
Color of Display Illumination	white
Temperature Range	88-96 Degrees Celsius
Pre-infusion	00-90 Degrees Cersius
Steam Wand for Milk Frothing	`
Passive Heated Cup Warmer	•
Specialties	
Espresso	•
Double Espresso	
Hot Water	
Hot Milk	· <u>· </u>
Milk Froth Production	· <u>* </u>
	<u> </u>
Hygiene Standards	
Filter Cartridges	
Monitoring of Residual Water Tray	•
Technical Features	
	2 DID TI
Heating System	3 PID Thermoblocks
Number of Heating Circuits	
Type of Pumps	Vibration pump
Number of Pumps	2
Coffee Extraction Pump Pressure	15 bar
Steam Extraction Pump Pressure	4 bar
Brewing Pressure Gauge	•
Water Tank	•
Water Tank Capacity	2,5
Removable Water Tank	•
Connectivity and Interfaces	
Integrated Grinder	
Number of Grinding Mechanisms	1
Ionizer / Anti-Static Design	
Type of Grinding Mechanism	Stainless steel Stainless steel
Number of Grind Settings	66
Speed	1400 U/min.
Grinding Discs	Stainless steel, 54mm
Number of Bean Containers	1
Bean Container Capacity	200gr
Connections	
	222 0404 52 11
Mains Voltage AC	220-240V, 50 Hz
Power Consumption / Energy Efficiency Class	2350-2850W/ —
Standby Power	<0.5W
Length of Power Cord	1,1m
Compliance Markings	CE
Dimensions	
Weight (approx. kg)	22kg
	22kg 36.0 x 49.0 x 49.0
W x H x D (approx. cm)	0,54 X 0,54 X 0,00 X 43,0
Scope of Delivery	
I-Spout Portafilter	•
2-Spout Portafilter	
Blind Filter	
Cleaning Brush	· • • • • • • • • • • • • • • • •
Tamper	· `
Tamper Pad	
Tamper Pad Barista Cloth	*
Milk Pitcher	•
Optional accessories	
	Loewe aura.pure barista set
Selection of recommended setup solutions	
Selection of recommended setup solutions	
Selection of recommended setup solutions	Loewe aura.pure milk jug 600 ml
Selection of recommended setup solutions	Loewe aura descaler
Selection of recommended setup solutions	Loewe aura descaler Loewe aura espresso machine cleaner
Selection of recommended setup solutions	Loewe aura descaler

^{• =} available, • = optional, — = not available

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks^{nu} or registered[®] trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

58 —

Loewe klang bar5 mr

Locwe Mang	Dai 5 iiii
Audio (acoustic)	
Frequency range (Hz) @ ±3 dB	60-20.000
Orientation front / side / up / rear firing	•/•/•/—
Acoustic speaker concept	closed bar + klang sub5
Channel configuration (speaker layout)	5.1.2 (surround)
Driver total amount	11
Driver active	4x 48 x 90 mm, 3x 0,75", 2x 44 x 74 mm, 2x 3"
2-channel crossover	• active
	■ active
Audio (electric)	
Frequency range (Hz) @ ±1 dB	100-20.000 + 10-200
Class-D amp	•
Power (watts sine / music)	220 / 440
Total harmonic distortion @ 1 watt /10 watts	< 0,5
Dynamic range / Signal to noise ratio (dB)	24 bit / > 75
Bass and treble control / loudness	(remote) / dynamic
Balance / gain adjustment (dB)	— / ● (+/-6 dB)
Protection circuit: heat / current / voltage / short cut	•/•/•/•
Dolby Audio / Digital / Digital Plus / Volume / Atmos / Atmos Music	•/•/•/•/•
DTS HD / DTS:X	•/•
Operation and apps	
Display technology	White D-LED
Screen resolution (pixels)	5 x 16 segments
Screen diagonal (cm / inch)	6 / 2.4
my Loewe app / smart apps (all: Android + iOS)	• (DTS Play-Fi)
Voice control by Alexa skills	(DI3 Flay-FI)
Software update (via USB / Internet)	• / • (DTS Play-Fi)
	▼/ ▼(D101 lay 11)
Media and receiption	
USB music player	•
Bluetooth music player	•
Internet radio	(via DTS Play-Fi app)
DTS Play-Fi / Hi-Res Audio	•/•
Spotify Connect / Google Cast / Apple AirPlay	•/•/•
Roon tested	•
Multiroom audio support	•
Multichannel home cinema support	•
Connectivity and interfaces	
HDMI	2 v HDML2 Ob (inal, 4K page through)
HDCP 2.2 / HDMI-CEC / ARC / eARC	2 x HDMI 2.0b (incl. 4K pass-through)
USB	1 x USB 2.0 (MP3 only)
Bluetooth	1 X O G B Z . O (WII S O IIIy)
WLAN (Wi-Fi) integrated	•
Wireless Digital Audiolink (second generation)	•
Optical TOSLINK	•
Analogue audio jack in (3.5 mm stereo)	•
Wall mount	0
	_
Network and formats	
WLAN (Wi-Fi) standard	IEEE 802.11a/b/g/n/ac
WLAN (Wi-Fi) power (max. mW)	<100
WLAN (Wi-Fi) frequency range	2400-2483,5 / 5150-5725 MHz
WLAN (Wi-Fi) encryption	WEP 64, 128 Bit (ASCII, HEX)
WLAN (Wi-Fi) encryption WPA	WPA PSK, WPA2 AES, WPS
Bluetooth standard	4.2
Bluetooth power (max. mW)	<10
Bluetooth frequency range	2,4 GHz
Bluetooth protocols	A2DP SNK, AVRCP
Supported audio formats	MP3, AAC, AAC+, M4A, WAV, FLAC, PCM, Dolby True
	HD, Dolby Audio, Dolby Digital, Dolby, Digital Plus, Dolby
	Atmos, Dolby Atmos Music, DTS, DTS HD, DTS Virtual X
Supported video formats	DTS Play-Fi, Hi-Res AUDIO
	4K Video Pass-Through, Dolby Vision, DR10,
	HDR10+
Energy and environment	
Mains voltages AC	100-240V, 50/60 Hz
Power consumption eco standby mode (watts)	0,5
Power consumption multiroom sleep mode (watts)	6
Ambient temperature while in operation	5-35° C
Relative humidity (non-condensing)	20-80%
Dimensions	
Weight (approx. kg)	6,5 + 8,8
W* x H x D (approx. cm)	120,0 x 7,1 x 16,0
Scope of Delivery	
Remote control (incl. batteries)	Loewe remote klang mr (2x CR2032)
Manual / power cord	•/•
Others	klang sub5, HDMI cable
Optional accessories	
	bild i, floor stand flex, spacer table stand v, spacer
Selection of recommended setup solutions	
Selection of recommended setup solutions and audio systems	table stand i,

Technical data

Loewe klang	sub5
Audio (acoustic)	
Frequency range (Hz) @ ±3 dB	35-150
Orientation front / side / up / rear firing	radial (motion compensation)
Acoustic speaker concept	closed + passive membranes
Channel configuration (speaker layout)	0.1 (subwoofer)
Driver total amount	6
Driver active	2x 6"
Driver passive	4x 6"
2-channel crossover	low pass
Audio (electric)	
Frequency range (Hz) @ ±1 dB	10-200
Class-D amp	•
Power (watts sine / music)	180 / 360
Total harmonic distortion @ 1 watt /10 watts	< 1
Dynamic range / Signal to noise ratio (dB)	16 bit / > 60
Bass and treble control / loudness	(gain adjustment) / —
Balance / gain adjustment (dB)	— / ● (via volume knob)
Protection circuit: heat / current / voltage / short cut	•/•/•/•
Media and receiption	
Multiroom audio support	• (via klang bar mr)
Multichannel home cinema support	•
Connectivity and interfaces	
Bluetooth	<u>– </u>
Wireless Digital Audiolink (second generation)	•
Analogue audio jack in (3.5 mm stereo)	•
Network and formats	
WLAN (Wi-Fi) standard	
WLAN (Wi-Fi) power (max. mW)	<100
WLAN (Wi-Fi) frequency range	5725-5850 MHz
WLAN (Wi-Fi) encryption	
WLAN (Wi-Fi) encryption WPA	
Energy and environment	
Mains voltages AC	100-240V, 50/60 Hz
Power consumption eco standby mode (watts)	0,5
Power consumption network standby mode (watts)	0,5
Ambient temperature while in operation	5-35° C
Relative humidity (non-condensing)	20-80%
Dimensions	
Weight (approx. kg)	8,8
W* x H x D (approx. cm)	38,0 x 21,4 x 38,0
Scope of Delivery	
Manual / power cord	•/•
Others	
Optional accessories	
Selection of recommended setup solutions	klang bar5 mr, klang bar3 mr
and audio systems	

ullet = available, ullet = optional, -- = not available

Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service matters are all handled individually.

Technical data

Loewe klang

Loewe klang	bar3 mr
Audio (acoustic)	
Frequency range (Hz) @ ±3 dB	50-20.000
Orientation front / side / up / rear firing	●/●/●/─
Acoustic speaker concept	closed bar, twin drive sub, bass reflex
Channel configuration (speaker layout)	3.1 (surround)
Driver total amount Driver active	9 4x 48 x 90 mm, 3x 0,75", 2x 4"
2-channel crossover	• active
	■ active
Audio (electric)	20-20.000
Frequency range (Hz) @ ±1 dB Class-D amp	
Power (watts sine / music)	180 / 360
Total harmonic distortion @ 1 watt /10 watts	<0.5
Dynamic range / Signal to noise ratio (dB)	24 bit / > 75
Bass and treble control / loudness	• (remote) / dynamic
Distance adjustment (m)	•
Balance / gain adjustment (dB)	— / ● (+/-6 dB)
Protection circuit: heat / current / voltage / short cut	●/●/●/●
Dolby Audio / Digital / Digital Plus / Volume / Atmos / Atmos Music	●/●/●/●/●/●
DTS HD / DTS:X	•/•
Operation and apps	
Display technology	White D-LED
Screen resolution (pixels)	5 x 16 segments
Screen diagonal (cm / inch)	6/2,4 - (DTC Disc. El)
my Loewe app / smart apps (all: Android + iOS)	• (DTS Play-Fi)
Voice control by Alexa skills Software update (via USB / Internet)	
	♥/ ♥(DIOTILLY II)
Media and receiption	
USB music player Bluetooth music player	<u>•</u>
Internet radio	• (via DTS Play-Fi app)
DTS Play-Fi / Hi-Res Audio	• (via bistiay trapp) •/•
Spotify Connect / Google Cast / Apple AirPlay	<u> </u>
Roon tested	•
Multiroom audio support	•
Multichannel home cinema support	•
Connectivity and interfaces	
HDMI	2 x HDMI 2.0b (incl. 4K pass-through)
HDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•/•
USB	1 x USB 2.0 (MP3 only)
Bluetooth	•
WLAN (Wi-Fi) integrated	
Wireless Digital Audiolink (second generation)	•
Optical TOSLINK	<u>•</u>
AV receiver analog pre-amp cinch out 5.1 / 3.1 / 2.1 / 2.0	•/•/•/•
Analogue audio jack in (3.5 mm stereo) Wall mount	
Network and formats	
WLAN (Wi-Fi) standard	IEEE 802.11a/b/g/n/ac
WLAN (Wi-Fi) power (max. mW)	<100mW @2400-2485 MHz
	<200mW @5150-5250 MHz
	<100mW @5250-5350 MHz <100mW @5470-5725 MHz
	<100mW @5470-5725 MHz < 25mW @5725-5875 MHz (SRD)
WLAN (Wi-Fi) encryption	WEP 64, 128 Bit (ASCII, HEX)
WLAN (Wi-Fi) encryption WPA	WPA PSK, WPA2 AES, WPS
Bluetooth standard	5.0 + EDR
Bluetooth power (max. mW)	<10
Bluetooth frequency range	2,4 GHz
Bluetooth protocols	A2DP SNK, AVRCP
Supported audio formats	MP3, AAC, AAC+, M4A, WAV, FLAC, PCM, Dolby True HD, Dolby Audio, Dolby Digital, Dolby, Dig
Supported video formate	Plus, Dolby Atmos, Dolby Atmos Music, DTS, DTS HD, DTS Virtual X, DTS Play-Fi, Hi-Res AUDIO
Supported video formats	4K Video Pass-Through, Dolby Vision, HDR10, HDR10+
Energy and environment	400 0404 50 (504)
Mains voltages AC	100-240V, 50/60 Hz
Power consumption eco standby mode (watts) Power consumption multiroom sleep mode (watts)	0.5 6
Power consumption multiroom sleep mode (watts) Ambient temperature while in operation	
Relative humidity (non-condensing)	20-80%
Dimensions	
	5,9
Weight (approx. kg) W* x H x D (approx. cm)	5,9 95,0 x 7,1 x 16,0
	30j0 / rj2 / 20j0
Scope of Delivery	Lange grant library and (2), AD20223
Remote control (incl. batteries)	Loewe remote klang mr (2x CR2032)
Manual / power cord Others	
	HOMI GOOD
Optional accessories	
Selection of recommended setup solutions and audio systems	bild i, floor stand flex, spacer table stand v, spacer table stand i, wall mount klang bar, klang mr5, klang mr5

^{• =} available, • = optional, — = not available

klang mr1, klang sub5

60 — **—** 61

Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service matters are all handled individually.

Loewe klang sub1

40-100	
P. L.C. P. P. S.	
radial (motion compensation)	
closed + passive membranes	
0.1 (subwoofer)	
6	
2x 4"	
4x 4"	
• low pass	
40-100	
•	
80 / 160	
< 0,5	
24 bit / > 80	
•/•/•/•	
• (stereo + sub)	
(aptX ow atency)	
5.0	
100-240V.50/60 Hz	
<u>-</u>	
20-80%	
4.6	
28,7 x 15,8 x 28,7	
•/•	
transmitter	
bild v. bild i. bild c. We. SFF	
	6 2x 4" 4x 4"

ullet = available, ullet = optional, ullet = not available

Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service matters are all handled individually.

Technical data

Loewe multi.room amp

nulti.room amp

Loewe multi.room amp	multi.room amp
Audio (acoustic)	
Channel configuration (speaker layout)	2.0 (stereo)
2-channel crossover	• (var. level, var. frequency)
Audio (electric)	
	20-20.000
Frequency range (Hz) @ ±1 dB Class-D amp	• (min. speaker impedance 4Ω)
Power (watts sine / music)	300 / 600 @ 8Ω, 600 / 1.200 @ 4Ω
Total harmonic distortion @ 1 watt /10 watts	< 0.05 / < 0.05
Dynamic range / Signal to noise ratio (dB)	24 bit / > 100
Damping factor of power stage (dB)	>50
Scalable output power / limiter / custom tuning	●/●/●
Bass and treble control / loudness	• (remote) / —
Balance / gain adjustment (dB)	●/●(subwoofer)
Mono mix function	
Protection circuit: heat / current / voltage / short cut	
Dolby Audio / Digital / Digital Plus / Volume / Atmos / Atmos Music	via klang bar mr
DTS HD / DTS:X	via klang bar mr
Operation	
Display technology	White LED + Color LED (dimmable)
Screen resolution (pixels)	LED line
Screen diagonal (cm / inch)	6,5 / 2,5
Smart apps (all: Android + iOS)	DTS Play-Fi, my Loewe app
Voice control by Alexa skills	<u> </u>
Software update (via USB / Internet)	● / ● (DTS Play-Fi)
Media and receiption	
USB music player	
Bluetooth music player Internet radio	
DTS Play-Fi / Hi-Res Audio	• (via DTS Flay-Flapp) • / •
Spotify Connect / Google Cast / Apple AirPlay	•/•
Roon tested	
Multiroom audio support	·
Multichannel home cinema support	• (front / rear surround)
Connectivity and Interfaces	
HDMI	• (PCM audio only)
HDCP 2.2 / HDMI-CEC / ARC / eARC	-/•/•/-
USB	1 x USB 2.0 (MP3 only)
Bluetooth	
WLAN (Wi-Fi) integrated	2 v D ME (doing chain)
LAN network connection Wireless Digital Audiolink (second generation)	2 x RJ45 (daisy chain)
AV receiver analog pre-amp cinch out 5.1 / 3.1 / 2.1 / 2.0	
Analogue audio cinch in / out (stereo)	● / ● (gold plated)
Speaker terminals / banana plugs (stereo)	• / • (gold plated)
Wall mount	• (integrated)
Network and formats	
	IEEE 002 11- /- /- /- /-
WLAN (Wi-Fi) standard	IEEE 802.11a/b/g/n/ac
WLAN (Wi-Fi) power (max. mW)	<100mW @2400-2485 MHz <200mW @5150-5250 MHz
	<100mW @5250-5350 MHz
	<100mW @5470-5725 MHz
	< 25mW @5725-5875 MHz (SRD)
WLAN (Wi-Fi) encryption	WEP 64, 128 Bit (ASCII, HEX)
WLAN (Wi-Fi) encryption WPA	WPA PSK, WPA2 AES, WPS
Bluetooth standard	5.0
Bluetooth power (max. mW)	<10
Bluetooth frequency range	2,4 GHz
Bluetooth protocols	A2DP SNK, AVRCP
Supported audio formats	PCM, MP3, M4A, AAC, FLAC, WAC, AIFF, Hi-Res AUDIO
Supported video formats	
Energy and environment	
Mains voltages AC	220-240V, 50/60 Hz
Power consumption eco standby mode (watts)	0,5
Power consumption network standby mode (watts)	
Power consumption multiroom sleep mode (watts)	5
Ambient temperature while in operation	5-40° C
Relative humidity (non-condensing)	20-90%
Dimensions	
	2.2
Mains voltages AC	2,2
Power consumption standby / network standby (watts)	21,7 x 7,9 x 21,7
Scope of Delivery	
Remote control (incl. batteries)	Loewe remote mr (2x CR2032)
Manual / power cord	•/•
Others	HDMI cable, Quick start guide
Optional accessories	
	klong borE mg klong hand and klong and Library 2011 1
Selection of recommended setup solutions and audio systems	klang bar5 mr, klang bar3 mr, klang mr5, klang mr3, klang mr1

^{• =} available, • = not available, — = not available

Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service matters are all handled individually. All product and company names are trademarks of registered Rtrademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Google and Chromecast built-in are trademarks of Google LLC.

		mr1
35-20.000	40-20.000	55-20.000
•/•/-/•	●/●/─/●	•/-/-
closed + passive membranes	closed + passive membranes	closed
1.0 (mono)	1.0 (mono)	1.0 (mono, rear surround)
9	6	1
3x 3/4", 3x 2,5", 1x 5"	3x 2", 1x 3,5" + 2x 3,5"	1x 3"
2x 5"	2x 3,5"	
• active	active	_
20-20.000	20-20.000	20-20.000
•	•	•
90 / 180	75 / 150	15/30
< 0,3 / < 0,3	<0,3/<0,3	<0,3/<0,3
24 bit / > 80	24 bit / > 80	24 bit / > 80
(remote) / dynamic	(remote) / dynamic	(remote) / dynamic
•/•/•/•	•/•/•/•	•/•/•/•
via klang bar mr	via klang bar mr	via klang bar mr
		via klang bar mr
The manife bar Thi	via riang bar rii	via riiarig bar riii
		White LED + Color LED
		5x dot + 1x line
		6/2,4
• / DTS Play-Fi app	• / DTS Play-Fi app	◆ / DTS Play-Fi app
•	•	•
✓ • (DTS Play-Fi)	• / • (DTS Play-Fi)	• / • (DTS Play-Fi)
•	•	•
•	•	•
(via DTS Play-Fi app)	(via DTS Play-Fi app)	(via DTS Play-Fi app)
•/•	•/•	•/•
•/•/•	_	•/•/•
•		•
•		•
•		•
1 x USB 2.0 (SW update)		1 x USB 2.0 (SW update)
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
_	_	•
IEEE 802.11a/b/g/n/ac	IEEE 802.11a/b/g/n/ac	IEEE 802.11a/b/g/n/ac
<100mW @2400-2483,5 MHz	<100mW @2400-2483,5 MHz	<100mW @2400-2483,5 MHz
<100mW @5150-5350 MHz	<100mW @5150-5350 MHz	<100mW @5150-5350 MHz
		<100mW @5470-5725 MHz
		<25mW @5725-5850 MHz
		WEP 64, 128 Bit (ASCII, HEX)
		WPA PSK, WPA2 AES, WPS
	4.2	4.2
		- 1.2
		2,4 GHz
		A2DP SNK, AVRCP
		MP3, M4A, AAC, FLAC, WAC, AIFF, Hi
		MP3, M4A, AAC, FLAC, WAC, AIFF, HI AUDIO
400,040,450,450,45	100.0401/ 50./50 ::	100 0401/ 50 /55 ::
		100-240V, 50/60 Hz
		_ 0,3
		6
		5-35° C
20-80%	20-80%	20-80%
4,5	3,2	1,4
		16.0 x 18.8 x 15.4
22.5 x 40.1 x 21.5	19.0 X 32.1 X 18.7	
22,5 x 40,1 x 21,5	19,6 x 32,1 x 18,7	10,0 x 10,0 x 10,1
22,5 x 40,1 x 21,5	•/•	•/•
	o/ • / − / • closed + passive membranes 1.0 (mono) 9 3x 3/4", 3x 2.5", 1x 5" 2x 5" • active 20-20.000 • 90 / 180 < 0.3 / < 0.3 24 bit / > 80 • (remote) / dynamic • / • / • / • / via klang bar mr White LED + Color LED 5x dot + 1x line 6 / 2, 4 • / DTS Play-Fi app • / • (DTS Play-Fi) 1x USB 2.0 (SW update) • • • • • • • • • •	35-20.000 ■ / ● / ─ / ─ / ● ■ (losed + passive membranes 10 (mono) 10 (

• = available, • = optional, — = not available

Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service matters are all handled individually.

Technical data

Loewe klang s3 s1

Audio (acoustic)		
Frequency range (ca. Hz) @ ±3 dB	50-20.000	70-20.000
Orientation front / side / up / rear firing	•/-/-	•/-/-
Acoustic speaker concept	bass reflex	bass reflex
Channel configuration (speaker layout)	2.0 (stereo)	2.0 (stereo)
Driver total amount	4	4
Driver active	2x 32mm, 2x 3"	2x 32mm, 2x 3"
2-channel crossover	•	•
Audio (electric)		
Frequency range (ca. Hz) @ ±1 dB	20-20.000	20-20.000
Class-D amp	•	•
Power (ca. watts sine / music)	60 / 120	40 / 80
Bass and treble control / loudness	(remote) / dynamic	(remote) / dynamic
Operation and apps		
Display technology	LCD + LED	LCD + LED
Screen resolution (pixels)	320 x 240	320 x 240
Screen diagonal (cm / inch)	8,1 / 3,2	8,1 / 3,2
Software update (via USB / Internet)		<u>- 0,17 3,2</u> - / •
		, •
Media and receiption		_
CD player	• (12 cm compact disc)	<u>– </u>
USB music player	<u> </u>	•
Bluetooth music player	•	•
UKW radio (analog FM) / mono / stereo / RDS	87,5 - 108,0 ● / ● / ●	87,5 - 108,0 ● / ● / ●
DAB band III (MHz) / DAB / DAB+ / EWF	174,9 - 239,2 • / • /—	174,9 - 239,2 • / • /—
Internet radio		•
Spotify Connect / Google Cast / Apple AirPlay	•/-/-	•/-/-
Connectivity and interfaces		
USB	1 x USB 2.0	1 x USB 2.0
Bluetooth	•	•
WLAN (Wi-Fi) integrated	•	•
Antenna IEC	•	•
Network and formats		
WLAN (Wi-Fi) standard	IEEE 802.11a/b/g/n	IEEE 802.11a/b/g/n
WLAN (Wi-Fi) power (mW)	<100	<100
WLAN (Wi-Fi) frequency range	2412-2472 / 5180-5700 MHz	2412-2472 / 5180-5700 MHz
WLAN (Wi-Fi) encryption	WEP 64, 128 Bit (ASCII, HEX)	WEP 64, 128 Bit (ASCII, HEX)
WLAN (Wi-Fi) encryption WPA	WPA PSK, WPA2 AES, WPS	WPA PSK, WPA2 AES, WPS
Bluetooth standard	4.2	4.2
Bluetooth power (mW)	<10	<10
Bluetooth frequency range	2400-2483,5 MHz	2400-2483,5 MHz
Bluetooth protocols	A2DP SNK, AVRCP	A2DP SNK, AVRCP
Supported audio formats	MP3, AAC, AAC+, M4A, WAV, FLAC, PCM, CD-DA, CD-R, CD-RW	MP3, AAC, AAC+, M4A, WAV, FLAC, PCM
Energy and environment		
Mains voltages AC	100-240V, 50/60 Hz	100-240V, 50/60 Hz
Power consumption standby mode (watts)	0,8	0,7
Power consumption network standby mode (watts)	1,0	1,0
Ambient temperature while in operation	5-35° C	5-35° C
Relative humidity (non-condensing)	20-80%	20-80%
Dimensions		-
Weight (approx. kg)	5.1	3.3
W* x H x D (approx. cm)		33,5 x 12,0 x 9,0
Scope of Delivery	and the state of t	
Remote control (incl. batteries)	Loewe remote klang s (2x CR2032)	Loewe remote klang s (2x CR2032)
Manual / power cord	Loewe remote klang's (2x CR2032) / •	Loewe remote klang's (2x CR2032)
manuar power coru	• , •	▼/ ▼

• = available, • = optional, — = not available

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required.

Loewe klang

radio.frequency

Audio (acoustic)	
Frequency range (Hz) @ ±3 dB	80-20.000
Orientation front / side / up / rear firing	•/-/-
Acoustic speaker concept	closed + passive membrane
Channel configuration (speaker layout)	2.0 (stereo)
Driver total amount	3
Driver active	2x 2,5"
2-channel crossover	•
Audio (electric)	
Frequency range (Hz) @ ±1 dB	20-20.000
Class-D amp	•
Power (watts sine / music)	14/28
Bass and treble control / loudness	• (EQ settings)
Operation and apps	+ (Leg documgo)
Display technology	LCD (dimmable)
Screen resolution (pixels)	
Screen diagonal (cm / inch)	
my Loewe app / smart apps (all: Android + iOS)	•/-
Media and receiption	
Bluetooth music player	· .
UKW radio (analog FM) / mono / stereo / RDS	87,5 - 108,0 / • / • / •
DAB band III (MHz) / DAB / DAB+	174,9 - 239,2 / • / •
Connectivity and Interfaces	
USB	1 x USB-C (charge)
Bluetooth	•
Headphone out	•
Antenna IEC	• (fixed telescope)
Kensington anti theft lock	•
Network and formats	
Bluetooth standard	5.0
Bluetooth power (max. mW)	
Bluetooth frequency range	2,4 GHz
Bluetooth protocols	A2DP SNK, AVRCP
Mobility	
Battery type	7,4V / 2200mAh
Charging current	9V, 2A
Charging time	3h
Playing time	12-14h @ 60dB
Energy and environment	
Mains voltages AC	100-240V, 50/60 Hz
Power consumption eco standby mode (watts)	1.01
Ambient temperature while in operation	5-40° C
Relative humidity (non-condensing)	35-90%
Dimensions	
Weight (approx. kg)	1.2
W* x H x D (approx. cm)	21,1 x 13,2 x 6,8
	∠1,1 ∨ 1∩'∇ ∨ ∩'O
Scope of Delivery	(((((((((((((((((((
Manual / power cord	• / USB-C cable (90 cm)
Others	USB-C power adapter (EU, UK, AUS)

¹⁾ original power supply

Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service matters are all handled individually. All product and company names are trademarks of mor registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them.

Technical data

We. HEAR pro

We. HEAR pro by Kylian Mbappé

Audio (acoustic)	
Frequency range (ca. Hz) @ ±3 dB	50-20.000
Orientation front / side	• / •
Acoustic speaker concept	closed + passive membrane
Channel configuration (speaker layout)	2.0 (stereo)
Driver total amount	6
Driver active	2x 2,75", 2x 1"
Driver passive	2
2-channel crossover	•
Audio (electric)	
Frequency range (Hz) @ ±1 dB	20-20.000
Class-D amp	•
Power (watts sine / music)	50 / 100
Bass and treble control	•
Connectivity and Interfaces	
USB	1 x USB-C (charge)
Bluetooth	•
True wireless stereo (TWS) / multi pairing (TWMP)	-/•
Microphone	• (hands-free phone)
Analogue audio jack in (3.5 mm stereo)	•
Network and formats	
Bluetooth standard	5.3
Bluetooth power (max. mW)	<13
Bluetooth frequency range	2,4 GHz
Bluetooth protocols	A2DP, AVRCP, AAC
Mobility	
Battery type	7,2V, 5100mAh
Charging current	min. 5V, 2A - max. 20V, 1,5A
Charging time (ca.)	min. 2h @ max. 30W
Playing time (ca.)	typ. 24h
Water protection	IPX6
Ambient temperature while in operation	0-40° C
Relative humidity (non-condensing)	20-70%
Dimensions	
Weight (ca. kg)	2,2
W* x H x D (ca. cm)	28,0 x 13,8 x 13,5
Scope of Delivery	
Manual / power cord	i/ USB-C cable
Others	Shoulder strap incl. buttons
Optional accessories	·
	We. HEAR pro as additional speakers for true wireless multi pairing (TWMP)
	USB-C PD power supply (30W)

^{• =} available, • = optional, — = not availab

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered™ trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating an termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra 1D and HDR availability, subject to subscription plan, internet service, device features and content availability.

^{• =} available — = not available

Our way to sustainability.

We are committed to producing beautifully designed, highly functional, modern and timeless objects. By selecting the finest, highest-quality materials, Loewe creates sustainable products with careful precision work that impress with energy efficiency, software updates and years of reparability, thus underscoring our sustainability concept.





The Loewe service promise.

For Loewe, service does not end with the purchase: customers can rely on comprehensive service solutions at all times. Our detailed online based FAQ will help you with short questions anytime. Since sustainability is a big part of Loewe's DNA, Loewe's own technical repair shop is able to repair products up to ten years of age - depending on the model and the fault of the unit. A deliberately generous stock of spare parts makes it possible. In addition regular software updates keep Loewe products state-of-theart technology.




LOEWE.



Loewe Technology GmbH

Industriestraße 11 96317 Kronach Germany Subject to technical modifications, delivery options, errors, and price changes. Furthermore, additional service offerings will be provided and billed on an individual basis.



Loewe 01/2025