

Versatile innovations.

Unique passion.

We love to enhance our customers everyday experiences with unique high-tech appliances and to give discerning connoisseurs pleasure with our products every day.

This is why tireless commitment and perfect craftsmanship flow into the creation of our products.



Philosophy

From the inventor of television to a global, traditional company.



For a century, Loewe has stood for inventive spirit and luxury home cinema experiences. From its founding in 1923 to the invention of the television in 1931, Loewe has developed into a traditional company with worldwide operations and is now active in 50 countries with its high-quality, elegant TV and audio products.

The traditional manufactory and the high-tech production lines in Kronach in Upper Franconia continue to be the heart of the Loewe brand.

This is how sustainable high-tech products par excellence are created.

Vision & Values.

The epitome of luxury.

Loewe is dedicated to give every product a meaning. A story. A purpose. In dedicated precision work, we want to anchor Loewe as the epitome of luxurious technical products par excellence.

The perfect interplay of technical masterpieces and outstanding design icons is awarded on a regular basis by press and design awards.





Loewe. Made in Germany.

Kronach, Germany - a place where extraordinary innovative power, impressive tradition and perfect craftsmanship come together to produce technically sophisticated, unique masterpieces. We create and develop every Loewe product in Germany and almost our entire television portfolio is "Made in Germany". At the same time, Loewe has remained true to its handcrafted production method in the manufactory at its headquarters in Kronach.

Each set is manufactured with attention to detail and is individually calibrated for naturally brilliant colours through precise fine-tuning and tested under the strictest quality criteria. Ultimate cinema feeling, excellent detail, vivid movements, outstanding colour fidelity and impressive sound quality are only a touch of a button away.

As vivid as real life. Excellent OLED colour reproduction.

Thrillers, football highlights or nature documentaries with excellent details, velvety smooth motions and brilliant colours fidelity from the first moment you switch on: The 4K OLED display is optimised for every Loewe iconic, stellar, inspire and bild i to ensure everything appears absolutely authentic and true to life.

The pre-calibrated 4K OLED displays with their rich, deepest OLED black based on self-illuminating pixels guarantee breath-taking contrasts and enormous picture depths: experience your movies and series as authentically and realistically as never before.

Loewe stellar	6
Loewe iconic	8
Loewe inspire	10
Loewe bild i	12
Loewe callas	14
Loewe We. SEE oled	16
Loewe We. SEE lcd	18
Loewe We. BEAM	20








Ultra HD OLED panels for maximum performance. Made in Germany.

The breath-taking design of the Loewe stellar reinterprets the OLED flat screen completely new - a born show star, that makes a grand entrance in any upscale interior. High-quality materials and a 360-degree design offer an unrivalled aesthetic experience. The unique display cover made of real concrete and the brushed aluminium frame create a unique design. 100% Made in Germany, from the construction to the production of the OLED panel, this Loewe TV offers excellent picture and sound quality that sets new standards. Experience with the Loewe stellar an innovative lighting concept that creates magical moments of light and movement.

Endless smart entertainment possibilities.

The powerful integrated active sound system delivers an impressive total music output of 80 watts. The integrated SSD hard disc recorder offers limitless entertainment. For gaming enthusiasts, the native 144Hz VRR delivers a professional gaming experience. With the new smart Tizen os, you experience limitless connectivity and intuitive operation. Thanks to the intelligent hidden cable management, your environment remains free from annoying cable clutter. Experience the future of television with the Loewe stellar - a masterpiece of German engineering and design aesthetics.





State-of-the-art TV technology. Picture quality Made in Germany.

An impressive combination of television and front-firing soundbar in a setup solution that, in addition to excellent TV and audio technology Made in Germany, impresses above all with its unique design: with its sculptural, coherent design language, the Loewe iconic sets strong accents and new standards for luxury-class home entertainment. The setup solution of the Loewe iconic is handcrafted from the material Syno-Stone. Syno-Stone is a solid mineral material, which is is robust and durable and yet feels as heavy and cool as stone. Available in the colours Graphite Grey and Pure White or customisable through our exclusive colour selection options of the iconic floor stand and speaker covers.

Individual design creation. For the perfect living ambience.

Create your personal TV design icon with the Loewe iconic collection using our exclusive colour selection options. The colour scheme of the Loewe iconic floor stand and the speaker cover can be customised so that your TV design icon integrates seamlessly into your living space.

The timeless design icon presents itself with the highest quality OLED displays in 55' and 65' inch. The powerful soundbar with a total music output of 360 watts and integrated subwoofers is elegantly and discreetly integrated behind a behind a high-quality fabric panel. Enjoy an artfully arranged TV and audio quality with an ultra-realistic, impressive picture and sound experience.

Loewe inspire

Individual all-rounder for smart entertainment.

Ultra HD OLED panels for perfect performance.

Fast and direct streaming.





For smart streaming and entertainment.


The future of smart TVs: pre-calibrated Ultra HD OLED panel with HDR and Dolby Vision™. The Loewe inspire is the modern and individual all-rounder for smart entertainment with extremely fast Loewe os, Apple AirPlay and DTS Play-Fi. Whether watching TV, using video-on-demand, browsing media libraries, listening to music, surfing the Internet or accessing online streaming services - your entertainment programme can be conveniently controlled via the smart TV platform or by voice command. Made in Germany and equipped with integrated Loewe dr+, invisible sound and flexible modular audio solutions. The Loewe inspire impresses with an unmistakable symbiosis of tradition, innovation and modular installation and sound solutions.

Modular sound-solutions for every wish and situation.

The future of smart TVs: pre-calibrated Ultra HD OLED panel with HDR and Dolby Vision™. The Loewe inspire is the modern and individual all-rounder for smart entertainment with extremely fast Loewe os, Apple AirPlay and DTS Play-Fi. Whether watching TV, using video-on-demand, browsing media libraries, listening to music, surfing the Internet or accessing online streaming services - your entertainment programme can be conveniently controlled via the smart TV platform or by voice command. Made in Germany and equipped with integrated Loewe dr+, invisible sound and flexible modular audio solutions. The Loewe inspire impresses with an unmistakable symbiosis of tradition, innovation and modular installation and sound solutions.

Loewe bild i

Impressive home cinema. Stylish appearance.





Superlative realistic picture quality. Thanks to high-contrast images and impressive colour spectrum.

Ready for Smart TV with an ultra-high resolution 4K OLED display with 77" screen: the Loewe bild i is our modern all-rounder for the best entertainment via the Internet. Whether watching TV, using video-on-demand, browsing media libraries, listening to music, surfing the Internet or accessing online streaming services - your entertainment program can be conveniently controlled via the Smart TV platform or by voice command.

Hand-built in Germany and equipped with innovative HDR technology (HDR10, HLG, Dolby Vision™), a voluminous, flexible sound system and integrated dr+ hard drive, the Loewe bild i impresses with an unmistakable symbiosis of tradition and modernity

True to life. With Dolby VisionTM.

combined with the highest quality. The Loewe multi-talent presents itself as a stylish, minimalist design statement and at the same time offers a magical picture and sound experience. The Loewe bild i is optionally available together with the powerful Loewe soundbar klang bar i, which impresses with powerful front-firing stereo sound from eight integrated drivers generating 80 watts of total music power.

With this high-quality sound bar, you benefit from clear dialogues and a pleasant listening experience even at low volumes. Its compact build matches the design of the Loewe bild i perfectly enhancing every living space.





Fast and direct streaming. With Apple AirPlay and DTS Play-Fi.

Brilliant TV experience with UHD resolution and a wide range of HDR formats including Dolby VisionTM. Available in customised 32 and 43 inch slim edge LED panels, the Loewe callas offers an exceptional viewing angle, wide colour gamut for vivid colours, a fast response time and low energy consumption. Its flat housing design without negative clouding or cross-light loss effects ensures the most natural and brilliant picture reproduction even with smaller screen sizes.

Flexible connections. With HDMI 2.1 and USB Recording.

The super-fast and intelligent Loewe os optimises your entertainment experience through seamless interaction and connectivity. It supports Miracast, Apple AirPlay and DTS Play-Fi and enables a seamless connection with smart home and multiroom audio products. The Loewe callas is based on a new high-performance processor and runs the latest Loewe os based on Vidaa for fast access and full support of your favourite features and apps.

We. SEE oled


Newest TV Technology. For Streaming and Gaming Fans.

Super-fast smart TV with OLED panel. With HDR and Dolby VisionTM.

With Apple AirPlay and DTS Play-Fi.

Impressive 60 watts invisible sound with Dolby Atmos.





Ultra HD OLED-Panel. With HDR and Dolby Vision $^{\text{\tiny TM}}$.

Immerse yourself in brilliant action and experience your favourite series and films on We. SEE oled. Enjoy a breathtaking viewing experience with Ultra HD resolution and the full spectrum of HDR formats, including Dolby Vision™, on the latest slim OLED panels. A unique audio experience thanks to Dolby Atmos technology, delivering 60 watts of total music power via integrated, invisible

Fast and direct streaming. With Apple AirPlay and DTS Play-Fi.

speakers, ensuring that every source sounds unique. This brings the best television experience with invisible sound directly to your home. Whether it's football highlights, TV programmes, streaming series or an evening film night. The We. SEE oled is the perfect smart streaming TV for unforgettable entertainment.

We. SEE Icd

For a new perspective. Smart streaming TV.

Brilliant and natural pictures. With Ultra HD LED.

Flexible connections. With HDMI 2.1 and VRR.

Remote control - Intuitive with Bluetooth and voice command.






Television, streaming or gaming. Flexible and brilliant.

Television that inspires. The We. SEE Icd is the perfect blend of cutting-edge technology and tradition. With its state-of-the-art functions, this Ultra HD LED streaming TV impresses with a wide colour spectrum, stunning, high-contrast images and impressive depth effects that guarantee unique visual worlds. The integrated front-firing soundbar with Dolby Atmos generates an unrivalled sound experience with a total music output of 60 watts. The new We. SEE Icd is made for your individual feel-good programme and is always perfectly matched to what you need:

All important streaming services. Direct and fast access.

Television, streaming or gaming. A smart all-rounder for perfect entertainment. The We. by Loewe os8 operating system and the Vidaa App Store offer all important streaming services such as Netflix, YouTube, Amazon prime video, Disney+, Apple tv+, Rakuten, Deezer, Paramount+, HD+, Zattoo, FIFA+ and more. In addition, We. by Loewe also supports Miracast, Apple AirPlay and DTS Play-Fi for even further interaction and connectivity with smart home and multi-room audio products. The stylish remote control enables direct access to five major VOD streaming services at the touch of a button.





Discover the future of entertainment with We. BEAM.

The Loewe We. BEAM is the first intelligent mini projector with ALPD laser technology in the EU, which offers outstanding picture quality and brightness. With its own powerful operating system and integrated Netflix and a variety of other VoD services, it enables independent streaming without additional devices. It is quick to start, easy to use and offers access to diverse content via the NetRange App Store and an open browser.

The smart mini projector with ALPD engine offers Full-HD, genuine 500 ANSI lumens, high contrast and perfect uniformity.

Home cinema experience. Impressive picture quality.

It has automatic focus, alignment and keystone correction as well as a low-noise fan for maximum ease of use. The ALPD engine is energy-efficient and durable and ensures breathtaking picture quality with vibrant colours and high contrast. Thanks to automatic screen adjustment, the We. BEAM offers flexible screen sizes from 40 to 120 inches with the optimum 'sweet spot' at around 80 inches and a distance of just 1.5 to 4 or 5 metres. Ideal for white walls, dark rooms or covered terraces. It supports standard, rear and ceiling projection for maximum installation flexibility.

Loewe plus

Set-up solutions for every living space.



Perfectly positioned.

The Loewe set-up solutions adapt to any interiors, so each TV can be perfectly integrated into different living environments. Whether wall mounts, table or floor solutions - with our set-up options, everyone will find the perfectly individual solution.

Which set-up solution matches with which Loewe television can be taken from the data sheets. A glimpse of Loewe's beautiful set-up solutions can be found here:















Loewe floor stand motor stellar







Loewe wall mount slim 432

Loewe wall mount slim 221

Loewe wall mount universal

Innovative inhouse design.

Design is firmly anchored in the Loewe DNA. Timeless, highly functional and aesthetically minimalist are the attributes of the Loewe design philosophy that underlie the work of our experienced industrial designers in our Loewe Design Studio.

Excellent design is what drives us. For us, design is more than just a part of our corporate strategy. Loewe design is our pride and joy. This is why we receive several prestigious design awards such as the Red Dot Design Award or the iF Design Award from renowned experts every year.

Thought out down to the smallest detail and made for absolute durability, new design icons are continuously created in Kronach. Classic design features such as the Loewe eye or the Loewe flag are merged into innovative, creative interpretations which provide magical moments in the everyday lives of our technology- and design-savvy customers.





reddot winner 2024





Audio enjoyment. Engineered in Germany.

The unforgettable 360° entertainment experience is rounded off by Loewe audio products. Engineered in Germany, the audio products are developed, tested and continuously optimised for a natural sound sensation by in-house technical specialists. This is how the sound professionals from Loewe regularly fascinate experts and sound enthusiasts.

Whether it's voluminous 360-degree soundbars, powerful TV sub-woofers, multi-room speakers or smart radios: every single audio product goes through a meticulous development process in which every aspect is put through its paces. Whether it's the aethestic fabric cover specially developed for speakers, unique wireless connection technologies or designs that save up to 50 percent of space - every Loewe audio product is a master of its trade.

For your home cinema.

Create your own personal home cinema with Loewe TV and audio products: combine your favourite soundbar, multi-room speaker and subwoofer with your TV and create a sound stage in your home that is second to none. Enjoy immersive 360-degree sound as if you were in the middle of the action - or listen to your favourite music across multiple rooms with our convenient Multiroom solutions.

ewe klang bar5 mr & klang sub5	28
newe klang bar3 mr	30
newe home.cinema set	32
newe klang sub1	34
newe multi.room amp	36
newe klang mr	38
newe klang s	40
newe radio.frequency	42
e. HEAR pro	44

Loewe klang bar5 mr & klang sub5

Realistic surround sound of the third dimension.

Don't miss a word. Superior speech quality.

The pure joy of sound. Vibration-free subwoofer.

Versatile. Streaming & multiroom setup. Expandable without limits. HDMI & Auto Remote Control Sync.

Stylish living ambience. Elegant and compact design.

Perfect to combine. Ideal with Loewe klang mr.





Authentic 3D audio experience. Dolby Atmos.

The ultimate multiroom sound system for your home is guaranteed by the Loewe soundbar klang bar5 mr with 440 watt of total music power with the klang sub5 subwoofer with 360 watt of total music power and extension options of multiple wireless speakers. This true Loewe all-rounder offers premium cinema sound as well as versatile music streaming with just one device, while the compact, space-saving design blends seamlessly into any room.

The 5.1.2 Dolby Atmos and DTS:X technology ensure a fascinatingly realistic 3D sound experience as in the cinema. Equipped with DTS

Powerful entertainment. Captivating sound.

Play-Fi, Google Chromecast and Apple AirPlay 2, the soundbar and subwoofer are instantly pairable with other devices, which makes it easy to stream music from any source. This as well as the elegant, timeless Loewe look elevate the set to an absolute must-have for music and film enthusiasts. Two up firing plus two side firing speakers guarantee realistic 3D surround sound by reflections from the wall and ceiling. The two left and right center speakers, the harmonic tuned subwoofer with two 6-inch active speakers, four passive radiators and 800 watts of total music power provide additional power and put you in the middle of action.







 28 $^{-}$

Loewe klang bar3 mr

Powerful sound giant.

Upgrade to a 5.1 system. Wireless with three centre speakers.

Classic sound enjoyment. AVR connection function.

Echo-free 3D sound experience. Best WDAL 2.0 technology.

Audio enjoyment everywhere. Thanks to multi-room functionality.





Powerful. 3.1 System Engineered in Germany.

The all-rounder among the soundbars: The powerful 3.1 soundbar Loewe klang bar3 mr shines with an all-round package for almost every area of application. On its own, the device shines with 360 watts of total music power as well as an excellent 3D sound experience thanks to Dolby Atmos. Enjoy immersive, echo and delay-free 360-degree sound with first-class speech intelligibility and voluminous cinema sound, thanks to a forward-facing left, right and centre speaker supported by two integrated subwoofers.

German engineering enables the klang bar3 mr to connect additional front and rear speakers via wireless and latency-free

WDAL 2.0 technology (Loewe Wireless Digital Audiolink 2.0). Adding front speakers, the klang bar3 mr then switches the left and right speakers to centre speakers, enabling even better speech intelligibility. Thanks to the AVR connections there is no need for an additional, expensive adapter if older Loewe and thirdbrand active speakers or active amplifiers, which require a cable connection, shall be integrated into the sound system. Do you prefer audio enjoyment in all your rooms? That is no problem with the Loewe klang bar 3 mr either. Thanks to the Multiroom function the device couples wirelessly with the Loewe klang mr across different rooms.



Loewe home.cinema set

The ultimate home cinema.

Complete system with soundbar, subwoofer and surround speaker.

Multi-channel home cinema thanks to Loewe klang mr speakers.


Ready to play immediately via radio thanks to preconfigured plug & play.

Authentic 3D audio experience. Dolby Atmos Soundbar.

Pure sound experience. Vibrationless subwoofer.

Versatile use. Streaming & Multiroom Setup.





Complete home cinema package. Set it up, switch it on and enjoy.

The ultimate home cinema sound system for your home - guaranteed by the Loewe soundbar in a set with subwoofer and the four wireless speakers. The Loewe home.cinema set offers first-class cinema sound and versatile music streaming in one. At the same time, the 5.1.2 Dolby Atmos and DTS:X technology inspire with immersive 3D sound experience with surround speakers - just like

in the cinema. This and the elegant, timeless Loewe look make the Loewe home cinema set, consisting of Loewe klang bar5 mr & Loewe subwoofer klang sub5 and four wireless active speakers for multi-channel surround sound, an absolute must-have for music and movie enthusiasts.



Loewe klang sub1

Compact powerhouse. The first subwoofer with wireless TV connection.

Maximum compatibility. For almost all TVs.

Wireless sound enjoyment. Latency-free Bluetooth pairing.

Instant audio enjoyment. Simplest plug-and-play.

Dynamic and powerful. Upgrade to a 2.1 system.

Discover a 2.1 audio system with full bass due to 160 watt of total music power for a more dynamic sound. The unique feature of latency-free Bluetooth connection allows you to pair the compact subwoofer with your TV. The result is a perfectly balanced sound experience for maximum listening pleasure without sound delay, annoying buzzing and disturbing wires between the subwoofer and TV.

Due to the simplest plug-and-play installation, the Loewe klang sub1 is immediately ready for use with any Loewe television from the SL3 series onwards – for the ultimate in audio enjoyment. Small size, big performance: thanks to the innovative audio technology inside, the Loewe klang sub1 is only half the size of devices with a conventional subwoofer design. This means that this space-saving powerhouse fits perfectly into smaller living rooms without any kind of vibration. By the way, if you own a non-Loewe TV with a regulated audio output, it is possible to connect the Loewe klang sub1 to it.





Loewe multi.room amp

The new world of connectivity. Expand your sound system.

Multiple use cases.

For music enthusiast and professionals.

Powerful sound.

With up to 1.200 watts.

Award-winning design. With clear distinction.

Compact size. Fitting everywhere.

Expandable ecosystem. With Loewe klang mr products.

Easy usability.

Including remote control.





Powerful stereo amplifier for multi-room and home cinema installations.

The Loewe multi.room amp makes your existing speakers smarter. It empowers your passive and active Hi-Fi speakers with a total music power of 1,200 watt and 4 ohms. With the Loewe multi.room amp you can seamlessly connect your speakers through Apple AirPlay, Google Cast, DTS Play-Fi, Spotify Connect and Bluetooth to distribute your favorite audio content. Whether it's music, podcasts, or audiobooks, stream from your smartphone to your speakers throughout your entire home, regardless of your preferred

Endless possibilities for a powerful sound experience.

streaming service. Furthermore, you can connect beloved digital or analog music sources, such as a CD player or turntable, using the analog cinch inputs to expand your smart audio system.

When you connect the Loewe multi.room amp to your TV, you'll unlock the ultimate home cinema experience. You can effortlessly pair any speaker with your Loewe home.cinema system, wirelessly and with no latency. It's your versatile, all-in-one smart amplifier.







Loewe klang mr

Pure wireless audio enjoyment in all rooms.

Unlimited music enjoyment. HD sound & access to streaming services.

Save and play your favorites with a simple tap on the glass touch panel.

Simple voice control. With Smart Home.

Wireless multichannel connectivity. WDAL 2.0.

Room-filling sound experience due to integrated subwoofer. (klang mr3 / klang mr5 only)





Multiple music streaming in any room. With DTS Play-Fi for easy music streaming.

Enjoy the total audio experience – anytime, in any room and always with breathtaking sound. The Loewe klang mr1, klang mr3 and klang mr5 multiroom speakers stream in high resolution with 30, 150, and 180 watts of total music power. Musical pleasure wherever you want it.

Whether music, podcasts, audio books from streaming services, Internet radio or your own playlists, let yourself be inspired by wireless playback with one or more speakers connected via your network and Bluetooth and excellent sound quality. With your new multiroom system, you can experience outstanding sound ambience in every corner of your home thanks to the satisfyingly simple, harmonious interaction of several speakers. They are also the perfect complement for the Loewe klang bar5 mr. The high-quality design of the Loewe klang mr multiroom speakers is thereby made for a sophisticated living ambience.









Loewe **klang s**

Unique sound experience for most diverse audio demands.

Full digital music variety thanks to Internet streaming.

Sensual listening experience. DAB+ and powerful sound. Comfortable operation from anywhere. With 3.2" display or app.

Even more music enjoyment. Integrated CD drive. (klang s3 only)





Whether listening to the radio from international and local stations, streaming music services or playing playlists, the compact Loewe klang s1 and klang s3 internet radios with DAB/DAB+ tuner, USB-MP3 playback and 80/120 watts of total music power never fails to impress. The outstanding network and Bluetooth speakers as well as the latest state-of-the-art technology create a distinctive and captivating sound experience. Moreover, the extraordinary design of this luxurious sound classic blends seamlessly into an upscale living ambience and inspires discerning music lovers.







40 -

Loewe radio.frequency

Sound miracle. Unique natural oak.

Unique radio design with natural oak inlays.

Independent audio enjoyment with full 28 watts sound.

Easiest operation anywhere. With up to 14 hours playtime.

Easy to operate with 2,6" LCD display.

Practical alarm and snooze function.





Portable DAB+ radio with 28 watts total music power.

The Loewe radio.frequency offers the latest high-end technology and the simplest operation in the smallest space. The DAB + radio offers a timeless deisgn language with its selected materials such as the specially developed acoustic fabric in the Loewe system colour basalt grey. With inlays made of real Canadian oak, the natural structure of the wood creates a unique design. Enjoy a crystal-clear, full sound experience with 28 watts of total music power. With the integrated alarm and snooze function, the radio is a convenient alarm clock on the bedside table.



We. **HEAR** pro

Sync with Kylian Mbappé.





Inspired by the sporting achievements of football star Kylian Mbappé and perfected with Loewe's cutting-edge technology, the new We. HEAR pro combines the strengths of two powerful partners. Powerful Bluetooth speaker for use at home or on the go. The We. HEAR pro speaker has a total music output of 100 watts and offers rich sound quality. Multiple speakers can be easily paired with true wireless multi-pairing for an even bigger sound stage. The speaker is available in three stylish colours - denim, neon and black. The colour coordination goes beyond the different materials and impresses with great attention to detail. The clear design language is emphasised by the high-quality acoustic fabric,

which is robust and splash-proof according to IPX6 standard – made for outdoor adventures. An extremely long battery life of 24 hours ensures extensive music enjoyment with the We. HEAR pro. The short charging time of two hours is also extremely user-friendly. The attractive compact size allows easy handling and intuitive operation. The sound can be individually adjusted with just a few buttons and the fast Bluetooth connection ensures the best sound experience. Thanks to the built-in microphone, the We. HEAR pro is also suitable as a handsfree telephone loudspeaker or with the 3.5 mm AUX connection for external players.



BUILD FOR THE OUTDOORS

Enjoy your favourite music come rain or shine. The water resistant construction can handle rain, snow and extreme temperatures.



24HR BATTERY NEVER STOPS THE PARTY

With We. HEAR pro, you get 24 hours of battery life in one charge. Fully charged in two hours! It also doubles as a power bank so you can charge your phone too.



YOUR MUSIC, YOUR WAY

Craft your perfect sound with intuitive onspeaker sliders for precise volume, treble and bass adjustments. No app needed.





The perfect Duo. Professional All-in-One solution.

The Loewe aura.pure offers convenience and espresso enjoyment - perfect for all home baristas. The luxurious design of the espresso machine with integrated coffee grinder and elegant real wood accents embodies a passion for pure coffee enjoyment and offers the simplest preparation of premium coffee in an elegant package.

Equipped with three thermal blocks, the Loewe aura.pure ensures a fast heat-up phase of up to 2 minutes. Pure espresso enjoyment without long waiting times. The three thermal blocks heat the coffee machine, the brewing head and the steam system efficiently and ensure even performance and temperature control.

Powerful thermal technology. Without long heat-up phase.

The integrated stainless steel conical burr grinder enables precision grinding for optimum extraction. This ensures excellent flavour and fresh aroma are guaranteed for coffee enjoyment according to your individual flavour flavour preferences. Elegant and practical accessories make coffee preparation a unique art. The accessories with real wood accents such as the portafilter and the tamper are ideally matched to the elegant design of the espresso machine, as well as the milk jug in basalt grey for the preparation of unique latte art. Thanks to numerous functions, you can create a variety of coffee creations and experience that pure barista feeling in your home.

Technical Data	stellar 65 dr+	stellar 65 dr+	stellar 55 dr+	stellar 55 dr+
Loewe stellar	alu brushed + concrete	alu brushed + alu	alu brushed + concrete	alu brushed + alu
Image				
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB) 164 / 65 / 1	OLED (WRGB) 164 / 65 / 1	OLED (WRGB) 139 / 55 / 1	OLED (WRGB) 139 / 55 / 1
Screen diagonal (cm / inch) / Response time (ms) Panel luminance ¹ (ca. cd/m ²) / Viewing angle (h/v)	1.500 / 120°	1.500 / 120°	1.500 / 120°	1.500 / 120°
Ultra HD scaling / Auto Dimming / Adaptive Contrast / 24p	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
HDR (HLG / HDR10 / HDR10+ / Dolby Vision™) / WCG	• / • / • (Adaptive) / — / •	• / • / • (Adaptive) / — / •	• / • / • (Adaptive) / — / •	• / • / • (Adaptive) / — / •
Receiption				, , , ,
DVB-T2 / C / S2 / HD / Twin Tuner Unicable / Dual Channel	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	•/•/•/• (incl. H.266)	•/•/•/• (incl. H.266)	• / • / • / • (incl. H.266)	•/•/•/• (incl. H.266)
DiSEqC / Sat over IP / DVB-C over IP / DVB radio	•/-/-/•	•/-/-/•	•/-/-/•	•/-/-/•
TV+ / Zattoo app / HD+ app	(Samsung TV Plus) / • / —	(Samsung TV Plus) / • / —	(Samsung TV Plus) / ● / —	(Samsung TV Plus) / • / —
Audio Output (ca. watts sine / music) / driver (active + passive)	2 x 20 / 2 x 40 / 10 (6 + 4)	2 x 20 / 2 x 40 / 10 (6 + 4)	2 x 20 / 2 x 40 / 10 (6 + 4)	2 x 20 / 2 x 40 / 10 (6 + 4)
Acoustic speaker concept	closed bar + p. membranes	closed bar + p. membranes	closed bar + p. membranes	closed bar + p. membranes
Front firing / down firing / 2-channel crossover	•/-/•	•/-/•	•/-/•	•/-/•
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	•/•/•/-	•/•/•/-	•/•/•/-	•/•/•/-
Class-D amp / Auto Volume (AVC) 7-Band EQ / Dynamic Loudness	•/•	•/•	•/•	•/•
Operation				
Loewe chassis / os / home screen / app store	SL9 / Tizen OS / • / •	SL9 / Tizen OS / • / •	SL9 / Tizen OS / • / •	SL9 / Tizen OS / • / •
my Loewe app / smart apps (all: Android + iOS)	/ SmartThings app	/ SmartThings app	/ SmartThings app	 / SmartThings app
Voice control: Alexa Skills / other	Bixby voice	Bixby voice	Bixby voice	Bixby voice
EPG / Number of stations in channel list Mediatext (HbbTV) / Teletext / Splitscreen	<u>-/10.000</u> •/•/•	- / 10.000 • / • / •	-/10.000 •/•/•	- / 10.000 • / • / •
Multi View	•	•	•	•
Menu languages / Context related help	• 3D / •	• 3D / •	• 3D / •	● 3D / ●
Parental Lock / Automatic turn-off / Timer Software update (via USB / Internet) / Hotel Mode	•/•/•	•/•/-	•/•/•	•/•/•
Multimedia			• , • ,	
Loewe dr+: storage capacity / USB recording / timeshift	1TBSSD/o/•	0,5 TB SSD / o / ●	1TB SSD/o/•	0,5 TB SSD / o / ●
Loewe dr+: streaming server / client	— / • (dlna)	— / • (dlna)	— / ● (dlna)	— / • (dlna)
Multi Recording	•	•	•	• , , ,
Media player / DLNA renderer / web apps / browser YouTube / Amazon Prime Video / Netflix / Disney+ / Apple tv+	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
Connectivity and Interfaces				
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1/2/1	1/2/1	1/2/1	1/2/1
HDMI	4 x HDMI 2.1	4 x HDMI 2.1	4 x HDMI 2.1	4 x HDMI 2.1
HDMI UHD / ALLM / VRR HDCP 2.2 / HDMI-CEC / ARC / eARC	• / • / • (144 Hz) • / • / • / •	• / • / • (144 Hz) • / • / • / •	• / • / • (144 Hz) • / • / • / •	• / • / • (144 Hz) • / • / • / •
USB	4 (2 x USB-C)	4 (2 x USB-C)	4 (2 x USB-C)	4 (2 x USB-C)
USB-A power	1 x 1,0A, 1 x 2,0A (limit)	1 x 1,0A, 1 x 2,0A (limit)	1 x 1,0A, 1 x 2,0A (limit)	1 x 1,0A, 1 x 2,0A (limit)
USB-C power Bluetooth / Miracast / AirPlay	2 x 1,0A •/•/•	2 x 1,0A •/•/•	2 x 1,0A • / • / •	2 x 1,0A • / • / •
LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi	•/•/-	•/•/-	•/•/-	•/•/—
TOSLINK / center in / cube plug stereo	•/-/-	•/-/-	•/-/-	•/-/-
Audio out control: fix / variable / sub (3.5 mm jack) Loewe motor.control	-/•/•	-/•/•	-/•/•	-/•/•
Home automation / Control4 / Crestron	• / • • (via SmartThings) / — / —			
Power socket	C17 (D type)	C17 (D type)	C7 (Euro type)	C7 (Euro type)
Energy				
EU energy efficiency class: SDR (EEI) / HDR (EEI)	E/E	E/E	E/E	E/E
EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts)	1977964 220-240V, 50 / 60 Hz / • / 0,0	1977964 220-240V, 50 / 60 Hz / • / 0,0	1977960 220-240V, 50 / 60 Hz / • / 0,0	1977960 220-240V, 50 / 60 Hz / • / 0,0
WoLAN / WoWLAN	●/●	0/ €	●/●	●/●
Dimensions				
Weight (ca. kg) excl. / incl. standard setup solution	21,5 / 23,7	21,5 / 23,7	17.6 / 19.8	17,6 / 19,8
W* x H x D (cm) without setup solution	146,8 x 88,8 x 4,7	146,8 x 88,8 x 4,7	124,9 x 76,5 x 4,7	124,9 x 76,5 x 4,7
W* x H x D (cm) incl. table stand (* incl. signature flag) VESA support / Kensignton lock	146,8 x 94,0 x 27,5 300 x 200 / ●	146,8 x 94,0 x 27,5 300 x 200 / ●	124,9 x 81,7 x 27,5 300 x 200 / ●	124,9 x 81,7 x 27,5 300 x 200 / ●
Scope of Delivery	300 x 200 / ●	300 X 200 / ●	300 x 200 / ●	300 x 200 / ●
Speaker	integrated	integrated	integrated	integrated
Setup Solution / rotate-able	table stand / ●	table stand / ●	table stand / ●	table stand / ●
Remote control (incl. batteries)	Loewe remote stellar & mini	Loewe remote stellar & mini	Loewe remote stellar & mini	Loewe remote stellar & mini
Manual / power cord Others		 / ● (2,5 m, black)welcome box	✓ • (2,5 m, black)welcome box	 / ◆ (2,5 m, black)welcome box
Optional accessories	WEIGOTTIE DUX	WEIGHTIE DUX	WEIGOTHE DUX	WEIGOTTIC DOX
Selection of recommended setup solutions	floor2ceiling stand	floor2ceiling stand	floor2ceiling stand	floor2ceiling stand
and audio systems	floor stand motor stellar	floor stand motor stellar	floor stand motor stellar	floor stand motor stellar
	floor stand flex	floor stand flex	floor stand flex	floor stand flex
	floor stand universal	floor stand universal	floor stand universal	floor stand universal
			wall mount universal	wall mount universal
	wall mount universal wall mount slim 432	wall mount universal wall mount slim 432	wall mount universal wall mount slim 432	wall mount universal wall mount slim 432
	wall mount universal	wall mount universal		

^{• =} available, • = optional, — = not available

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties, Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

Technical Data Loewe stellar	stellar 48 dr+ alu brushed + concrete	stellar 48 dr+ alu brushed + alu	stellar 42 dr+ alu brushed + concrete	stellar 42 dr+ alu brushed + alu
Image				
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm / inch) / Response time (ms)	121 / 48 / 1	121 / 48 / 1	106 / 42 / 1	106/42/1
Panel luminance ¹ (ca. cd/m ²) / Viewing angle (h/v)	800 / 120°	800 / 120°	800 / 120°	800 / 120°
Ultra HD scaling / Auto Dimming / Adaptive Contrast / 24p	•/•/•/•	•/•/•/•	•/•/•	•/•/•/•
HDR (HLG / HDR10 / HDR10+ / Dolby Vision™) / WCG	• / • / • (Adaptive) / — / •	• / • / • (Adaptive) / — / •	•/•/• (Adaptive)/—/ •	• / • / • (Adaptive) / — /
Receiption				
DVB-T2 / C / S2 / HD / Twin Tuner	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
Unicable / Dual Channel	•/•	•/•	•/•	•/•
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	•/•/•/• (incl. H.266)	• / • / • / • (incl. H.266)	• / • / • / • (incl. H.266)	•/•/•/• (incl. H.266)
DiSEqC / Sat over IP / DVB-C over IP / DVB radio	•/-/-/•	•/-/-/•	•/-/-/•	•/-/-/•
TV+ / Zattoo app / HD+ app	(Samsung TV Plus) / • / —	(Samsung TV Plus) / • / −	(Samsung TV Plus) / • / —	 (Samsung TV Plus) / ● /
Audio				
Output (ca. watts sine / music) / driver (active + passive)	2 x 20 / 2 x 40 / 10 (6 + 4)	2 x 20 / 2 x 40 / 10 (6 + 4)	2 x 20 / 2 x 40 / 10 (6 + 4)	2 x 20 / 2 x 40 / 10 (6 + 4)
Acoustic speaker concept	closed bar + p. membranes	closed bar + p. membranes	closed bar + p. membranes	closed bar + p. membranes
Front firing / down firing / 2-channel crossover	•/-/•	•/-/•	•/-/•	•/-/•
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	•/•/•/-	•/•/•/-	•/•/•/-	•/•/•/-
Class-D amp / Auto Volume (AVC)	•/•	•/•	•/•	•/•
7-Band EQ / Dynamic Loudness	•/•	•/•	•/•	•/•
Operation				
Loewe chassis / os / home screen / app store	SL9 / Tizen OS / • / •	SL9 / Tizen OS / • / •	SL9 / Tizen OS / • / •	SL9 / Tizen OS / • / •
my Loewe app / smart apps (all: Android + iOS)	• / SmartThings app	• / SmartThings app	• / SmartThings app	• / SmartThings app
Voice control: Alexa Skills / other	Bixby voice	Bixby voice	Bixby voice	Bixby voice
EPG / Number of stations in channel list	— / 10.000	— / 10.000	— / 10.000	— / 10.000
Mediatext (HbbTV) / Teletext / Splitscreen	•/•/•	•/•/•	•/•/•	●/●/●
Multi View	•	•	•	•
Menu languages / Context related help	• 3D / •	• 3D / •	• 3D / •	• 3D / •
Parental Lock / Automatic turn-off / Timer	•/•/•	•/•/•	•/•/•	•/•/•
Software update (via USB / Internet) / Hotel Mode	•/•/—	•/•/—	•/•/—	•/•/—
Multimedia	_			
Loewe dr+: storage capacity / USB recording / timeshift	1TBSSD/o/•	0,5 TB SSD / o / ●	1TBSSD/o/●	0,5 TB SSD / o / •
Loewe dr+: storage capacity / 035 recording / timesrint	_ / ● (dlna)	- / ● (dlna)	— / ● (dlna)	— / ● (dlna)
Multi Recording	_ / ● (uiiia)	- / • (uiiia)	— / ● (uiiia)	— / ♥ (uiiia)
Media player / DLNA renderer / web apps / browser	•/•/•/•	•/•/•/•	•/•/•	•/•/•/•
YouTube / Amazon Prime Video / Netflix / Disney+ / Apple tv+	•/•/•/•	•/•/•/•	•/•/•/•	•/•/•/•
Connectivity and Interfaces				
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1/2/1	1/2/1	1/2/1	1/2/1
HDMI	4 x HDMI 2.1	4 x HDMI 2.1	4 x HDMI 2.1	4 x HDMI 2.1
HDMI UHD / ALLM / VRR	• / • / • (144 Hz)	• / • / • (144 Hz)	• / • / • (144 Hz)	●/●/●(144 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC USB	4/2::1100.0	•/•/•/•	●/●/●/● 4/2::JICD C\	•/•/•/•
USB-A power	4 (2 x USB-C) 1 x 1,0A, 1 x 2,0A (limit)	4 (2 x USB-C) 1 x 1,0A, 1 x 2,0A (limit)	4 (2 x USB-C) 1 x 1,0A, 1 x 2,0A (limit)	4 (2 x USB-C) 1 x 1,0A, 1 x 2,0A (limit)
USB-C power	2 x 1,0A	2 x 1.0A	2 x 1,0A	2 x 1,0A
Bluetooth / Miracast / AirPlay	•/•/•	•/•/•	●/●/●	•/•/•
LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi	•/•/-	•/•/-	•/•/-	•/•/-
TOSLINK / center in / cube plug stereo	•/-/-	•/-/-	•/-/-	•/-/-
Audio out control: fix / variable / sub (3.5 mm jack)	_/•/•	-/•/•	_/•/•	-/•/•
Loewe motor.control	•/•	•/•	•/•	•/•
Home automation / Control4 / Crestron	• (via SmartThings) / — / —	• (via SmartThings) / — / —	• (via SmartThings) / — / —	• (via SmartThings) / — /
Power socket	C7 (Euro type)	C7 (Euro type)	C7 (Euro type)	C7 (Euro type)
				. 21.7
Energy	F / F	- F / F	F / F	F / F
EU energy efficiency class: SDR (EEI) / HDR (EEI)	F/E	F/E	F/F	F/F
EPREL registration No.: https://eprel.ec.europa.eu	1977957	1977957	1977954	1977954
Mains voltages / Power switch / Off mode (watts)	220-240V, 50 / 60 Hz / • / 0,0	220-240V, 50 / 60 Hz / • / 0,0	220-240V, 50 / 60 Hz / • / 0,0	220-240V, 50 / 60 Hz / • /
WoLAN / WoWLAN	•/•	•/•	•/•	•/•
Dimensions				
Weight (ca. kg) excl. / incl. standard setup solution	13,9 / 15,8	13,9 / 15,8	12,0 / 13,9	12,0 / 13,9
W* x H x D (cm) without setup solution	109,3 x 67,7 x 4,7	109,3 x 67,7 x 4,7	95,8 x 60,2 x 4,7	95,8 x 60,2 x 4,7
W* x H x D (cm) incl. table stand (* incl. signature flag)	109,3 x 72,9 x 19,5	109,3 x 72,9 x 19,5	95,8 x 65,4 x 19,5	95,8 x 65,4 x 19,5
VECA assessed / Vanainatas Indi	300 x 200 / ●	300 x 200 / ●	300 x 200 / ●	300 x 200 / ●
VESA Support / Kerisigritori lock				
Scope of Delivery	integrated	integrated	integrated	integrated
Scope of Delivery Speaker	integrated table stand / ●	integrated table stand / ●	integrated table stand / •	integrated table stand / ●
Scope of Delivery Speaker Setup Solution / rotate-able	table stand / ●	table stand / ●		
Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries)			table stand / ●	table stand / ●
Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord	table stand / ● Loewe remote stellar & mini	table stand / ● Loewe remote stellar & mini	table stand / ● Loewe remote stellar & mini	table stand / ● Loewe remote stellar & mini
Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Others	table stand / ◆ Loewe remote stellar & mini • / • (2,5 m, black)	table stand / ◆ Loewe remote stellar & mini	table stand / ● Loewe remote stellar & mini ● / ● (2,5 m, black)	table stand / ● Loewe remote stellar & mini ● / ● (2,5 m, black)
Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Others Optional accessories	table stand / • Loewe remote stellar & mini • / • (2,5 m, black) welcome box	table stand / • Loewe remote stellar & mini • / • (2,5 m, black) welcome box	table stand / • Loewe remote stellar & mini • / • (2,5 m, black) welcome box	table stand / Loewe remote stellar & mini / (2,5 m, black) welcome box
VESA support / Kensignton lock Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Others Optional accessories Selection of recommended setup solutions and audio systems	table stand / • Loewe remote stellar & mini • / • (2,5 m, black) welcome box floor2ceiling stand	table stand / ● Loewe remote stellar & mini ● / ● (2,5 m, black) welcome box floor2ceiling stand	table stand / ● Loewe remote stellar & mini ● / ● (2,5 m, black) welcome box floor2ceiling stand	table stand / • Loewe remote stellar & mini • / • (2,5 m, black) welcome box floor2ceiling stand
Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Others Optional accessories	table stand / • Loewe remote stellar & mini • / • (2,5 m, black) welcome box floor2ceiling stand floor stand motor stellar	table stand / Loewe remote stellar & mini • / • (2,5 m, black) welcome box floor2ceiling stand floor stand motor stellar	table stand / ● Loewe remote stellar & mini ● / ● (2,5 m, black) welcome box floor2ceiling stand floor stand motor stellar	table stand / • Loewe remote stellar & mini • / • (2,5 m, black) welcome box floor2ceiling stand floor stand motor stellar
Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Others Optional accessories Selection of recommended setup solutions	table stand / • Loewe remote stellar & mini • / • (2,5 m, black) welcome box floor2ceiling stand floor stand motor stellar floor stand flex	table stand / Loewe remote stellar & mini	table stand / Loewe remote stellar & mini	table stand / Loewe remote stellar & mini
Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Others Optional accessories Selection of recommended setup solutions	table stand / • Loewe remote stellar & mini • / • (2,5 m, black) welcome box floor2ceiling stand floor stand motor stellar floor stand flex floor stand universal	table stand / ● Loewe remote stellar & mini ● / ● (2,5 m, black) welcome box floor2ceiling stand floor stand motor stellar floor stand flex floor stand viersal	table stand / ● Loewe remote stellar & mini ● / ● (2,5 m, black) welcome box floor2ceiling stand floor stand motor stellar floor stand flex floor stand universal	table stand / • Loewe remote stellar & mini • / • (2,5 m, black) welcome box floor2ceiling stand floor stand motor stellar floor stand flex floor stand universal
Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Others Optional accessories Selection of recommended setup solutions	table stand / • Loew remote stellar & mini • / • (2,5 m, black) welcome box floor2ceiling stand floor stand motor stellar floor stand flex floor stand universal wall mount universal	table stand / • Loewe remote stellar & mini • / • (2,5 m, black) welcome box floor2ceiling stand floor stand motor stellar floor stand flex floor stand universal wall mount universal	table stand / ● Loewe remote stellar & mini ● / ● (2.5 m, black) welcome box floor2ceiling stand floor stand motor stellar floor stand flex floor stand universal wall mount universal	table stand / • Loewe remote stellar & mini • / • (2,5 m, black) welcome box floor2ceiling stand floor stand motor stellar floor stand flex floor stand universal wall mount universal
Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Others Optional accessories Selection of recommended setup solutions	table stand / • Loewe remote stellar & mini • / • (2,5 m, black) welcome box floor2ceiling stand floor stand motor stellar floor stand flex floor stand universal	table stand / ● Loewe remote stellar & mini ● / ● (2,5 m, black) welcome box floor2ceiling stand floor stand motor stellar floor stand flex floor stand viersal	table stand / ● Loewe remote stellar & mini ● / ● (2,5 m, black) welcome box floor2ceiling stand floor stand motor stellar floor stand flex floor stand universal	table stand / • Loewe remote stellar & mini • / • (2,5 m, black) welcome box floor2ceiling stand floor stand motor stellar floor stand flex floor stand universal

^{• =} available, • = optional, — = not available

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

according to panel spec typ. values @ HDR 10%

 according to panel spec typ. values @ HDR 10%

 pt - dk - es - en - fr - sv - fi - it - ro - bs - hr - si - sq - sr - lv - lt - et - hu - no - cs - nl - de - pl - el - mk - bg - ko

 Traces may occasionally be found in electronic components (compliant with the recast European RoHS directive)

¹ according to panel spec typ. values @ HDR 10%
30) pt - dk - es - en - fr - sv - fi - it - ro - bs - hr - sl - sq - sr - lv - lt - et - hu - no - cs - nl - de - pl - el - mk - bg - ko
9) Traces may occasionally be found in electronic components (compliant with the recast European RoHS directive)

Technical Data Loewe stellar	stellar 83 dr+ alu brushed + alu	stellar 77 dr+ alu brushed + alu
Image		
Screen resolution (pixels)	Ultra HD (3840 x 2160) OLED (WRGB)	Ultra HD (3840 x 2160) OLED (WRGB)
Display technology Screen diagonal (cm / inch) / Response time (ms)	210 / 83 / 1	195 / 77 / 1
Panel luminance¹ (ca. cd/m²) / Viewing angle (h/v)	1.100 / 120°	1.500 / 120°
Ultra HD scaling / Auto Dimming / Adaptive Contrast / 24p	•/•/•/•	•/•/•/•
HDR (HLG / HDR10 / HDR10+ / Dolby Vision™) / WCG	• / • / • (Adaptive) / — / •	• / • / • (Adaptive) / — / •
Receiption	-/-/-/-	-/-/-/-
DVB-T2 / C / S2 / HD / Twin Tuner Unicable / Dual Channel		•/•/•/•
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	•/•/•/• (incl. H.266)	•/•/•/• (incl. H.266)
DiSEqC / Sat over IP / DVB-C over IP / DVB radio	•/-/-	•/-/-
TV+ / Zattoo app / HD+ app	(Samsung TV Plus) / ● / —	(Samsung TV Plus) / ● / —
Audio		
Output (ca. watts sine / music) / driver (active + passive)	2x 65 / 2x 130 / tba	2x 65 / 2x 130 / tba
Acoustic speaker concept	closed bar + p. membranes	closed bar + p. membranes
Front firing / down firing / 2-channel crossover Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	•/-/• •/•/•/-	•/-/• •/•/•/-
Class-D amp / Auto Volume (AVC)	•/•	•/•
7-Band EQ / Dynamic Loudness	•/•	•/•
Operation		
Loewe chassis / os / home screen / app store	SL9 / Tizen OS / • / •	SL9 / Tizen OS / ● / ●
my Loewe app / smart apps (all: Android + iOS)	/ SmartThings app	/ SmartThings app
Voice control: Alexa Skills / other	Bixby voice	Bixby voice
EPG / Number of stations in channel list Mediatext (HbbTV) / Teletext / Splitscreen	/10.000 •/•/•	_ / 10.000 • / • / •
Multi View		•
Menu languages / Context related help	• 3D / •	• 3D / •
Parental Lock / Automatic turn-off / Timer	•/•/•	•/•/•
Software update (via USB / Internet) / Hotel Mode	•/•/—	•/•/—
Multimedia		
Loewe dr+: storage capacity / USB recording / timeshift	1 TB SSD / • / •	0,5 TB SSD / o / ●
Loewe dr+: streaming server / client Multi Recording	— / ● (dlna)	— / • (dlna)
Media player / DLNA renderer / web apps / browser		•/•/•/•
YouTube / Amazon Prime Video / Netflix / Disney+ / Apple tv+	•/•/•/•	•/•/•/•
Connectivity and Interfaces		
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1/2/1	1/2/1
HDMI	4 x HDMI 2.1	4 x HDMI 2.1
HDMI UHD / ALLM / VRR	• / • / • (144 Hz)	• / • / • (144 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC USB	•/•/• 4(2 x USB-C)	• / • / • / • 4 (2 x USB-C)
USB-A power	1 x 1,0A, 1 x 2,0A (limit)	1 x 1,0A, 1 x 2,0A (limit)
USB-C power	2 x 1,0A	2 x 1,0A
Bluetooth / Miracast / AirPlay	•/•/•	•/•/•
LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi	•/•/-	•/•/—
TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack)	-/•/• -/•/•	•/•/- -/•/•
Loewe motor control		•/•
Home automation / Control4 / Crestron	• (via SmartThings) / — / —	• (via SmartThings) / — / —
Power socket	C17 (D type)	C17 (D type)
Energy		
EU energy efficiency class: SDR (EEI) / HDR (EEI)	tba	tba
EPREL registration No.: https://eprel.ec.europa.eu	tba	tba
Mains voltages / Power switch / Off mode (watts) WoLAN / WoWLAN	220-240V, 50 / 60 Hz / • / 0,0	220-240V, 50 / 60 Hz / ◆ / 0,0
Dimensions	•/•	•/•
1 1 1 1	Al-	Al
Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution	tba 187,5 x 116,5 x 7,0	tba 173,3 x 108,9 x 7,0
W* x H x D (cm) incl. table stand (* incl. signature flag)	tba	tba
VESA support / Kensignton lock	400 x 200 / ●	400 x 200 / ●
Scope of Delivery		
Speaker Setup Selution / rotate able	integrated wall mount (fix	integrated well mount / fix
Setup Solution / rotate-able Remote control (incl. batteries)	integrated wall mount / fix Loewe remote stellar & mini (4x AAA)	integrated wall mount / fix Loewe remote stellar & mini (4x AAA)
Manual / power cord		
Others	welcome box	welcome box
Optional accessories		
Selection of recommended setup solutions and audio systems	wall mount universal	floor2ceiling stand
	wall mount slim 432	floor stand flex
	multi.room amp	wall mount universal
		wall mount slim 432 multi.room amp
		παια.τουπ απρ

^{• =} available, • = optional, — = not available

■ axordinate, 0 = photonia, = 1 - the available

a coroling to panel spec typ, values @ HDR 10%

a) pt : dk - es - gn - fr - Sv - fi - it - ro - bs - hr - sl - sq - sr - lv - lt - et - hu - no - cs - nl - de - pl - el - mk - bg - ko

7 Traces may occasionally be found in electronic components (complaint with the recast European RoHS directive)

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks™ or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be availability subject to subscription plan, internet service, device features and content availability.

Technical Data

Loewe iconic inspire	65 dr+	55 dr+
Image		
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm/inch) / Response time (ms)	164/65/1	139 / 55 / 1
Panel luminance ¹ (ca. cd/m ²) / Viewing angle (h/v)	1.100 / 120°	1.100 / 120°
Ultra HD scaling / Auto Dimming / Adaptive Contrast / 24p	●/●/●/●	•/•/•/•
HDR (HLG / HDR10 / HDR10+ / Dolby Vision™) / WCG	• / • / • / • (incl. IQ PD) / •	• / • / • / • (incl. IQ PD) / •
Receiption		
DVB-T2/C/S2 HD / Unicable / Dual Channel	•/•/—	•/•/—
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	•/•/• (incl. H.266)	•/•/•/• (incl. H.266)
DiSEqC / Sat over IP / DVB-C over IP / DVB radio	•/-/-/•	•/-/-/•
TV+ / Zattoo app / HD+ app	• (VIDAA tv) / • / •	• (VIDAA tv) / • / •
Audio		
Output (ca. watts sine / music) / driver (active + passive)	180/360/9	180 / 360 / 9
Acoustic speaker concept	klang bar3 mr	klang bar3 mr
Front firing / down firing / 2-channel crossover	• / − / • (active)	• / — / • (active)
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	•/•/•/•	•/•/•/•
Class-D amp / Auto Volume (AVC)	•/•	• / •
7-Band EQ / Dynamic Loudness	•/•	•/•
Operation and apps		
Loewe chassis / os / home screen / app store	SL8/os8/•	SL8/os8/●
my Loewe app / smart apps (all: Android + iOS)	• / Vidaa Smart TV app	• / Vidaa Smart TV app
Voice control: Alexa Skills / other	Vidaa voice	• / Vidaa voice
EPG / Number of stations in channel list	• / 10.000	• / 10.000
Mediatext (HbbTV) / Teletext / Splitscreen	•/•/•	•/•/•
Menu languages / Context related help	• 3C / •	• ^{3C} / •
Parental Lock / Automatic turn-off / Timer	•/•/•	•/•/•
Software update (via USB / Internet) / Hotel Mode	•/•/•	•/•/•
Multimedia		
Loewe dr+: storage capacity (GB) / USB recording / timeshift	1.000 / o / ●	1.000/∘/•
Loewe dr+: streaming server / client	-/•	-/•
Media player / DLNA renderer / web apps / browser	•/•/•/•	•/•/•/•
YouTube / Amazon prime video / Netflix / Disney+ / Apple tv+	•/•/•/•	•/•/•/•
Connectivity and Interfaces		
Antenna IEC / satellite F / CI+ V1.4 ECP Slot	1/1/1	1/1/1
HDMI	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1
HDMI UHD / ALLM / VRR	●/●/● (120 Hz)	•/•/• (120 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•	•/•/•/•
USB	4 (2 x USB 3.0)	4 (2 x USB 3.0)
USB-A power	2 x 1,0 A, 2 x 0,5 A	2 x 1,0 A, 2 x 0,5 A
Bluetooth / Miracast / AirPlay	•/•/•	•/•/•
LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi	•/•/•	•/•/•
TOSLINK / center in / cube plug stereo	•/-/•	•/-/•
Audio out control: fix / variable / sub (3.5 mm jack)	•/•/•	•/•/•
Home automation / Control4 / Crestron	• (via IP) / • / •	• (via IP) / • / •
Energy		
EU energy efficiency class: SDR (EEI) / HDR (EEI)	via inspire 65 dr+	via inspire 55 dr+
EPREL registration No.: https://eprel.ec.europa.eu	via inspire 65 dr+	via inspire 55 dr+
Mains voltages / Power switch / Off mode (watts)	220-240V, 50/60 Hz / — / n.a.	220-240V, 50/60 Hz / — / n.a.
WoLAN / WoWLAN	•/• 425 + 60	300 + 60
Power consumption max. @ audio 1/8 volume (watts)	425 + 60 0,3 + 0,5 / 0,8 + 6,0	0,3 + 0,5 / 0,8 + 6,0
Power consumption standby / network standby (watts)	0,5 + 0,5 / 0,6 + 0,0	0,3 + 0,3 / 0,0 + 0,0
Dimensions		1000
Weight (ca. kg) excl. / incl. standard setup solution	n.a. / 81,8	n.a. / 65,7
W* x H x D (cm) incl. table stand (* incl. signature flag)	152,3 x 113,7 x 31,8 (floor stand)	130,0 x 101,3 x 31,8 (floor stand)
Scope of Delivery		
Speaker	klang bar3 mr	klang bar3 mr
Setup Solution / rotate-able	floor stand iconic / fix	floor stand iconic / fix
Remote control (incl. batteries)	Loewe assist alu silver (2x AAA)	Loewe assist alu silver (2x AAA)
Manual / power cord	•/•(3 m)	•/•(3m)
Others	multi power extension	multi power extension
Optional accessories		
Selection of recommended setup solutions and audio systems	klang sub5	klang sub5
	klang mr5	klang mr5
	klang mr3	klang mr3
	klang mr3 klang mr1 multi.room amp	klang mr3 klang mr1 multi.room amp

^{• =} available, • = optional, — = not available

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks or registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

according to panel spec type values @ HDR 10%

3º en -de -fr -it -es- pt -nl - el - ru - es -sk - sl - it - lv - et - uk - pl - ro - hu - bg - sr - hr - sq - mk - sv - da - fi - no - tr - is - bs - be - kk

9 Traces may occasionally be found in electronic components (compliant with the recast European RoHS directive)

Technical	Data
I C C I I I I I C C I	Dutu

Loewe inspire	65 dr+	55 dr+	48 dr+
Image			
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm/inch) / Response time (ms)	164 / 65 / 1	139 / 55 / 1	121 / 48 / 1
Panel luminance ¹ (ca. cd/m ²) / Viewing angle (h/v)	1.100 / 120°	1.100 / 120°	800 / 120°
Ultra HD scaling / Auto Dimming / Adaptive Contrast / 24p	•/•/•/•	•/•/•/•	•/•/•/•
HDR (HLG / HDR10 / HDR10+ / Dolby Vision™) / WCG	• / • / • / • (incl. IQ PD) / •	• / • / • / • (incl. IQ PD) / •	• / • / • / • (incl. IQ PD) / •
Reception			
DVB-T2/C/S2 HD / Unicable / Dual Channel	•/•/—	•/•/—	•/•/—
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	• / • / • / • (incl. H.266)	• / • / • / • (incl. H.266)	• / • / • / • (incl. H.266)
DiSEqC / Sat over IP / DVB-C over IP / DVB radio	•/-/-/•	•/-/-/•	•/-/-/•
TV+ / Zattoo app / HD+ app	• (Live TV) / • / •	• (Live TV) / • / •	• (Live TV) / • / •
Audio			
Output (ca. watts sine / music) / driver (active + passive)	2 x 10 / 2 x 20 / 2	2 x 10 / 2 x 20 / 2	2 x 10 / 2 x 20 / 2
Acoustic speaker concept	speaker box + bass reflex	speaker box + bass reflex	speaker box + bass reflex
Front firing / down firing / 2-channel crossover	— / ● (invisible sound) / —	— / ● (invisible sound) / —	— / ● (invisible sound) / —
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	•/•/•/•	•/•/•/•	•/•/•/•
Class-D amp / Auto Volume (AVC)	•/•	• / •	•/•
7-Band EQ / Dynamic Loudness	•/•	• / •	•/•
Operation and apps			
Loewe chassis / os / home screen / app store	SL8/os8/•/•	SL8/os8/•/•	SL8/os8/•/•
my Loewe app / smart apps (all: Android + iOS)	• / Vidaa app	• / Vidaa app	• / Vidaa app
Voice control: Alexa Skills / other	Vidaa app Vidaa voice	/ Vidaa app / Vidaa voice	Vidaa app Vidaa voice
EPG / Number of stations in channel list	• / 10.000	• / 10.000	• / 10.000
Mediatext (HbbTV) / Teletext / Splitscreen	•/•/•	•/•/•	•/•/•
Menu languages / Context related help	- 3C/•	•30/•	•30/•
Parental Lock / Automatic turn-off / Timer	•/•/•	•/•/•	•/•/•
Software update (via USB / Internet) / Hotel Mode	•/•/•	•/•/•	•/•/•
Multimedia			
	1.000 / o / ●	1.000/∘/•	1.000 / o / ●
Loewe dr+: storage capacity (GB) / USB recording / timeshift Loewe dr+: streaming server / client		-/•	_/•
Media player / DLNA renderer / web apps / browser	•/•/•/•	•/•/•/•	•/•/•/•
YouTube / Amazon prime video / Netflix / Disney+ / Apple tv+	•/•/•/•	0/0/0/0	0/0/0/0
Connectivity and Interfaces			
Antenna IEC / satellite F / CI+ 1.4 ECP certified	1/1/1	1/1/1	1/1/1
HDMI	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1
HDMI UHD / ALLM / VRR	●/●/● (120 Hz)	●/●/● (120 Hz)	●/●/● (120 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•(12U HZ)	•/•/• (120 HZ)	•/•/•(120 HZ) •/•/•/•
USB	4 (2 x USB 3.0)	4 (2 x USB 3.0)	4 (2 x USB 3.0)
USB-A power	2 x 1,0 A, 2 x 0,5 A	2 x 1,0 A, 2 x 0,5 A	2 x 1,0 A, 2 x 0,5 A
Bluetooth / Miracast / AirPlay	•/•/•	•/•/•	•/•/•
LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi	•/•/•	•/•/•	•/•/•
TOSLINK / center in / cube plug stereo		•/-/•	•/-/•
TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack)	•/-/•	•/-/•	•/-/•
Audio out control: fix / variable / sub (3.5 mm jack)	•/-/• •/•/•	•/•/•	•/•/•
Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron	•/-/•		
Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy	•/-/• •/•/• •(via IP)/•/•	• / • / • • (via IP) / • / •	• / • / • • (via IP) / • / •
Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI)	•/-/• •/•/• •(via IP)/•/• F(0.879)/G(0.914)	• / • / • (via IP) / • / • • (via IP) / • / • F (0.893) / F (0.847)	•/•/• •(via IP)/•/• F(0.851)/F(0.848)
Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu	•/-/• •/•/• •(via IP)/•/• F(0.879)/G(0.914) 1993207	•/•/• •(via IP)/•/• •(0.893)/F(0.847) 1993193	•/•/• • (via IP)/•/• - F(0.851)/F(0.848) - 1653891
Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts)	•/-/• •/•/• •(via IP)/•/• F(0.879)/G(0.914)	• / • / • (via IP) / • / • • (via IP) / • / • F (0.893) / F (0.847)	•/•/• •(via IP)/•/• F(0.851)/F(0.848)
Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions	•/-/• •/•/• •(via IP)/•/• F(0.879)/G(0.914) 1993207 220-240V, 50/60 Hz/-/n.a.	• / • / • • (via IP) / • / • F (0.893) / F (0.847) 1993193 220-240V, 50/60 Hz / − / n.a.	• / • / • • (via IP) / • / • F (0.851) / F (0.848) 1653891 220-240V, 50/60 Hz / − / n.a.
Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution	•/ − / • • / • / • / • • (via IP) / • / • F (0.879) / G (0.914) 1993207 220-240V, 50/60 Hz / − / n.a. 29.2 / 35.2	•/•/• •(via IP)/•/• F(0.893)/F(0.847) 1993193 220-240V,50/60 Hz/−/n.a.	•/•/• •(via IP)/•/• F(0.851)/F(0.848) 1653891 220-240V, 50/60 Hz/−/n.a.
Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution	•/-/• •/•/• •(via IP)/•/• F (0.879)/G (0.914) 1993207 220-240V, 50/60 Hz / - / n.a. 29.2 / 35.2 146.0 x 86.8 x 6.4	• / • / • • (via IP) / • / • F (0.893) / F (0.847) 1993193 220-240V, 50/60 Hz / − / n.a. 22.8 / 28.8 123,6 x 74,4 x 6,4	•/•/• •(via IP)/•/• F(0.851)/F(0.848) 1653891 220-240V, 50/60 Hz / −/ n.a. 15.5 / 21.5 107.7 x 65.4 x 6.4
Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* X H x D (cm) without setup solution W* X H x D (cm) incl. table stand (* incl. signature flag)	●/ - / ● ● / ● / ● / ● ● (via IP) / ● / ● F (0.879) / G (0.914) 1993207 220-240V, 50/60 Hz / - / n.a. 29.2 / 35.2 146.0 x 86.8 x 6.4 146.0 x 88.3 x 29.0	F(0.893)/F(0.847) 1993193 220-240V, 50/60 Hz/-/n.a. 22.8/28,8 123.6 x 74.4 x 6.4 123.6 x 75.9 x 29.0	F(0.851) / F(0.848) 1653891 220-240V, 50/60 Hz / - / n.a. 15.5 / 21.5 107.7 x 65.4 x 6.4 107.7 x 66.9 x 29.0
Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) VESA support / Kensignton lock	•/-/• •/•/• •(via IP)/•/• F (0.879)/G (0.914) 1993207 220-240V, 50/60 Hz / - / n.a. 29.2 / 35.2 146.0 x 86.8 x 6.4	• / • / • • (via IP) / • / • F (0.893) / F (0.847) 1993193 220-240V, 50/60 Hz / − / n.a. 22.8 / 28.8 123,6 x 74,4 x 6,4	•/•/• •(via IP)/•/• F(0.851)/F(0.848) 1653891 220-240V, 50/60 Hz / — / n.a. 15.5 / 21.5 107.7 x 65.4 x 6.4
Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution	●/ - / ● ● / ● / ● / ● ● (via IP) / ● / ● F (0.879) / G (0.914) 1993207 220-240V, 50/60 Hz / - / n.a. 29.2 / 35.2 146.0 x 86.8 x 6.4 146.0 x 88.3 x 29.0	F(0.893)/F(0.847) 1993193 220-240V, 50/60 Hz/-/n.a. 22.8/28,8 123.6 x 74.4 x 6.4 123.6 x 75.9 x 29.0	F(0.851) / F(0.848) 1653891 220-240V, 50/60 Hz / - / n.a. 15.5 / 21.5 107.7 x 65.4 x 6.4 107.7 x 66.9 x 29.0
Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) VESA support / Kensignton lock Scope of Delivery	●/ - / ● ● / ● / ● / ● ● (via IP) / ● / ● F (0.879) / G (0.914) 1993207 220-240V, 50/60 Hz / - / n.a. 29.2 / 35.2 146.0 x 86.8 x 6.4 146.0 x 88.3 x 29.0	F(0.893)/F(0.847) 1993193 220-240V, 50/60 Hz/-/n.a. 22.8/28,8 123.6 x 74.4 x 6.4 123.6 x 75.9 x 29.0	F(0.851) / F(0.848) 1653891 220-240V, 50/60 Hz / - / n.a. 15.5 / 21.5 107.7 x 65.4 x 6.4 107.7 x 66.9 x 29.0
Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) VESA support / Kensignton lock Scope of Delivery Speaker	●/ - / ● ● / ● / ● / ● ● (via IP) / ● / ● F (0.879) / G (0.914) 1993207 220-240V, 50/60 Hz / - / n.a. 29.2 / 35.2 146.0 x 86.8 x 6.4 146.0 x 88.3 x 29.0 300 x 200 / ●	• / • / • (via IP) / • / • • (via IP) / • / • F (0.893) / F (0.847) 1993193 220-240V, 50/60 Hz / − / n.a. 22.8 / 28.8 123.6 x 74.4 x 6.4 123.6 x 75.9 x 29.0 300 x 200 / •	• / • / • (via IP) / • / • • (via IP) / • / • F (0.851) / F (0.848) 1653891 220-240V, 50/60 Hz / − / n.a. 15.5 / 21.5 107.7 x 65.4 x 6.4 107.7 x 66.9 x 29.0 300 x 200 / •
Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) VESA support / Kensignton lock Scope of Delivery Speaker Setup Solution / rotate-able	●/ -/ ● ●/ ●/ ●/ ● ● (via IP) / ● / ● F (0.879) / G (0.914) 1993207 220-240V, 50/60 Hz / / n.a. 29.2 / 35.2 146.0 x 86.8 x 6.4 146.0 x 88.3 x 29.0 300 x 200 / ● invisible sound (in TV integrated)	• / • / • (via IP) / • / • • (via IP) / • / • F (0.893) / F (0.847) 1993193 220-240V, 50/60 Hz / — / n.a. 22.8 / 28.8 123.6 x 74.4 x 6.4 123.6 x 75.9 x 29.0 300 x 200 / • invisible sound (in TV integrated)	• / • / • (via IP) / • / • • (via IP) / • / • F (0.851) / F (0.848) 1653891 220-240V, 50/60 Hz / — / n.a. 15.5 / 21.5 107.7 x 65.4 x 6.4 107.7 x 66.9 x 29.0 300 x 200 / • invisible sound (in TV integrated table stand i / •
Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) VESA support / Kensignton lock Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries)		• / • / • • (via IP) / • / • F (0.893) / F (0.847) 1993193 220-240V, 50/60 Hz / — / n.a. 22.8 / 28.8 123.6 x 74.4 x 6.4 123.6 x 75.9 x 29.0 300 x 200 / • invisible sound (in TV integrated) table stand i / •	• / • / • (via IP) / • / • • (via IP) / • / • F (0.851) / F (0.848) 1653891 220-240V, 50/60 Hz / — / n.a. 15.5 / 21.5 107.7 x 65.4 x 6.4 107.7 x 66.9 x 29.0 300 x 200 / • invisible sound (in TV integrated table stand i / •
Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) VESA support / Kensignton lock Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries)	●/ - / ● ●/ ● / ● / ● / ● (via IP) / ● / ● (via IP) / ● / ● F (0.879) / G (0.914) 1993207 220-240V, 50/60 Hz / - / n.a. 29.2 / 35.2 146.0 x 86.8 x 6.4 146.0 x 88.3 x 29.0 300 x 200 / ● invisible sound (in TV integrated) table stand i / ● Loewe remote alu silver (2x AAA)	• / • / • (via IP) / • / • • (via IP) / • / • F (0.893) / F (0.847) 1993193 220-240V, 50/60 Hz / — / n.a. 22.8 / 28.8 123,6 x 74,4 x 6,4 123,6 x 75,9 x 29,0 300 x 200 / • invisible sound (in TV integrated) table stand i / • Loewe remote alu silver (2x AAA)	• / • / • • (via IP) / • / • F (0.851) / F (0.848) 1653891 220-240V, 50/60 Hz / — / n.a. 15.5 / 21.5 107.7 x 65.4 x 6.4 107.7 x 66.9 x 29.0 300 x 200 / • invisible sound (in TV integrated table stand i / • Loewe remote alu silver (2x AAA
Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) VESA support / Kensignton lock Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Optional accessories	●/ ─ / ● ● (via IP) / ● / ● F (0.879) / G (0.914) 1993207 220-240V, 50/60 Hz / ─ / n.a. 29,2 / 35,2 146,0 x 86,8 x 6,4 146,0 x 88,3 x 29,0 300 x 200 / ● invisible sound (in TV integrated) table stand i / ● Loewe remote alu silver (2x AAA) ● / ● (2,5 m, black)	• / • / • (via IP) / • / • • (via IP) / • / • F (0.893) / F (0.847) 1993193 220-240V, 50/60 Hz / — / n.a. 22.8 / 28.8 123,6 x 74,4 x 6,4 123,6 x 75,9 x 29,0 300 x 200 / • invisible sound (in TV integrated) table stand i / • Loewe remote alu silver (2x AAA) • / • (2.5 m, black)	• / • / • • (via IP) / • / • F (0.851) / F (0.848) 1653891 220-240V, 50/60 Hz / — / n.a. 15.5 / 21.5 107.7 x 65.4 x 6.4 107.7 x 66.9 x 29.0 300 x 200 / • invisible sound (in TV integrated table stand i / • Loewe remote alu silver (2x AAA • / • (2.5 m, black)
Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) VESA support / Kensignton lock Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Optional accessories		• / • / • (via IP) / • / • • (via IP) / • / • F (0.893) / F (0.847) 1993193 220-240V, 50/60 Hz / — / n.a. 22.8 / 28.8 123.6 x 74.4 x 6.4 123.6 x 75.9 x 29.0 300 x 200 / • invisible sound (in TV integrated) table stand i / • Loewer remote alu silver (2x AAA) • / • (2.5 m, black)	• / • / • • (via IP) / • / • F (0.851) / F (0.848) 1653891 220-240V, 50/60 Hz / — / n.a. 15,5 / 21,5 107,7 x 65,4 x 6,4 107,7 x 66,9 x 29,0 300 x 200 / • invisible sound (in TV integrated table stand i / • Loewe remote allu silver (2x AAA • / • (2,5 m, black)
Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) VESA support / Kensignton lock Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord		• / • / • (via IP) / • / • • (via IP) / • / • F (0.893) / F (0.847) 1993193 220-240V, 50/60 Hz / — / n.a. 22.8 / 28.8 123.6 x 74.4 x 6.4 123.6 x 75.9 x 29.0 300 x 200 / • invisible sound (in TV integrated) table stand i / • Loewe remote alu silver (2x AAA) • / • (2.5 m, black) floor2ceiling stand, floor stand flex wall mount slim 432, wall mount	• / • / • (via IP) / • / • • (via IP) / • / • F (0.851) / F (0.848) 1653891 220-240V, 50/60 Hz / — / n.a. 15.5 / 21.5 1077 x 65.4 x 6.4 107.7 x 66.9 x 29.0 300 x 200 / • invisible sound (in TV integrated table stand i / • Loewe remote alu silver (2x AAA • / • (2.5 m, black) floor2ceiling stand, floor stand fle wall mount slirn 432, wall mount
Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) VESA support / Kensignton lock Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Optional accessories		• / • / • (via IP) / • / • • (via IP) / • / • F (0.893) / F (0.847) 1993193 220-240V, 50/60 Hz / — / n.a. 22.8 / 28.8 123.6 x 74.4 x 6.4 123.6 x 75.9 x 29.0 300 x 200 / • invisible sound (in TV integrated) table stand i / • Loewer remote alu silver (2x AAA) • / • (2.5 m, black)	• / • / • • (via IP) / • / • F (0.851) / F (0.848) 1653891 220-240V, 50/60 Hz / — / n.a. 15,5 / 21,5 107,7 x 65,4 x 6,4 107,7 x 66,9 x 29,0 300 x 200 / • invisible sound (in TV integrated table stand i / • Loewe remote allu silver (2x AAA • / • (2,5 m, black)

^{• =} available, • = optional, — = not available

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarksTM or registered[®] trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision favailability (including in certain territories), updating and terrination of the provision of this digital content and services on the device are at the sole discretion of the third ys, Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

Technical Data

Loewe inspire	65 dr+ set	55 dr+ set	48 dr+ set
Image			
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm/inch) / Response time (ms)	164/65/1	139 / 55 / 1	121 / 48 / 1
Panel luminance ¹ (ca. cd/m ²) / Viewing angle (h/v)	1.100 / 120°	1.100 / 120°	800 / 120°
Ultra HD scaling / Auto Dimming / Adaptive Contrast / 24p	•/•/•/•	•/•/•/•	•/•/•/•
HDR (HLG / HDR10 / HDR10+ / Dolby Vision™) / WCG	•/•/•/•(incl. IQ PD)/•	•/•/•/•(incl. IQ PD)/•	•/•/•/•(incl. IQ PD)/•
Reception		(
DVB-T2/C/S2 HD / Unicable / Dual Channel	•/•/-	•/•/—	•/•/-
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	•/•/• (incl. H.266)	•/•/• (incl. H.266)	•/•/- (incl. H.266)
DiSEqC / Sat over IP / DVB-C over IP / DVB radio	•/-/-/• (IIICI: H.200)	•/-/-/• (IIICI. H.200)	•/-/-/• (IIICI. H.200)
TV+ / Zattoo app / HD+ app	• (Live TV) / • / •	• (Live TV) / • / •	• (Live TV) / • / •
	CLIVE IV)/ V/	CLIVE IV)/ U/	(Live IV)/ V/
Audio			
Output (ca. watts sine / music) / driver (active + passive)	2 x 20 / 2 x 40 / 8	2 x 20 / 2 x 40 / 8	2 x 20 / 2 x 40 / 8
Acoustic speaker concept	klang bar i	klang bar i	klang bar ii
Front firing / down firing / 2-channel crossover	•/-/•	•/-/•	•/-/•
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	•/•/•/•	•/•/•/•	•/•/•/•
Class-D amp / Auto Volume (AVC)	•/•	•/•	•/•
7-Band EQ / Dynamic Loudness	•/•	• / •	•/•
Operation and apps			
Loewe chassis / os / home screen / app store	SL8/os8/•/•	SL8/os8/•/•	SL8/os8/•/•
my Loewe app / smart apps (all: Android + iOS)	• / Vidaa app	• / Vidaa app	• / Vidaa app
Voice control: Alexa Skills / other	• / Vidaa voice	• / Vidaa voice	• / Vidaa voice
EPG / Number of stations in channel list	• / 10.000	• / 10.000	• / 10.000
Mediatext (HbbTV) / Teletext / Splitscreen	•/•/•	•/•/•	•/•/•
Menu languages / Context related help	• 3C / •	• 3C / •	• 3C / •
Parental Lock / Automatic turn-off / Timer	•/•/•	•/•/•	•/•/•
Software update (via USB / Internet) / Hotel Mode	•/•/•	•/•/•	•/•/•
Multimedia			
Loewe dr+: storage capacity (GB) / USB recording / timeshift	1.000 / ⊙ / ●	1.000/o/•	1.000/o/•
Loewe dr+: streaming server / client	-/•	-/•	-/•
Media player / DLNA renderer / web apps / browser		•/•/•/•	•/•/•/•
YouTube / Amazon prime video / Netflix / Disney+ / Apple tv+	•/•/•/•	0/0/0/0	0/0/0/0
Connectivity and Interfaces			
Antenna IEC / satellite F / CI+ 1.4 ECP certified	1/1/1	1/1/1	1/1/1
HDMI	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1
HDMI UHD / ALLM / VRR	●/●/● (120 Hz)	•/•/• (120 Hz)	•/•/• (120 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•/•	•/•/•/•	•/•/•/•
USB	4 (2 x USB 3.0)	4 (2 x USB 3.0)	4 (2 x USB 3.0)
USB-A power	2 x 1,0 A, 2 x 0,5 A	2 x 1,0 A, 2 x 0,5 A	2 x 1,0 A, 2 x 0,5 A
Bluetooth / Miracast / AirPlay	•/•/•	•/•/•	•/•/•
LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi	•/•/•	•/•/•	•/•/•
TOSLINK / center in / cube plug stereo	•/-/•	•/-/•	•/-/•
Audio out control: fix / variable / sub (3.5 mm jack)	•/•/•	•/•/•	•/•/•
Home automation / Control4 / Crestron	• (via IP) / • / •	• (via IP) / • / •	• (via IP) / • / •
Energy			
EU energy efficiency class: SDR (EEI) / HDR (EEI)	via inspire 65 dr+	via inspire 55 dr+	via inspire 48 dr+
EPREL registration No.: https://eprel.ec.europa.eu	via inspire 65 dr+	via inspire 55 dr+	via inspire 48 dr+
Mains voltages / Power switch / Off mode (watts)	220-240V, 50/60 Hz / — / n.a.	220-240V, 50/60 Hz / — / n.a.	220-240V, 50/60 Hz / — / n.a
Dimensions			
Weight (ca. kg) excl. / incl. standard setup solution	31,1 / 37,1	24,7 / 30,7	17,4 / 23,4
W* x H x D (cm) without setup solution	146.0 x 86.8 x 6.4	123.6 x 74.4 x 6.4	107.7 x 65.4 x 6.4
W* x H x D (cm) incl. table stand (* incl. signature flag)	146,0 x 88,3 x 29,0	123,6 x 75,9 x 29,0	107,7 × 66,9 × 29,0
VESA support / Kensignton lock	300 x 200 / ◆	300 x 200 / ●	300 x 200 / ●
Scope of Delivery			
	klong bori (intt)	klong bori (in outt)	klong hor i (in -vtt)
Speaker	klang bar i (in extra carton)	klang bar i (in extra carton)	klang bar i (in extra carton)
Setup Solution / rotate-able	table stand i / •	table stand i / •	table stand i / ●
Remote control (incl. batteries)	Loewe remote alu silver (2x AAA)	Loewe remote alu silver (2x AAA)	Loewe remote alu silver (2x AA
Manual / power cord	● / ● (2,5 m, black)	• / • (2,5 m, black)	• / • (2,5 m, black)
Optional accessories			
Selection of recommended setup solutions and audio systems	floor2ceiling stand, floor stand flex	floor2ceiling stand, floor stand flex	floor2ceiling stand, floor stand fl
· · · · · · · · · · · · · · · · · · ·	wall mount slim 432, wall mount	wall mount slim 432, wall mount	wall mount slim 432, wall moun
	universal, klang bar5 mr,	universal, klang bar5 mr,	universal, klang bar3 mr, klang bar
	ui iivci sai, niai ig bai 3 i i ii,	arriversal, Marig bars IIII,	universal, Mang bars mir, Mang bar
	klang bar3 mr, klang bar i, klang sub1,	klang bar3 mr, klang bar i, klang sub1,	klang sub1, multi.room amp

^{• =} available, • = optional, — = not available

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarksTM or registered[®] trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third, Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

^{• -} available, v - uptorial, — - not available

1 according to panel spec typ values @ HDR 10%

20 en - de - fr - it - es - pt - nl - el - ru - cs - sk - sl - it - lv - et - uk - pl - ro - hu - bg - sr - hr - sq - mk - sv - da - fi - no - tr - is - bs - be - kk

⁻ available, 0 - piptorial, - in the available
according to panel spect typ. values @ HDR 10%
- according to panel spect typ. values @ HDR 10%
- according to panel spect typ. values @ HDR 10%
- according to panel spect typ. values @ HDR 10%
- according to panel spect typ. values @ HDR 10%
- according to panel spect typ. values @ HDR 10%
- according to panel spect typ. values @ HDR 10%
- according to panel spect typ. values @ HDR 10%
- according to panel spect typ. values @ HDR 10%
- according to panel spect typ. values @ HDR 10%
- according to panel spect typ. values @ HDR 10%
- according to panel spect typ. values @ HDR 10%
- according to panel spect typ. values @ HDR 10%
- according to panel spect typ. values @ HDR 10%
- according typ. values

Loewe bild i

77	dr

Image	
Screen resolution (pixels)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)
Screen diagonal (cm/inch) / Response time (ms)	195 / 77 / 1
Panel luminance1 (cd/m²) / Viewing angle (h/v)	900 / 120°
Ultra HD scaling / Image+ Active / Adaptive Contrast / 24p	●/-/●/●
HDR (HLG / HDR10 / Dolby Vision™) / WCG	•/•/•/•
Auto-dimming interior (OPC) / Ambient brightness control	•/•
Receiption	
DVB-T2/C/S2 HD / Multi ATV / Unicable / Dual Channel	• ^{2B} /•/•/—
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	•/•/•/•
Sat over IP / DVB-C over IP / DVB radio	-/-/•
Audio	
Output (watts sine / music) / driver (active + passive)	2 x 10 / 2 x 20 / 2
Acoustic speaker concept	speaker box + bass reflex
Magic moment / front firing / down firing / 2-channel crossover	— / — / • / — (invisible sound)
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	•/•/•/•
Class-D amp / Auto Volume (AVC) / Mimi Sound Personalization	●/●/—
Individual bass and treble control / Loudness	7-Band EQ / —
Operation	
Loewe chassis / os / home screen (incl. favorites)	SL7/os7/•
Loewe app / VIDAA app / my Loewe app (all: Android + iOS)	-/•/•
Voice control by Alexa skills / VIDAA voice	•/•
Electronic Program Guide / EPG key word search	•/-
Mediatext (HbbTV) / Teletext / page memory	●/●/792
Menu languages / Context related help	• 3B / •
Parental Lock / Automatic turn-off / Timer Instant Channel Zapping / Quick Start Mode	-/•
Number of stations in channel list incl. AV and radio	10.000
PIP (AV) ⁴ / Full PIP / Splitscreen TV:Videotext	
Software update (via USB / Internet)	•/•
Hotel Mode (Standard / CEC / IP / RS232)	•/-/-
Multimedia	
Loewe dr+: storage capacity (GB) / USB recording / timeshift	1.000/-/•
Music player / Photo player / Video player ⁵	•/•/•
Digital Media Renderer (incl. Ultra HD) / Bluetooth music player	
Internet apps / Internet browser / Internet radio	
YouTube / Amazon prime video / Netflix / Disney+	●/●/●/●
Connectivity and Interfaces	
HDMI 2.0b / HDMI 2.1 ⁶	4 x HDMI 2.1
HDCP 2.2 / HDMI-CEC / ARC / eARC	●/●/●/●
USB / Bluetooth / Screen Mirroring (Miracast)	4 (2 x USB 3.0) / ● / ●
LAN network connection / WLAN (Wi-Fi) integrated	●/●
Antenna IEC / satellite F / CI+ 1.4 ECP certified ⁷	1/1/1
Mini TOSLINK / Center in (via adapter) / Cube plug stereo	
Audio out control: fix / variable / sub (3.5mm jack)	●/●/●
Kensington anti theft lock	•
Energy	
Eu energy efficiency class: SDR (EEI) / HDR (EEI)	E(0,650)/C(0,488)
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr	E (0.650) / C (0.488) 1559175
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / Mains voltages	E (0,650) / C (0,488) 1559175 — / 220-240V, 50 / 60 Hz
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / Mains voltages WoLAN / WoWLAN / Fast Power-On (increased consumption)	E (0.650) / C (0.488) 1559175
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / Mains voltages WoLAN / WoWLAN / Fast Power-On (increased consumption) Dimensions	E (0.650) / C (0.488) 1559175 — / 220-240V, 50 / 60 Hz ● / ● / ●
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / Mains voltages WoLAN / WoWLAN / Fast Power-On (increased consumption) Dimensions Weight (approx. kg) excl. / incl. standard setup solution	E (0,650) / C (0,488) 1559175 — / 220-240V, 50 / 60 Hz • / • / • 34,1 / 35,6 (wm universal)
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / Mains voltages WoLAN / WoWLAN / Fast Power-On (increased consumption) Dimensions Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag)	E (0.650) / C (0.488) 1559175 - / 220-240V, 50 / 60 Hz • / • / • 34.1 / 35.6 (wm universal) 173.1 x 102.3 x 8.4
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / Mains voltages WoLAN / WoWLAN / Fast Power-On (increased consumption) Dimensions Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag)	E (0.650) / C (0.488) 1559175 — / 220-240V, 50 / 60 Hz • / • / • 34.1 / 35.6 (wm universal) 173.1 x 102.3 x 8.4 173.1 x 102.3 x 10.5
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / Mains voltages WoLAN / WoWLAN / Fast Power-On (increased consumption) Dimensions Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag) W* x H x D (approx. cm) incl. table stand (* incl. signature flag)	E (0.650) / C (0.488) 1559175 - / 220-240V, 50 / 60 Hz • / • / • 34,1 / 35,6 (wm universal) 173,1 x 102,3 x 8,4 173.1 x 102,3 x 10,5 173,1 x 102,3 x 12,2 (wm universal)
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / Mains voltages WoLAN / WoWLAN / Fast Power-On (increased consumption) Dimensions Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag) W* x H x D (approx. cm) incl. table stand (* incl. signature flag) VESA support	E (0.650) / C (0.488) 1559175 — / 220-240V, 50 / 60 Hz • / • / • 34.1 / 35.6 (wm universal) 173.1 x 102.3 x 8.4 173.1 x 102.3 x 10.5
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / Mains voltages WoLAN / WoWLAN / Fast Power-On (increased consumption) Dimensions Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag) W* x H x D (approx. cm) incl. table stand (* incl. signature flag)	E (0.650) / C (0.488) 1559175 - / 220-240V, 50 / 60 Hz • / • / • 34,1 / 35,6 (wm universal) 173,1 x 102,3 x 8,4 173.1 x 102,3 x 10,5 173,1 x 102,3 x 12,2 (wm universal)
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / Mains voltages WoLAN / WoWLAN / Fast Power-On (increased consumption) Dimensions Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag) VESA support Scope of Delivery Speaker	E (0.650) / C (0.488) 1559175 - /220-240V, 50 / 60 Hz • / • / • 34.1 / 35.6 (wm universal) 173.1 x 102.3 x 8.4 173.1 x 102.3 x 10.5 173.1 x 102.3 x 12.2 (wm universal) 300 x 200 invisible sound (integrated)
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / Mains voltages WoLAN / WoWLAN / Fast Power-On (increased consumption) Dimensions Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag) W* x H x D (approx. cm) incl. table stand (* incl. signature flag) VESA support Scope of Delivery Speaker Setup Solution / rotate-able	E (0,650) / C (0,488) 1559175 - / 220-240V, 50 / 60 Hz • / • / • 34.1 / 35,6 (wm universal) 173.1 x 102,3 x 8,4 173.1 x 102,3 x 10,5 173,1 x 102,3 x 12,2 (wm universal) 300 x 200 invisible sound (integrated) wall mount universal / —
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / Mains voltages WoLAN / WoWLAN / Fast Power-On (increased consumption) Dimensions Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag) W* x H x D (approx. cm) incl. table stand (* incl. signature flag) VESA support Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries)	E (0,650) / C (0,488) 1559175 — / 220-240V, 50 / 60 Hz
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / Mains voltages WoLAN / WoWLAN / Fast Power-On (increased consumption) Dimensions Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag) W* x H x D (approx. cm) incl. table stand (* incl. signature flag) VESA support Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord	E (0,650) / C (0,488) 1559175 - / 220-240V, 50 / 60 Hz • / • / • 34.1 / 35,6 (wm universal) 173.1 x 102,3 x 8,4 173.1 x 102,3 x 10,5 173,1 x 102,3 x 12,2 (wm universal) 300 x 200 invisible sound (integrated) wall mount universal / —
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / Mains voltages WoLAN / WoWLAN / Fast Power-On (increased consumption) Dimensions Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag) W* x H x D (approx. cm) incl. table stand (* incl. signature flag) VESA support Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries)	E (0,650) / C (0,488) 1559175 — / 220-240V, 50 / 60 Hz
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / Mains voltages WoLAN / WoWLAN / Fast Power-On (increased consumption) Dimensions Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag) W* x H x D (approx. cm) incl. table stand (* incl. signature flag) VESA support Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord	E (0,650) / C (0,488) 1559175 — / 220-240V, 50 / 60 Hz ● / ● / ● / 34,1 / 35,6 (wm universal) 173,1 x 102,3 x 8,4 173,1 x 102,3 x 10,5 173,1 x 102,3 x 12,2 (wm universal) 300 x 200 invisible sound (integrated) wall mount universal / — Loewe remote alu silver (2x AAA) ● / ● (2,5 m)
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / Mains voltages WoLAN / WoWLAN / Fast Power-On (increased consumption) Dimensions Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag) W* x H x D (approx. cm) incl. table stand (* incl. signature flag) VESA support Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Optional accessories	E (0,650) / C (0,488) 1559175 - / 220-240V, 50 / 60 Hz 34,1 / 35,6 (wm universal) 173,1 x 102,3 x 8,4 173,1 x 102,3 x 10,5 173,1 x 102,3 x 12,2 (wm universal) 300 x 200 invisible sound (integrated) wall mount universal / — Loewe remote alu silver (2x AAA)
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / Mains voltages WoLAN / WoWLAN / Fast Power-On (increased consumption) Dimensions Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag) W* x H x D (approx. cm) incl. table stand (* incl. signature flag) VESA support Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Optional accessories	E (0,650) / C (0,488) 1559175 - / 220-240V, 50 / 60 Hz • / • / • 34.1 / 35.6 (wm universal) 173.1 x 102,3 x 8.4 173.1 x 102,3 x 10.5 173.1 x 102,3 x 12,2 (wm universal) 300 x 200 invisible sound (integrated) wall mount universal / — Loewe remote alu silver (2x AAA) • / • (2,5 m) loor2ceiling stand floor stand flex wall mount slim 432
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu/qr Power switch / Mains voltages WoLAN / WoWLAN / Fast Power-On (increased consumption) Dimensions Weight (approx. kg) excl. / incl. standard setup solution W* x H x D (approx. cm) without setup solution (* incl. signature flag) W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag) W* x H x D (approx. cm) incl. table stand (* incl. signature flag) VESA support Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Optional accessories	E (0,650) / C (0,488) 1559175 - / 220-240V, 50 / 60 Hz 34,1 / 35,6 (wm universal) 173,1 x 102,3 x 8,4 173,1 x 102,3 x 10,5 173,1 x 102,3 x 12,2 (wm universal) 300 x 200 invisible sound (integrated) wall mount universal / — Loewe remote alu silver (2x AAA)

• = included/installed — = not included / possible

according to panel space typ, values @ HDR 10%
Breception of DVB-T2 HD only in selected countries, may be limited by individual regulations from the respective provider (UK models: Freeview HD compliant)
Breceptive provider (UK mo

All product and company names are trademarks TM or registered[®] trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them.

Technical changes and delivery options

Technical Data

Display technology Screen diagonal (cm/inch) / Response time (ms) Jos. Screen diagonal (cm/inch) / Response time (ms) Jos. Jos	/ os8 / • / • idaa app idaa voice 0,000 / • / • / • / • / • / •	Full HD (1920 x 1080) LCD + E-LED (semi mat) 81/32/6,5 350/178° -/-/-/• •/•/-/-/• •/•/-/-/• •(incl. H.266) •/-/-/• •(Live TV)/•/• 2 x 15/2 x 30/4 speaker box + bass reflex •/-/- •/•/•/•/• •/• SL8/os8/•/• •//daa voice •/10.000 •/•/• •/•/• •/•/•/•/•
Ultra Display technology CCD	# E-LED (semi mat) 43 78 43 78 7/ 178° 7/ • / • (incl. IQ PD) / • -/ - / • (incl. H.266) -/ - / • ve TV) / • / • 8/ 2 x 30 / 4 ker box + bass reflex -/	LCD + E-LED (semi mat) 81/32/6,5 350/178° -/-/-/- •/•/-/
Display technology	# E-LED (semi mat) 43 78 43 78 7/ 178° 7/ • / • (incl. IQ PD) / • -/ - / • (incl. H.266) -/ - / • ve TV) / • / • 8/ 2 x 30 / 4 ker box + bass reflex -/	LCD + E-LED (semi mat) 81/32/6,5 350/178° -/-/-/- •/•/-/-/• •/•/-/-/• •/•/-/-/• (Live TV)/•/• 2 x 15 / 2 x 30 / 4 speaker box + bass reflex •/-/- •/•/•/•/• •/• SL8/os8/•/• •/Vidaa app •/Vidaa voice •/10.000 •/•/•
Screen diagonal (cm/inch) / Response time (ms) Panel luminance' (ca. cd/m²) / Viewing angle (h/v) 450 (Uitra HD scaling / Auto Dimming / Adaptive Contrast / 24p HDR (HLG / HDR10 / HDR10 + / Dolby Vision M) / WCG **Receiption **DVB-T2/C/S2 HD / Unicable / Dual Channel MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265) DISEGC / Sat over IP / DVB-C over IP / DVB radio TV+ / Zattoo app / HD+ app **OLIP (Ca. watts sine / music) / driver (active + passive) **Acoustic speaker concept** Front firing / down firing / 2-channel crossover Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD **Class-D amp / Auto Volume (AVC) **Operation and apps** Loewe chassis / os / home screen / app store my Loewe app / smart apps (all: Android + iOS) **Operation and apps** Loewe chassis / os / home screen / app store my Loewe app / smart apps (all: Android + iOS) **O'/ PEPG / Number of stations in channel list **Mediatex (Hibb TV) * Teletext / Splitscreen **Mediatex (Hibb TV) * Teletext / Splitscreen **Offwed and to the screen / App store **Parental Lock / Automatic turn-off / Timer **Software update (vid USB / Internet) / Hotel Mode **Multimedia Loewe dr+: streaming server / client **Loewed r+: streaming server / client **Loewed r+: streaming server / client **Loewed rh: streaming server / client **Loe	/43/8 /178° // • / • (incl. IQ PD) / • // • / • (incl. IQ PD) / • // • / • (incl. H.266) - / - / • (we TV) / • / • // • / • (we TV) / • / • // • / • (we TV) / • / • // • / • (we TV) / • / • // • / • (we TV) / • / • // • / • / • / • / • / • / • /	81/32/6,5 350/178° -/-/-/• •/•/-/-/• •/•/-/-/• •(Live TV)/•/• 2 x 15 / 2 x 30 / 4 speaker box + bass reflex •/-/- •/•/•/•/• 5L8/os8/•/• •/vidaa app •/Vidaa voice •/10.000 •/•/•
Panel luminance¹ (ca. cd/m²) / Viewing angle (h/v) 450	/178° // • / • (incl. IQ PD) / • // — // • / • (incl. H.266) - / - / • we TV) / • / • 5/ 2 x 30 / 4 ker box + bass reflex - / - // • / • / • idaa app idaa voice 0.000 / • // • // •	350/178° -/-/•/• •/•/-/-/• •/•/-/-/• •/•/-/-/• •/•/-/-/• •(Live TV)/•/• 2 x 15/2 x 30/4 speaker box + bass reflex •/-/- •/•/•/•/• •/• SL8/os8/•/• •/Vidaa app •/Vidaa voice •/10.000 •/•/• •/•/•
Ultra HD scaling / Auto Dimming / Adaptive Contrast / 24p +DR (HLG / HDR10 + / Dolby Vision™) / WCG • / HDR (HLG / HDR10 + / PDR10 + / Dolby Vision™) / WCG PUB-T2/C/S2 HD / Unicable / Dual Channel • / MEGC / MPEG2 / MPEG2 (H.264) / HEVC (H.265) • / DisEgC / Sat over IP / DVB-C over IP / DVB radio • / VI+ / Zatto app / HD+ app • (L Audio Dutput (ca. watts sine / music) / driver (active + passive) Acoustic speaker concept **Speatront firing / 2-channel crossover • / Polaty Audio / Digital / Digital Plus / Atmos / DTS: HD • / Polaty Audio / Digital / Digital Plus / Atmos / DTS: HD • / Pand EQ / Dynamic Loudness **Operation and apps **Dever chassis / os / home screen / app store **Town Lakes Skills / other **PEG / Number of stations in channel list **Wolce control: Alexa Skills / other **PEG / Number of stations in channel list **Wediatext (HbbTy) / Teletext / Splitscreen **Wediatext (HbbTy) / Teletext / Splitscreen **Wediatext (HbbTy) / Teletext / Splitscreen **Wediate (via USB / Internet) / Hotel Mode **Multimedia** **Loewe dr+: storage capacity (GB) / USB recording / timeshift **Loewe dr+: storage capacity (GB) / USB recording / timeshift **Loewe dr+: streaming server / client **Deve Connectivity and Interfaces **Antenna IEC / satellite F / Cl+ 1.4 ECP certified **HDMI UHD / ALLM / VRR **JONE / Audio out control: fix / variable / sub (3.5 mm jack) **JONE / Audio out control: fix / variable / sub (3.5 mm jack) **JONE / Audio out control: fix / variable / sub (3.5 mm jack) **JONE / Energy **U energy efficiency class: SDR (EEI) / HDR (EEI) **EPERE registration No.: https://eperle.ce.europa.eu **W* x H x D (cm) without setup solution **W* x H x D (cm) without setup solution **W* x H x D (cm) without setup solution **W* x H x D (cm) without setup solution **W* x H x D (cm) without setup solution **Town in the setup in the setup solution **Town in the setup solution **Town in the setup solution in the setup solution in the setup solution in the setup solution in the setup	// • / • (incl. IQ PD) / • // • / • (incl. IQ PD) / • // • / • (incl. H.266) - / - / • ve TV) / • / • 6/2 x 30 / 4 ker box + bass reflex - / - // • / • / • // os8 / • / • iidaa app iidaa voice 0.000 // • // • // •	-/-/•/• •/•/-/-/• •/•/-/-/• •/•/-/-/• •/•/-/• (incl. H.266) •/-/-/• •(Live TV)/•/• 2 x 15 / 2 x 30 / 4 speaker box + bass reflex •/-/- •/•/•/• SL8 / os8 / •/• •/ Vidaa app •/ Vidaa voice •/ 10.000 •/ •/ • •3c / • •/•/•
### Art Properties ### A	/ • / • (incl. IQ PD) / • / - / • (incl. IQ PD) / • / - / • (incl. H.266) - / - / • ve TV) / • / • 5/2 x 30 / 4 ker box + bass reflex - / - / (• / •) idaa app idaa voice 0.000 / • / • / • / • / • / • / •	•/•/-/• •/•/-/• •/•/-/• (incl. H.266) •/-/-/• •(Live TV)/•/• 2 x 15 / 2 x 30 / 4 speaker box + bass reflex •/-/- •/•/•/•/• SL8/os8/•/• •/Vidaa app •/Vidaa voice •/10.000 •/•/• •/•/•/•/• •/•/•/•/•
Receiption DVB-T2/C/S2 HD / Unicable / Dual Channel MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265) DiSEQC / Sat over IP / DVB-C over IP / DVB radio O/TV+ / Zattoo app / HD+ app (L. Audio Output (ca. watts sine / music) / driver (active + passive) Acoustic speaker concept Front firing / down firing / 2-channel crossover Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD O/TABAID / Audio / Digital / Digital Plus / Atmos / DTS: HD O/TABAID / Audio / Digital / Digital Plus / Atmos / DTS: HD O/TABAID / Audio / Digital / Digital Plus / Atmos / DTS: HD O/TABAID / Audio / Digital / Digital Plus / Atmos / DTS: HD O/TABAID / Audio / Digital / Digital Plus / Atmos / DTS: HD O/TABAID / Audio / Digital / Digital Plus / Atmos / DTS: HD O/TABAID / Audio / Digital / Digital Plus / Atmos / DTS: HD O/TABAID / Audio / Digital / Digital Plus / Atmos / DTS: HD O/TABAID / Audio / Digital / Digital Plus / Atmos / DTS: HD O/TABAID / Audio / Digital / Digital Plus / Atmos / DTS: HD O/TABAID / Audio / Digital / Digital Plus / Atmos / DTS: HD O/TABAID / Audio / Digital / Digital Plus / Atmos / DTS: HD O/TABAID / Audio / DIgital / Digital Plus / Atmos / DTS: HD O/TABAID / Audio / DIgital / Digital Plus / Atmos / DTS: HD O/TABAID / Audio / DIgital / Digital Plus / Atmos / DTS: HD O/TABAID / Audio / DTS: HD O/TABAID / Audio / DTS: HD O/TABAID / DTS: HD O/TABAI	//— // • (incl. H.266) — / — / • (we TV) / • / • 5/2 x 30 / 4 ker box + bass reflex — / — // • / • / • fidaa app idaa voice 0.000 / • • // • / • // • / •	•/•/- •/•/•/• (incl. H.266) •/-/-/• • (Live TV) / •/• 2 x 15 / 2 x 30 / 4 speaker box + bass reflex •/-/- •/•/•/•/• •/• SL8 / os8 / •/• •/ Vidaa app •/ Vidaa voice •/ 10.000 •/ •/ • •/•/•/•/• •/•/•/•/•/•/•/•/•/•/•
DVB-T2/C/S2 HD / Unicable / Dual Channel MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265) • / Oiseq / MPEG2 / MPEG4 (H.264) / HEVC (H.265) • / Oiseq / MPEG2 / MPEG4 (H.264) / HEVC (H.265) • / Oiseq / MPEG2 / MPEG4 (H.264) / HEVC (H.265) • / Oiseq / MPEG2 / MPEG4 (H.264) / HEVC (H.265) • / Oiseq / MPEG2 / MPEG4 (H.264) / HEVC (H.265) • / Oiseq / Meta / Met	/ • / • (incl. H.266) - / - / • ve TV) / • / • 5/2 x 30 / 4 ker box + bass reflex - / - / • / • / os8 / • / • idaa app idaa voice 0.000 / • / • / / •	•/•/•/• (incl. H.266) •/-/-/• •(Live TV)/•/• 2 x 15/2 x 30/4 speaker box + bass reflex •/-/- •/•/•/•/• •/• SL8/os8/•/• •/Vidaa app •/Vidaa voice •/10.000 •/•/• •/•/•
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265) DiESEC / Sat over IP / DVB-C over IP / DVB radio (L. VALTATRO app / HD+ app Audio Output (ca. watts sine / music) / driver (active + passive) Output (ca. watts sine / music) / driver (active + passive) Acoustic speaker concept Front firing / down firing / 2-channel crossover Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD (Class-D amp / Auto Volume (AVC) Pand EQ / Dynamic Loudness Operation and apps Loewe chassis / os / home screen / app store my Loewe app / smart apps (all: Android + iOS) Ovice control: Alexa Skills / other EPG / Number of stations in channel list O/ Mediatext (HbbTV) / Teletext / Splitscreen Menu languages / Context related help Parental Lock / Automatic turn-off / Timer Software update (via USB / Internet) / Hotel Mode Multimedia Loewe dr+: storage capacity (GB) / USB recording / timeshift Loewe dr+: streaming server / client Media player / DLNA renderer / web apps / browser Of Amazon prime video / Netflix / Disney+ / Apple tv+ Connectivity and Interfaces Antenna IEC / satellite F / Cl+1.4 ECP certified HDMI UHD / ALLM / VRR HDMI UHD / Certer in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) HOM audio autoon on this its / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Erergy Eu energy efficiency class: SDR (EEI) / HDR (EEI) Erergy Eu energy efficiency class: SDR (EEI) / HDR (EEI) Erergy Eu energy efficiency class: SDR (EEI) / HDR (EEI) FREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution 97.0 W* x H x D (cm) without setup solution 97.0	/ • / • (incl. H.266) - / - / • ve TV) / • / • 5/2 x 30 / 4 ker box + bass reflex - / - / • / • / os8 / • / • idaa app idaa voice 0.000 / • / • / / •	•/•/•/• (incl. H.266) •/-/-/• •(Live TV)/•/• 2 x 15/2 x 30/4 speaker box + bass reflex •/-/- •/•/•/•/• •/• SL8/os8/•/• •/Vidaa app •/Vidaa voice •/10.000 •/•/• •/•/•
DISEqC / Sat over IP / DVB-C over IP / DVB radio	-/-/• ve TV) / • / • 5/2 x 30 / 4 ker box + bass reflex -/- / • / • / • / os8 / • / • iidaa app iidaa voice 0.000 / • / • / • / •	•/-/-/• •(Live TV)/•/• 2 x 15/2 x 30/4 speaker box + bass reflex •/-/- •/•/•/•/• SL8/os8/•/• •/Vidaa app •/Vidaa voice •/10.000 •/-/- •/•/• •/•/•
Audio Output (ca. watts sine / music) / driver (active + passive) Acoustic speaker concept Front firing / down firing / 2-channel crossover Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD Class-D amp / Auto Volume (AVC) -/-Pand EQ / Dynamic Loudness Operation and apps Loewe chassis / os / home screen / app store My Loewe app / smart apps (ali: Android + iOS) Voice control: Alexa Skills / other PEPG / Number of stations in channel list Mediatext (HbbTV) / Teletext / Splitscreen Menu languages / Context related help Parental Lock / Automatic turn-off / Timer Software update (via USB / Internet) / Hotel Mode Multimedia Loewe dr+: storage capacity (GB) / USB recording / timeshift -/- Connectivity and Interfaces Antenna IEC / satellite F / Cl+ 1.4 ECP certified HDMI HDMI UHD / ALLM / VRR +IDMI LOSB USB USB USB USB USB USB USB	ve TV) / • / • 5 / 2 x 30 / 4 ker box + bass reflex - / - / (• / • / •) idaa app idaa voice 0.000 / • / • / • / • / • / • / • / • / • /	• (Live TV) / • / • 2 x 15 / 2 x 30 / 4 speaker box + bass reflex • / • / • / • / • / • / • SL8 / os8 / • / • • / Vidaa app • / Vidaa voice • / 10.000 • / • / • • 3c / • • / • / •
Audio Output (ca. watts sine / music) / driver (active + passive) Output (ca. watts sine / music) / driver (active + passive) Acoustic speaker concept Spea Front firing / down firing / 2-channel crossover Oolby: Audio / Digital / Digital Plus / Atmos / DTS: HD Oclass-D amp / Auto Volume (AVC) 7-Band EQ / Dynamic Loudness Operation and apps Loewe chassis / os / home screen / app store My Loewe app / smart apps (all: Android + iOS) Voice control: Alexa Skills / other FPG / Number of stations in channel list Mediatext (HbbTV) / Teletext / Splitscreen Menu languages / Context related help Parental Lock / Automatic turn-off / Timer Software update (via USB / Internet) / Hotel Mode Multimedia Loewe dr+: storage capacity (GB) / USB recording / timeshift Loewe dr+: storage capacity (GB) / USB recording / timeshift - / Media player / DLNA renderer / web apps / browser You Tube / Amazon prime video / Netflix / Disney+ / Apple tv+ Connectivity and Interfaces Antenna IEC / satellite F / Cl+ 1.4 ECP certified HDMI HDMI HDM IUHD / ALLM / VRR HDCP 2.2 / HDMI-CEC / ARC / eARC USB USB-A power Bluetooth / Miracast / AirPlay LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi OSULINA / Center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy Eu energy efficiency class: SDR (EEI) / HDR (EEI) FPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution M* x H x D (cm) without setup solution M* x H x D (cm) without setup solution M* x H x D (cm) without setup solution 97,0 W* x H x D (cm) without setup solution 97,0 W* x H x D (cm) without setup solution 97,0 M* x H x D (cm) without setup solution 97,0 97,0	/ 5/2 x 30 / 4 ker box + bass reflex - / - // • / • / • / / os8 / • / • fidaa app idaa voice 0.000 / • / • / / •	2 x 15 / 2 x 30 / 4 speaker box + bass reflex • / - / - • / • / • / • / • / • SL8 / os8 / • / • • / Vidaa app • / Vidaa voice • / 10.000 • / • / • • / • / •
Dutput (ca. watts sine / music) / driver (active + passive) Acoustic speaker concept Spea Front firing / down firing / 2-channel crossover Obloby: Audio / Digital / Digital Plus / Atmos / DTS: HD Class-D amp / Auto Volume (AVC) -/-Band EQ / Dynamic Loudness Operation and apps Loewe chassis / os / home screen / app store My Loewe app / smart apps (all: Android + iOS) Voice control: Alexa Skills / other EPG / Number of stations in channel list Mediatext (HbbTV) / Teletext / Splitscreen Menu languages / Context related help Parental Lock / Automatic turn-off / Timer Software update (via USB / Internet) / Hotel Mode Multimedia Loewe dr+: storage capacity (GB) / USB recording / timeshift — / Loewe dr+: streaming server / client Media player / DLNA renderer / web apps / browser Media player / DLNA renderer / web apps / browser Media player / DLNA renderer / web apps / browser MoruTube / Amazon prime video / Netflix / Disney+ / Apple tv+ Connectivity and Interfaces Antenna IEC / satellite F / Cl+ 1.4 ECP certified HDMI 2 x F HDDCP 2.2 / HDMI-CEC / ARC / eARC USB 4 (2 USB A power 4 x 1 AN network connection / WLAN (Wi-Fi) / DTS Play-Fi OSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) More automation / Control4 / Crestron Emergy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) without setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) 970	ker box + bass reflex - / - // • / • / • / os8 / • / • iidaa app iidaa voice 0.000 / • / • / •	speaker box + bass reflex
Acoustic speaker concept Front firing / down firing / 2-channel crossover O/Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD Olass-D amp / Auto Volume (AVC) 7-Band EQ / Dynamic Loudness Operation and apps Loewe chassis / os / home screen / app store SL8 The provided of the stations in channel list O/Operation and apps Loewe chassis / os / home screen / app store SL8 Provided on the stations in channel list O/Operation and apps Loewe chassis / os / home screen / app store SL8 O/Operation and apps Loewe chassis / os / home screen / app store SL8 O/Operation and apps Loewe chassis / os / home screen / app store SL8 O/Operation and apps Loewe chassis / os / home screen / app store SL8 O/Operation and apps Loewe chassis / os / home screen / app store SL8 Mediatext (HbbTV) / Teletext / Splitscreen O/Operation and supplies / Splitscreen O/Opera	ker box + bass reflex - / - // • / • / • / os8 / • / • iidaa app iidaa voice 0.000 / • / • / •	speaker box + bass reflex
Front firing / down firing / 2-channel crossover Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD Oclass-D amp / Auto Volume (AVC) 7-Band EQ / Dynamic Loudness Operation and apps Loewe chassis / os / home screen / app store My Loewe app / smart apps (all: Android + iOS) Voice control: Alexa Skills / other PG / Number of stations in channel list Mediatext (HbbTV) / Teletext / Splitscreen Menu languages / Context related help Parental Lock / Automatic turn-off / Timer Software update (via USB / Internet) / Hotel Mode Multimedia Loewe dr+: storage capacity (GB) / USB recording / timeshift — / / Media player / DLNA renderer / web apps / browser You Tube / Amazon prime video / Netflix / Disney+ / Apple tv+ Connectivity and Interfaces Antenna IEC / satellite F / CI+ 1.4 ECP certified HDMI HDMI UHD / ALLM / VRR HDMI UHD / Connection / WLAN (Wi-Fi) / DTS Play-Fi TOSLINK / center in / cube plug stereo USB- Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W*x H x D (cm) without setup solution W*x H x D (cm) incl. table stand (* incl. signature flag) 970	-/- / o / o / o / o / os8 / o / o idaa app idaa voice 0.000 / o / o	O
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD Class-D amp / Auto Volume (AVC) 7-Band EQ / Dynamic Loudness Operation and apps Loewe chassis / os / home screen / app store my Loewe app / smart apps (all: Android + iOS) Voice control: Alexa Skills / other EPG / Number of stations in channel list Mediatext (HbbTV) / Teletext / Splitscreen Menu languages / Context related help Parental Lock / Automatic turn-off / Timer Software update (via USB / Internet) / Hotel Mode Multimedia Loewe dr+: storage capacity (GB) / USB recording / timeshift Loewe dr+: streaming server / client Media player / DLNA renderer / web apps / browser You Tube / Amazon prime video / Netflix / Disney+ / Apple tv+ Connectivity and Interfaces Antenna IEC / satellite F / Cl+ 1.4 ECP certified HDMI HDMI HDMI HD / ALLM / VRR HDCP 2.2 / HDMI-CEC / ARC / eARC USB USB-A power Bluetooth / Miracast / AirPlay LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi O/ COSTINIK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Erergy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) without setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) 970	/ • / • / • / • / • / • / • / • / • / •	
Class-D amp / Auto Volume (AVC) 7-Band EQ / Dynamic Loudness Operation and apps Loewe chassis / os / home screen / app store My Loewe app / smart apps (all: Android + iOS) Volice control: Alexa Skills / other EPG / Number of stations in channel list Mediatext (HbbTV) / Teletext / Splitscreen Menu languages / Context related help Parental Lock / Automatic turn-off / Timer Software update (via USB / Internet) / Hotel Mode Multimedia Loewe dr+: storage capacity (GB) / USB recording / timeshift — / Loewe dr+: streaming server / client Media player / DLNA renderer / web apps / browser You Tube / Armazon prime video / Netflix / Disney+ / Apple tv+ Connectivity and Interfaces Antenna IEC / satellite F / Cl+ 1.4 ECP certified HDMI UHD / ALLM / VRR HDDP 2.2 / HDMI-CEC / ARC / eARC USB USB-A power Bluetooth / Miracast / AirPlay LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi O/ Sullink / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) without setup solution W* x H x D (cm) without setup solution W* x H x D (cm) without setup solution 97.0 97.0 97.0	/ os8 / ● / ● idaa app idaa voice 0.000 / ● / ●	• / • • / • SL8 / os8 / • / • • / Vidaa app • / Vidaa voice • / 10.000 • / • / • • 3° / • • / • / •
Operation and apps Loewe chassis / os / home screen / app store SL8 my Loewe app / smart apps (all: Android + iOS) Ovice control: Alexa Skills / other EPG / Number of stations in channel list O/1 Mediatext (HbbTV) / Teletext / Splitscreen Menu languages / Context related help Parental Lock / Automatic turn-off / Timer Software update (via USB / Internet) / Hotel Mode Multimedia Loewe dr+: storage capacity (GB) / USB recording / timeshift - / Loewe dr+: streaming server / client Media player / DLNA renderer / web apps / browser YouTube / Amazon prime video / Netflix / Disney+ / Apple tv+ Connectivity and Interfaces Antenna IEC / satellite F / Cl+ 1.4 ECP certified HDMI UHD / ALLM / VRR HDCP 2.2 / HDMI-CEC / ARC / eARC USB USB-A power Jan Network connection / WLAN (Wi-Fi) / DTS Play-Fi O/1 OSLINK / center in / cube plug stereo Journal out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) without setup solution W* x H x D (cm) without setup solution W* x H x D (cm) without setup solution W* x H x D (cm) without setup solution 97.0	/ os8 / • / • idaa app idaa voice 0,000 / • / • / • / • / • / •	<pre></pre>
Deration and apps Loewe chassis / os / home screen / app store SL8 my Loewe app / smart apps (all: Android + iOS) O/Voice control: Alexa Skills / other PG / Number of stations in channel list Mediatext (HbbTV) / Teletext / Splitscreen Menu languages / Context related help Parental Lock / Automatic turn-off / Timer Software update (via USB / Internet) / Hotel Mode Multimedia Loewe dr+: storage capacity (GB) / USB recording / timeshift — / / Media player / DLNA renderer / web apps / browser Wou Tube / Amazon prime video / Netflix / Disney+ / Apple tv+ Connectivity and Interfaces Antenna IEC / satellite F / Cl+ 1.4 ECP certified HDMI HDMI UHD / ALLM / VRR HDCP 2.2 / HDMI-CEC / ARC / eARC USB / Apower LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy Eu energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) without setup solution W* x H x D (cm) without setup solution W* x H x D (cm) without setup solution W* x H x D (cm) without setup solution W* x H x D (cm) without setup solution W* x H x D (cm) without setup solution W* x H x D (cm) without setup solution 97.0	' os8 / • / •	SL8 / os8 / • / • • / Vidaa app • / Vidaa voice • / 10.000 • / • / • • 30 / • • / • / •
Loewe chassis / os / home screen / app store My Loewe app / smart apps (ali: Android + iOS) Voice control: Alexa Skills / other PG / Number of stations in channel list Mediatext (HbbTV) / Teletext / Splitscreen Menu languages / Context related help Parental Lock / Automatic turn-off / Timer Software update (via USB / Internet) / Hotel Mode Multimedia Loewe dr+: storage capacity (GB) / USB recording / timeshift Loewe dr+: storage capacity (GB) / USB recording / timeshift — / / Media player / DLNA renderer / web apps / browser Wou Tube / Amazon prime video / Netflix / Disney+ / Apple tv+ Connectivity and Interfaces Antenna IEC / satellite F / Cl+1.4 ECP certified 1/1 HDMI UHD / ALLM / VRR HDCP 2.2 / HDMI-CEC / ARC / eARC USB / Apower 4 x1 Bluetooth / Miracast / AirPlay LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi O/LAN network connection / WLAN (Wi-Fi)	idaa app idaa voice 0.000 / • • / •	 ✓ Vidaa app ✓ Vidaa voice ✓ 10.000 ✓ • ✓ • ③ * ✓ • • ✓ • ✓ •
my Loewe app / smart apps (all: Android + iOS) voice control: Alexa Skills / other e/Voice control: Alexa Skills / other e/PG / Number of stations in channel list Mediatext (HbbTV) / Teletext / Splitscreen Menu languages / Context related help Parental Lock / Automatic turn-off / Timer software update (via USB / Internet) / Hotel Mode Multimedia Loewe dr+: storage capacity (GB) / USB recording / timeshift Loewe dr+: streaming server / client Media player / DLNA renderer / web apps / browser You Tube / Amazon prime video / Netflix / Disney+ / Apple tv+ Connectivity and Interfaces Antenna IEC / satellite F / Cl+ 1.4 ECP certified HDMI HDMI HDMI UHD / ALLM / VRR HDCP 2.2 / HDMI-CEC / ARC / eARC USB USB-A power Bluetooth / Miracast / AirPlay LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) without setup solution W* x H x D (cm) without setup solution 97.0 97.0 97.0	idaa app idaa voice 0.000 / • • / •	• / Vidaa app • / Vidaa voice • / 10.000 • / • / • • • • • • • / • / • • • • • •
Voice control: Alexa Skills / other PG / Number of stations in channel list Mediatext (HbbTV) / Teletext / Splitscreen Menu languages / Context related help Parental Lock / Automatic turn-off / Timer Software update (via USB / Internet) / Hotel Mode Multimedia Loewe dr+: storage capacity (GB) / USB recording / timeshift — / Loewe dr+: streaming server / client Media player / DLNA renderer / web apps / browser YouTube / Amazon prime video / Netflix / Disney+ / Apple tv+ Connectivity and Interfaces Antenna IEC / satellite F / Cl+ 1.4 ECP certified 1/1 HDMI 1/2 HDMI UHD / ALLM / VRR HDCP 2.2 / HDMI-CEC / ARC / eARC USB 4 (2 USB-A power Bluetooth / Miracast / AirPlay LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) without setup solution 97.0 W* x H x D (cm) incl. table stand (* incl. signature flag)	idaa voice 0.000 / • / • / •	• / Vidaa voice • / 10.000 • / • / • • • • • • • • • • • • • • • •
## PEPG / Number of stations in channel list ## Mediatext (HbbTV) / Teletext / Splitscreen ## Menu languages / Context related help Parental Lock / Automatic turn-off / Timer Software update (via USB / Internet) / Hotel Mode ## Multimedia Loewe dr+: storage capacity (GB) / USB recording / timeshift — / Loewe dr+: streaming server / client ## Media player / DLNA renderer / web apps / browser You Tube / Amazon prime video / Netflix / Disney+ / Apple tv+ ## Connectivity and Interfaces ## Antenna IEC / satellite F / Cl+ 1.4 ECP certified ## HDMI UHD / ALLM / VRR ## A 1	0.000 / • / • / •	•/10.000 •/•/• •3°/• •/•/•
Mediatext (HbbTV) / Teletext / Splitscreen Menu languages / Context related help Parental Lock / Automatic turn-off / Timer Software update (via USB / Internet) / Hotel Mode Multimedia Loewe dr+: storage capacity (GB) / USB recording / timeshift — / Loewe dr+: streaming server / client Media player / DLNA renderer / web apps / browser You Tube / Amazon prime video / Netflix / Disney+ / Apple tv+ Connectivity and Interfaces Antenna IEC / satellite F / Cl+ 1.4 ECP certified 1 / 1 HDMI HDMI UHD / ALLM / VRR HDCP 2.2 / HDMI-CEC / ARC / eARC USB-A power USB-A power 4 x1 Bluetooth / Miracast / AirPlay LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi TOSLINK / center in / cube plug stereo Audio out control: Fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution 97.0 W* x H x D (cm) without setup solution 97.0 W* x H x D (cm) incl. table stand (* incl. signature flag) 97.0	/ • / • / • / • / • / • / • / • / • / •	•/•/• •³c/• •/•/•
Menu languages / Context related help Parental Lock / Automatic turn-off / Timer Software update (via USB / Internet) / Hotel Mode Multimedia Loewe dr+: storage capacity (GB) / USB recording / timeshift — / Loewe dr+: streaming server / client — 7 Media player / DLNA renderer / web apps / browser You Tube / Amazon prime video / Netflix / Disney+ / Apple tv+ Connectivity and Interfaces Antenna IEC / satellite F / CI+ 1.4 ECP certified 1 / 1 HDMI HDMI HDMI UHD / ALLM / VRR HDCP 2.2 / HDMI-CEC / ARC / eARC USB USB-A power Bluetooth / Miracast / AirPlay LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu 1234 Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) 97.0	/ • / / • / / •	• 3C / • • / • / •
Parental Lock / Automatic turn-off / Timer Software update (via USB / Internet) / Hotel Mode Multimedia Loewe dr+: storage capacity (GB) / USB recording / timeshift	/• /•	•/•/•
Multimedia Loewe dr+: storage capacity (GB) / USB recording / timeshift — / Loewe dr+: streaming server / client — / Media player / DLNA renderer / web apps / browser YouTube / Armazon prime video / Netflix / Disney+ / Apple tv+ Connectivity and Interfaces Antenna IEC / satellite F / CI+ 1.4 ECP certified HDMI 2 x H HDMI UHD / ALLM / VRR HDCP 2.2 / HDMI-CEC / ARC / eARC USB USB-A power Bluetooth / Miracast / AirPlay LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) without setup solution 97.0 W* x H x D (cm) without setup solution 97.0 97.0	/•	
Multimedia Loewe dr+: storage capacity (GB) / USB recording / timeshift		
Loewe dr+: storage capacity (GB) / USB recording / timeshift -/ Loewe dr+: streaming server / client -/ Media player / DLNA renderer / web apps / browser o/ vou Tube / Amazon prime vide o / Netflix / Disney+ / Apple tv+ Connectivity and Interfaces Antenna IEC / satellite F / Cl+ 1.4 ECP certified HDMI HDMI LAN tenna IEC / satellite F / Cl+ 1.4 ECP certified HDMI UHD / ALLM / VRR	•/•	
Loewe dr+: streaming server / client —/ Media player / DLNA renderer / web apps / browser •/ VouTube / Amazon prime video / Netflix / Disney+ / Apple tv+ •/ Connectivity and Interfaces Antenna IEC / satellite F / Cl+ 1.4 ECP certified 1/1 HDMI	•/•	
Media player / DLNA renderer / web apps / browser		-/•/•
YouTube / Amazon prime video / Netflix / Disney+ / Apple tv+ Connectivity and Interfaces Antenna IEC / satellite F / CI+ 1.4 ECP certified		_/•
Connectivity and Interfaces Antenna IEC / satellite F / CI+ 1.4 ECP certified 1 / 1 HDMI 2 x F HDMI UHD / ALLM / VRR - / « HDCP 2.2 / HDMI-CEC / ARC / eARC • / « USB 4 (2 USB-A power 4 x 1 Bluetooth / Miracast / AirPlay • / « LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi • / « TOSLINK / center in / cube plug stereo • / « Audio out control: fix / variable / sub (3.5 mm jack) • / « Home automation / Control4 / Crestron • (vi Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) G / « EPREL registration No.: https://eprel.ec.europa.eu 12.34 Mains voltages / Power switch / Off mode (watts) 220 Dimensions Weight (ca. kg) excl. / incl. standard setup solution 12.0 W* x H x D (cm) without setup solution 97.0 W* x H x D (cm) incl. table stand (* incl. signature flag) 97.0	/•/•	•/•/•/•
Antenna IEC / satellite F / Cl+ 1.4 ECP certified 1/1 HDMI 2 x F HDMI UHD / ALLM / VRR	/•/•/•	•/•/•/•
HDMI		
HDMI UHD / ALLM / VRR		1/1/1
HDCP 2.2 / HDMI-CEC / ARC / eARC 9 / 0	DMI 2.0b, 2 x HDMI 2.1	1 x HDMI 2.0b, 2 x HDMI 2.1
USB-A power USB-A power USB-A power Bluetooth / Miracast / AirPlay LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) without setup solution 97.0 W* x H x D (cm) incl. table stand (* incl. signature flag) 97.0	/ • (120 Hz)	• / • / • (FHD 60 Hz)
USB-A power Bluetooth / Miracast / AirPlay LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi O/ LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi O/ LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi O/ LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi O/ LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi O/ LAN network connection / WI-Fi / LAN network connection / Ontrol Play Stereo Network connection / WI-Fi / LAN network connection / WI-Fi / WI-Fi / LAN network connection / WI-Fi /		•/•/•/• 2(1+UCD 2.0)
Bluetooth / Miracast / AirPlay LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi O/ OSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu 1234 Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution 97.0 W* x H x D (cm) incl. table stand (* incl. signature flag) 97.0	(USB 3.0)	2 (1 x USB 3.0) 2 x 1.0 A
LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Mome automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu 1234 Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) 97.0		2 X 1,0 A
TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) • / • Audio out control: fix / variable / sub (3.5 mm jack) • (vi Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) 220- Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution 97.0 W* x H x D (cm) incl. table stand (* incl. signature flag) 97.0		•/•/•
Audio out control: fix / variable / sub (3.5 mm jack) ● / € Home automation / Control4 / Crestron ● (vi Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) G / € EPREL registration No.: https://eprel.ec.europa.eu 1234 Mains voltages / Power switch / Off mode (watts) 220- Dimensions Weight (ca. kg) excl. / incl. standard setup solution 12,0 W* x H x D (cm) without setup solution 97,0 W* x H x D (cm) incl. table stand (* incl. signature flag) 97,0		•/-/-
Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu 1234 Mains voltages / Power switch / Off mode (watts) Dimensions Uweight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) 97.0		•/-/-
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) G / (EPREL registration No.: https://eprel.ec.europa.eu 1234 Mains voltages / Power switch / Off mode (watts) 220- Dimensions Weight (ca. kg) excl. / incl. standard setup solution 12,0 W* x H x D (cm) without setup solution 97,0 W* x H x D (cm) incl. table stand (* incl. signature flag) 97,0	a IP) / • / •	• (via IP) / • / •
EU energy efficiency class: SDR (EEI) / HDR (EEI) G / G EPREL registration No.: https://eprel.ec.europa.eu 1234 Mains voltages / Power switch / Off mode (watts) 220- Dimensions Weight (ca. kg) excl. / incl. standard setup solution 12,0 W* x H x D (cm) without setup solution 97,0 W* x H x D (cm) incl. table stand (* incl. signature flag) 97,0	,, .	- (via ii) / • / •
EPREL registration No.: https://eprel.ec.europa.eu 1234 Mains voltages / Power switch / Off mode (watts) 220- Dimensions Weight (ca. kg) excl. / incl. standard setup solution 12,0 W* x H x D (cm) without setup solution 97,0 W* x H x D (cm) incl. table stand (* incl. signature flag) 97,0		T / C
Dimensions 12.0 Weight (ca. kg) excl. / incl. standard setup solution 12.0 W* X H x D (cm) without setup solution 97.0 W* x H x D (cm) incl. table stand (* incl. signature flag) 97.0		E / G 1978040
Dimensions Weight (ca. kg) excl. / incl. standard setup solution 12,0 W* x H x D (cm) without setup solution 97,0 W* x H x D (cm) incl. table stand (* incl. signature flag) 97,0	56/ 240V, 50/60 Hz / - / n.a.	220-240V, 50/60 Hz / - / n.a.
Weight (ca. kg) excl. / incl. standard setup solution 12,0 W* x H x D (cm) without setup solution 97,0 W* x H x D (cm) incl. table stand (* incl. signature flag) 97,0	240 v, JU/ UU 112 / - / 11.d.	220-240 V, 30/ 00 FIZ / - / II.d.
W* x H x D (cm) without setup solution 97,0 W* x H x D (cm) incl. table stand (* incl. signature flag) 97,0	(110	70./10.0
W* x H x D (cm) incl. table stand (* incl. signature flag) 97,0		7,3 / 10,0
	x 58,9 x 6,8	72,5 x 45,6 x 7,9
	x 63,3 x 25,4	72,5 x 49,8 x 25,4 100 x 100 / •
		100 X 100 / ●
Scope of Delivery	x 300 / •	integrated
	×300/•	integrated table stand c / ●
	x 300 / • rated	Loewe remote alu silver (2x AAA)
	x 300 / ● rated stand c / ●	
	x 300 / • rated stand c / • re remote alu silver (2x AAA)	• / • (2,5 m, black)
Optional accessories	x 300 / ● rated stand c / ●	
	rated stand c / • re remote alu silver (2x AAA) (2.5 m, black)	flaceOscillacestand ()
	rated stand c / • re remote alu silver (2x AAA) (2,5 m, black) 2ceiling stand, floor stand universal	floor2ceiling stand, floor stand c
wall klan	rated stand c / • re remote alu silver (2x AAA) (2.5 m, black)	floor2ceiling stand, floor stand c wall mount slim 221, wall mount universal klang sub1

- = available, = optional, = not available
- 1 according to panel spec typ. values @ HDR 10% 3c) en de fr it es pt nl el ru cs sk sl lt lv et uk pl ro hu bg sr hr sq mk sv da fi no tr is bs be kk

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g., apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscription plan, internet service, device features and content availability.

We. SEE	65 oled	55 oled	48 oled
Image			
	HH HD /2040 01 /01	IIII IID (00 t0 01 (0)	LIII LID (00 t0 01 (0)
Screen resolution (pixels) Display technology	Ultra HD (3840 x 2160) OLED (WRGB)	Ultra HD (3840 x 2160) OLED (WRGB)	Ultra HD (3840 x 2160) OLED (WRGB)
Screen diagonal (cm/inch) / Response time (ms)	164 / 65 / 1	139 / 55 / 1	121 / 48 / 1
Panel luminance ¹ (ca. cd/m²) / Viewing angle (h/v)	800 / 120°	800 / 120°	800 / 120°
Ultra HD scaling / Auto Dimming / Adaptive Contrast / 24p	• / • / • / •	• / • / • / •	• / • / • / •
HDR (HLG / HDR10 / HDR10+ / Dolby Vision™) / WCG	• / • / • / • (incl. IQ PD) / •	• / • / • / • (incl. IQ PD) / •	• / • / • / • (incl. IQ PD) / •
Receiption	C/C/C/C(IIICI.IQID)/C	e / e / e / e (incl. lq l b) / e	TO TO TO (IIICI. IQ I D) TO
DVB-T2/C/S2 HD / Unicable / Dual Channel	• / • / -	• / • / -	• / • / -
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	• / • / • (incl. H.266)	• / • / • (incl. H.266)	• / • / • (incl. H.266)
DiSEqC / Sat over IP / DVB-C over IP / DVB radio	• / - / - / •	• / - / - / •	• / - / - / •
TV+ / Zattoo app / HD+ app	• (Live TV) / • / •	• (Live TV) / • / •	• (Live TV) / • / •
1111	Clive IV) / C / C	Clive IV) / C/ C	Clive IV) / C / C
Audio			
Output (ca. watts sine / music) / driver (active + passive)	2 x 15 / 2 x 30 / 6	2 x 15 / 2 x 30 / 2	2 x 15 / 2 x 30 / 2
Acoustic speaker concept	invisible sound	speaker box + bass reflex	speaker box + bass reflex
Front firing / down firing / 2-channel crossover	-/•/-	-/•/-	-/•/-
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	•/•/•/•	•/•/•/•	•/•/•/•
Class-D amp / Auto Volume (AVC)	• / •	•/•	• / •
7-Band EQ / Dynamic Loudness	• / •	• / •	• / •
Operation and apps			
Loewe chassis / os / home screen / app store	SL8 / os8 / • / •	SL8 / os8 / • / •	SL8 / os8 / • / •
my Loewe app / smart apps (all: Android + iOS)	• / Vidaa app	• / Vidaa app	 / Vidaa app
Voice control: Alexa Skills / other	• / Vidaa voice	/ Vidaa voice	 / Vidaa voice
EPG / Number of stations in channel list	• / 10.000	• / 10.000	• / 10.000
Mediatext (HbbTV) / Teletext / Splitscreen	• / • / •	• / • / •	• / • / •
Menu languages / Context related help	●3C / ●	● ^{3C} / ●	● ^{3C} / ●
Parental Lock / Automatic turn-off / Timer	•/•/•	•/•/•	•/•/•
Software update (via USB / Internet) / Hotel Mode	• / • / •	•/•/•	•/•/•
Multimedia			
Loewe dr+: storage capacity (GB) / USB recording / timeshift	-/•/•	-/•/•	-/•/•
Loewe dr+: streaming server / client	-/•	-/•	-/•
Media player / DLNA renderer / web apps / browser	•/•/•/•	•/•/•	•/•/•/•
YouTube / Amazon prime video / Netflix / Disney+ / Apple tv+	•/•/•/•	•/•/•/•	•/•/•/•
Connectivity and Interfaces			
Antenna IEC / satellite F / CI+ 1.4 ECP certified	1/1/1	1/1/1	1/1/1
HDMI	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1	2 x HDMI 2.0b, 2 x HDMI 2.1
HDMI UHD / ALLM / VRR	• / • / • (120 Hz)	• / • / • (120 Hz)	• / • / • (120 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	• / • / • / •	• / • / • / •	• / • / • / •
USB	2 (1 x USB 3.0)	2 (1 x USB 3.0)	2 (1 x USB 3.0)
USB-A power	1 x 1,0 A, 1 x 0,5 A	1 x 1,0 A, 1 x 0,5 A	1 x 1,0 A, 1 x 0,5 A
Bluetooth / Miracast / AirPlay	• / • / •	• / • / •	• / • / •
LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi	•/•/•	•/•/•	•/•/•
TOSLINK / center in / cube plug stereo	• / - / - / AV IN	• / - / - / AV IN	• / - / - / AV IN
Audio out control: fix / variable / sub (3.5 mm jack)	•/•/•	•/•/•	• / • / •
Home automation / Control4 / Crestron	• (via IP) / • / •		• (via IP) / • / •
		• (VICI IP) / • / •	
	(vid ii / / v / v	• (via IP) / • / •	• (via ii) / • / •
Energy			
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI)	F (0,862) / E (0,601)	F (0,888) / E (0,699)	F (0,893) / F (0,850)
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu	F (0,862) / E (0,601)	F (0,888) / E (0,699) 1947859	F (0,893) / F (0,850) 1947864
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts)	F (0,862) / E (0,601)	F (0,888) / E (0,699)	F (0,893) / F (0,850) 1947864
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions	F (0.862) / E (0,601) 1947856 220-240V, 50/60 Hz / - / n.a.	F (0.888) / E (0.699) 1947859 220-240V, 50/60 Hz / - / n.a.	F (0,893) / F (0,850) 1947864 220-240V, 50/60 Hz / - / n.c
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution	F (0.862) / E (0.601) 1947856 220-240V, 50/60 Hz / - / n.a.	F (0.888) / E (0.699) 1947859 220-240V, 50/60 Hz / - / n.a.	F (0.893) / F (0.850) 1947864 220-240V, 50/60 Hz / - / n.c
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution	F (0,862) / E (0,601) 1947856 220-240V, 50/60 Hz / - / n.a. 25,5 / 32 145,7 x 83,6 x 6,8	F (0.888) / E (0.699) 1947859 220-240V, 50/60 Hz / - / n.a. 18.7 / 23.0 123.4 x 71.2 x 6.8	F (0.893) / F (0.850) 1947864 220-240V, 50/60 Hz / - / n.c 14.8 / 19.1 107.7 x 62.8 x 6.6
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag)	F (0,862) / E (0,601) 1947856 220-240V, 50/60 Hz / - / n.a. 25,5 / 32 145,7 x 83,6 x 6,8 145,7 x 87,2 x 26,5	F (0,888) / E (0,699) 1947859 220-240V, 50/60 Hz / - / n.a. 18,7 / 23,0 123,4 x 71,2 x 6,8 123,4 x 74,1 x 23,7	F (0,893) / F (0,850) 1947864 220-240V, 50/60 Hz / - / n.co 14,8 / 19,1 107,7 x 62,8 x 6,6 107,7 x 65,7 x 23,7
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) VESA support / Kensignton lock	F (0,862) / E (0,601) 1947856 220-240V, 50/60 Hz / - / n.a. 25,5 / 32 145,7 x 83,6 x 6,8	F (0.888) / E (0.699) 1947859 220-240V, 50/60 Hz / - / n.a. 18.7 / 23.0 123.4 x 71.2 x 6.8	F (0.893) / F (0.850) 1947864 220-240V, 50/60 Hz / - / n.c 14.8 / 19.1 107.7 x 62.8 x 6.6
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) VESA support / Kensignton lock Scope of Delivery	F (0,862) / E (0,601) 1947856 220-240V, 50/60 Hz / - / n.a. 25,5 / 32 145,7 x 83,6 x 6,8 145,7 x 87,2 x 26,5 300 x 200 / •	F (0,888) / E (0,699) 1947859 220-240V, 50/60 Hz / - / n.a. 18,7 / 23,0 123,4 x 71,2 x 6,8 123,4 x 74,1 x 23,7 300 x 200 / •	F (0,893) / F (0,850) 1947864 220-240V, 50/60 Hz / - / n.o 14,8 / 19,1 107,7 × 62,8 × 6,6 107,7 × 65,7 × 23,7 300 × 200 / •
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) VESA support / Kensignton lock Scope of Delivery Speaker	F (0,862) / E (0,601) 1947856 220-240V, 50/60 Hz / - / n.a. 25,5 / 32 145,7 x 83,6 x 6,8 145,7 x 87,2 x 26,5 300 x 200 / • integrated	F (0,888) / E (0,699) 1947859 220-240V, 50/60 Hz / - / n.a. 18,7 / 23,0 123,4 x 71,2 x 6,8 123,4 x 74,1 x 23,7 300 x 200 / •	F (0,893) / F (0,850) 1947864 220-240V, 50/60 Hz / - / n.o. 14,8 / 19,1 107,7 × 62,8 × 6,6 107,7 × 65,7 × 23,7 300 × 200 / • integrated
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) VESA support / Kensignton lock Scope of Delivery Speaker Setup Solution / rotate-able	F (0,862) / E (0,601) 1947856 220-240V, 50/60 Hz / - / n.a. 25,5 / 32 145,7 x 83,6 x 6,8 145,7 x 87,2 x 26,5 300 x 200 / • integrated table stand / •	F (0.888) / E (0.699) 1947859 220-240V, 50/60 Hz / - / n.a. 18.7 / 23.0 123.4 x 71.2 x 6.8 123.4 x 74.1 x 23.7 300 x 200 / • integrated table stand / •	F (0.893) / F (0.850) 1947864 220-240V, 50/60 Hz / - / n.a 14,8 / 19,1 107,7 x 62,8 x 6,6 107,7 x 65,7 x 23,7 300 x 200 / • integrated table stand / •
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) VESA support / Kensignton lock Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries)	F (0,862) / E (0,601) 1947856 220-240V, 50/60 Hz / - / n.a. 25,5 / 32 145,7 x 83,6 x 6,8 145,7 x 87,2 x 26,5 300 x 200 / • integrated table stand / • We. REMOTE black (2x AAA)	F (0,888) / E (0,699) 1947859 220-240V, 50/60 Hz / - / n.a. 18,7 / 23,0 123,4 x 71,2 x 6,8 123,4 x 74,1 x 23,7 300 x 200 / • integrated table stand / • We. REMOTE black (2x AAA)	F (0.893) / F (0.850) 1947864 220-240V, 50/60 Hz / - / n.a 14.8 / 19,1 107,7 x 62.8 x 6.6 107,7 x 65,7 x 23,7 300 x 200 / ● integrated table stand / ● We. REMOTE black {2x AA/
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) VESA support / Kensignton lock Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries)	F (0,862) / E (0,601) 1947856 220-240V, 50/60 Hz / - / n.a. 25,5 / 32 145,7 x 83,6 x 6,8 145,7 x 87,2 x 26,5 300 x 200 / • integrated table stand / •	F (0.888) / E (0.699) 1947859 220-240V, 50/60 Hz / - / n.a. 18.7 / 23.0 123.4 x 71.2 x 6.8 123.4 x 74.1 x 23.7 300 x 200 / • integrated table stand / •	F (0.893) / F (0.850) 1947864 220-240V, 50/60 Hz / - / n.co 14,8 / 19,1 107,7 x 62,8 x 6,6 107,7 x 65,7 x 23,7 300 x 200 / • integrated table stand / •
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) VESA support / Kensignton lock Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord	F (0,862) / E (0,601) 1947856 220-240V, 50/60 Hz / - / n.a. 25,5 / 32 145,7 x 83,6 x 6,8 145,7 x 87,2 x 26,5 300 x 200 / • integrated table stand / • We. REMOTE black (2x AAA)	F (0,888) / E (0,699) 1947859 220-240V, 50/60 Hz / - / n.a. 18,7 / 23,0 123,4 x 71,2 x 6,8 123,4 x 74,1 x 23,7 300 x 200 / • integrated table stand / • We. REMOTE black (2x AAA)	F (0.893) / F (0.850) 1947864 220-240V, 50/60 Hz / - / n.a 14.8 / 19,1 107,7 x 62.8 x 6.6 107,7 x 65,7 x 23,7 300 x 200 / ● integrated table stand / ● We. REMOTE black {2x AA/
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) VESA support / Kensignton lock Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Optional accessories	F (0,862) / E (0,601) 1947856 220-240V, 50/60 Hz / - / n.a. 25,5 / 32 145,7 x 83,6 x 6,8 145,7 x 87,2 x 26,5 300 x 200 / • integrated table stand / • We. REMOTE black (2x AAA)	F (0,888) / E (0,699) 1947859 220-240V, 50/60 Hz / - / n.a. 18,7 / 23,0 123,4 x 71,2 x 6,8 123,4 x 74,1 x 23,7 300 x 200 / • integrated table stand / • We. REMOTE black (2x AAA)	F (0.893) / F (0.850) 1947864 220-240V, 50/60 Hz / - / n.a 14.8 / 19,1 107,7 x 62.8 x 6.6 107,7 x 65,7 x 23,7 300 x 200 / ● integrated table stand / ● We. REMOTE black {2x AA/
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) VESA support / Kensignton lock Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Optional accessories	F (0,862) / E (0,601) 1947856 220-240V, 50/60 Hz / - / n.a. 25,5 / 32 145,7 x 83,6 x 6,8 145,7 x 87,2 x 26,5 300 x 200 / • integrated table stand / • We. REMOTE black (2x AAA) • / •	F (0,888) / E (0,699) 1947859 220-240V, 50/60 Hz / - / n.a. 18,7 / 23,0 123,4 x 71,2 x 6,8 123,4 x 74,1 x 23,7 300 x 200 / ● integrated table stand / ● We, REMOTE black (2x AAA) ● / ●	F (0,893) / F (0,850) 1947864 220-240V, 50/60 Hz / - / n.a 14,8 / 19,1 107,7 x 62,8 x 6.6 107,7 x 65,7 x 23,7 300 x 200 / • integrated table stand / • We, REMOTE black [2x AA/
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) VESA support / Kensignton lock Scope of Delivery Speaker Sctup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Optional accessories	F (0,862) / E (0,601) 1947856 220-240V, 50/60 Hz / - / n.a. 25,5 / 32 145,7 x 83,6 x 6,8 145,7 x 87,2 x 26,5 300 x 200 / • integrated table stand / • We. REMOTE black (2x AAA) • / •	F (0,888) / E (0,699) 1947859 220-240V, 50/60 Hz / - / n.a. 18,7 / 23,0 123,4 x 71,2 x 6.8 123,4 x 74,1 x 23,7 300 x 200 / • integrated table stand / • We. REMOTE black (2x AAA) • / •	F (0,893) / F (0,850) 1947864 220-240V, 50/60 Hz / - / n.a 14,8 / 19,1 107,7 x 62,8 x 6,6 107,7 x 65,7 x 23,7 300 x 200 / • integrated table stand / • We, REMOTE black (2x AA/ • / •
Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) VESA support / Kensignton lock Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Optional accessories Selection of recommended setup solutions and audio systems	F (0,862) / E (0,601) 1947856 220-240V, 50/60 Hz / - / n.a. 25,5 / 32 145,7 x 83,6 x 6,8 145,7 x 87,2 x 26,5 300 x 200 / • integrated table stand / • We. REMOTE black (2x AAA) • / • wall mount slim 432 wall mount universal	F (0,888) / E (0,699) 1947859 220-240V, 50/60 Hz / - / n.a. 18,7 / 23,0 123,4 x 71,2 x 6,8 123,4 x 74,1 x 23,7 300 x 200 / • integrated table stand / • We. REMOTE black (2x AAA) • / •	F (0.893) / F (0.850) 1947864 220-240V, 50/60 Hz / - / n.a 14,8 / 19,1 107,7 x 62,8 x 6,6 107,7 x 65,7 x 23,7 300 x 200 / • integrated table stand / • We. REMOTE black (2x AAA • / •

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks of registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in a certain tertiories), updading and termination of this digital content and services on the device or are the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

Technical data

We. SEE	43 lcd	32 lcd
Image		
Screen resolution (pixels)	Ultra HD (3840 x 2160)	Full HD (1920 x 1080)
Display technology	LCD + E-LED (semi mat)	LCD + E-LED (semi mat)
Screen diagonal (cm/inch) / Response time (ms)	108 / 43 / 8	81 / 32 / 6,5
Panel luminance ¹ (ca. cd/m ²) / Viewing angle (h/v)	450 / 178°	350 / 178°
Ultra HD scaling / Auto Dimming / Adaptive Contrast / 24p	•/•/•	-/•/•/•
HDR (HLG / HDR10 / HDR10+ / Dolby Vision™) / WCG	• / • / • / • (incl. IQ) / •	•/•/-/•
Receiption	· · · · · · · · · · · · · · · · · · ·	
DVB-T2/C/S2 HD / Unicable / Dual Channel	• / • / -	• / • / -
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	• / • / • / • (incl. H.266)	• / • / • (incl. H.266)
DiSEqC / Sat over IP / DVB-C over IP / DVB radio	• / - / - / •	• / - / - / •
TV+ / Zattoo app / HD+ app	• (Live TV) / • / •	• (Live TV) / • / •
Audio	(2.02.07)	(2)
Output (ca. watts sine / music) / driver (active + passive)	2 x 15 / 2 x 30 / 4	2 x 15 / 2 x 30 / 4
Acoustic speaker concept	speaker box + bass reflex	speaker box + bass reflex
Front firing / down firing / 2-channel crossover	• / - / -	• / - / -
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	•/•/•/•	•/•/•/•
Class-D amp / Auto Volume (AVC)	•/•	• / •
7-Band EQ / Dynamic Loudness	• / •	• / •
Operation and apps		
Loewe chassis / os / home screen / app store	SL8 / os8 / • / •	SL8 / os8 / • / •
my Loewe app / smart apps (all: Android + iOS)	• / Vidaa app	• / Vidaa app
Voice control: Alexa Skills / other	/ Vidaa voice	/ Vidaa voice
EPG / Number of stations in channel list	• / 10.000	• / 10.000
Mediatext (HbbTV) / Teletext / Splitscreen	•/•/•	•/•/•
Menu languages / Context related help	● ^{3C} / ●	● ^{3C} / ●
Parental Lock / Automatic turn-off / Timer	• / • / •	• / • / •
Software update (via USB / Internet) / Hotel Mode	• / • / •	•/•/•
Multimedia		
Loewe dr+: storage capacity (GB) / USB recording / timeshift	-/•/•	-/•/•
Loewe dr+: streaming server / client	-/•	-/•
Media player / DLNA renderer / web apps / browser	•/•/•	•/•/•/•
YouTube / Amazon prime video / Netflix / Disney+ / Apple tv+	•/•/•/•	•/•/•/•
Connectivity and Interfaces		
Antenna IEC / satellite F / CI+ 1.4 ECP certified	1/1/1	1/1/1
HDMI	2 x HDMI 2.0b, 2x HDMI 2.1	1 x HDMI 2.0b, 2 x HDMI 2.1
HDMI UHD / ALLM / VRR	• / • / • (FHD 60 Hz)	• / • / • (FHD 60 Hz)
HDCP 2.2 / HDMI-CEC / ARC / eARC	• / • / • / •	• / • / • / •
USB	4 (2 x USB 3.0)	2 (1 x USB 3.0)
USB-A power	2 x 1,0 A, 2 x 0,5 A	1 x 1,0 A, 1 x 0,5 A
Bluetooth / Miracast / AirPlay	• / • / •	• / • / •
	• / • / •	• / • / •
LAN network connection / WLAN (Wi-Fi) / DTS Play-Fi TOSUNK / center in / cube plug stereo	•/•/•	• / • / •
TOSLINK / center in / cube plug stereo	• / - / -	• / - / -
TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack)	• / - / -	• / - / -
TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron	• / - / -	• / - / -
TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy	• / - / - • / • / • • (via IP) / • / •	• / - / - • / • / • • (via IP) / • / •
TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI)	• / - / - • / • / • • (via IP) / • / • G (0,927) / G (1,474)	• / - / - • / • / • • (via IP) / • / • F (0.752) / G (1.249)
TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu	● / - / - • (• / •) • (via IP) / • / • G (0.927) / G (1.474) 1942112	• / - / - • / • / • • (via IP) / • / • F (0.752) / G (1.249) 1942107
TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts)	• / - / - • / • / • • (via IP) / • / • G (0,927) / G (1,474)	• / - / - • / • / • • (via IP) / • / • F (0.752) / G (1.249)
TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts)	● / - / - • (• / •) • (via IP) / • / • G (0.927) / G (1.474) 1942112	• / - / - • / • / • • (via IP) / • / • F (0.752) / G (1.249) 1942107
TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions	● / - / - • (• / •) • (via IP) / • / • G (0.927) / G (1.474) 1942112	• / - / - • / • / • • (via IP) / • / • F (0.752) / G (1.249) 1942107 220-240V, 50/60 Hz / - / n.a.
TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution	● / - / - • (• / •) • (via IP) / • / • G (0,927) / G (1,474) 1942112 220-240V, 50/60 Hz / - / n.a.	• / - / - • / • / • • (via IP) / • / • F (0,752) / G (1,249) 1942107 220-240V, 50/60 Hz / - / n.a.
TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution	● / - / - ● / ● / ● ● (via IP) / ● / ● G (0.927) / G (1.474) 1942112 220-240V, 50/60 Hz / - / n.a.	• / - / - • / • / • • (via IP) / • / • F (0.752) / G (1.249) 1942107 220-240V, 50/60 Hz / - / n.a.
TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag)	● / - / - ● / ● / ● ● (via IP) / ● / ● G (0,927) / G (1,474) 1942112 220-240V, 50/60 Hz / - / n.a. 12,1 / 15,1 97,5 x 58,9 x 6,6	• / - / - • / • / • • (via IP) / • / • F (0,752) / G (1,249) 1942107 220-240V, 50/60 Hz / - / n.a. 7,2 / 10,3 73,1 x 45,6 x 7,6
TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) VESA support / Kensignton lock	● / - / - • (• / •) • (via IP) / • / • G (0,927) / G (1,474) 1942112 220-240V, 50/60 Hz / - / n.a. 12,1 / 15,1 97,5 x 58,9 x 6,6 97,5 x 60,2 x 20,2	• / - / - • / • / • • (via IP) / • / • F (0.752) / G (1.249) 1942107 220-240V, 50/60 Hz / - / n.a. 7.2 / 10,3 73,1 × 45,6 × 7,6 73,1 × 46,7 × 20,2
TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) VESA support / Kensignton lock Scope of Delivery Speaker	● / - / - • (• / •) • (via IP) / • / • G (0,927) / G (1,474) 1942112 220-240V, 50/60 Hz / - / n.a. 12,1 / 15,1 97,5 x 58,9 x 6,6 97,5 x 60,2 x 20,2	• / - / - • / • / • • (via IP) / • / • F (0,752) / G (1,249) 1942107 220-240V, 50/60 Hz / - / n.a. 7,2 / 10,3 73,1 × 45,6 × 7,6 73,1 × 46,7 × 20,2 100 × 100 / • integrated
TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) VESA support / Kensignton lock Scope of Delivery Speaker Setup Solution / rotate-able	● / - / - ● / ● / ● (via IP) / ● / ● G (0,927) / G (1,474) 1942112 220-240V, 50/60 Hz / - / n.a. 12,1 / 15,1 97,5 x 58,9 x 6.6 97,5 x 60,2 x 20,2 300 x 300 / ● integrated table stand / -	• / - / - • / • / • / • (via IP) / • / • F (0.752) / G (1.249) 1942107 220-240V, 50/60 Hz / - / n.a. 7.2 / 10,3 73,1 × 45,6 × 7,6 73,1 × 46,7 × 20,2 100 × 100 / • integrated table stand / -
TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) VESA support / Kensignton lock Scope of Delivery Speaker Setup Solution / rotate-able	● / - / - • (• / •) • (via IP) / • / • G (0,927) / G (1,474) 1942112 220-240V, 50/60 Hz / - / n.a. 12,1 / 15,1 97,5 x 58,9 x 6,6 97,5 x 60,2 x 20,2 300 x 300 / • integrated	• / - / - • / • / • • (via IP) / • / • F (0,752) / G (1,249) 1942107 220-240V, 50/60 Hz / - / n.a. 7,2 / 10,3 73,1 × 45,6 × 7,6 73,1 × 46,7 × 20,2 100 × 100 / • integrated
TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) VESA support / Kensignton lock Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries)	● / - / - ● / ● / ● (via IP) / ● / ● G (0,927) / G (1,474) 1942112 220-240V, 50/60 Hz / - / n.a. 12,1 / 15,1 97,5 x 58,9 x 6.6 97,5 x 60,2 x 20,2 300 x 300 / ● integrated table stand / -	• / - / - • / • / • / • (via IP) / • / • F (0.752) / G (1.249) 1942107 220-240V, 50/60 Hz / - / n.a. 7.2 / 10,3 73,1 × 45,6 × 7,6 73,1 × 46,7 × 20,2 100 × 100 / • integrated table stand / -
TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) VESA support / Kensignton lock Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord	● / - / - • (• / •) • (via IP) / • / • G (0,927) / G (1,474) 1942112 220-240V, 50/60 Hz / - / n.a. 12,1 / 15,1 97,5 x 58,9 x 6,6 97,5 x 60,2 x 20,2 300 x 300 / • integrated table stand / - We. REMOTE black (2x AAA)	• / - / - • / • / • • (via IP) / • / • F (0.752) / G (1.249) 1942107 220-240V, 50/60 Hz / - / n.a. 7.2 / 10.3 73.1 × 45.6 × 7.6 73.1 × 46.7 × 20.2 100 × 100 / • integrated table stand / - We. REMOTE black (2x AAA)
TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) VESA support / Kensignton lock Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Optional accessories	● / - / - • (• / •) • (via IP) / • / • G (0,927) / G (1,474) 1942112 220-240V, 50/60 Hz / - / n.a. 12,1 / 15,1 97,5 x 58,9 x 6,6 97,5 x 60,2 x 20,2 300 x 300 / • integrated table stand / - We, REMOTE black (2x AAA) • / • (2,5 m, black)	• / - / - • / • / • • (via IP) / • / • F (0.752) / G (1,249) 1942107 220-240V, 50/60 Hz / - / n.a. 7.2 / 10,3 73,1 × 45.6 × 7,6 73,1 × 46.7 × 20.2 100 × 100 / • integrated table stand / - We. REMOTE black (2x AAA) • / • (2,5 m, black)
TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) VESA support / Kensignton lock Scope of Delivery Speaker Scetup Solution / rotate-able Remote control (incl. batteries) Manual / power cord Optional accessories	● / - / - • (• / •) • (via IP) / • / • G (0,927) / G (1,474) 1942112 220-240V, 50/60 Hz / - / n.a. 12,1 / 15,1 97,5 x 58,9 x 6,6 97,5 x 60,2 x 20,2 300 x 300 / • integrated table stand / - We. REMOTE black (2x AAA) • / • (2,5 m, black) floor2ceiling stand, floor stand	• / - / - • / • / • • (via IP) / • / • F (0,752) / G (1,249) 1942107 220-240V, 50/60 Hz / - / n.a. 7.2 / 10,3 73,1 x 45,6 x 7,6 73,1 x 46,7 x 20,2 100 x 100 / • integrated table stand / - We. REMOTE black (2x AAA) • / • (2,5 m, black)
TOSLINK / center in / cube plug stereo Audio out control: fix / variable / sub (3.5 mm jack) Home automation / Control4 / Crestron Energy EU energy efficiency class: SDR (EEI) / HDR (EEI) EPREL registration No.: https://eprel.ec.europa.eu Mains voltages / Power switch / Off mode (watts) Dimensions Weight (ca. kg) excl. / incl. standard setup solution W* x H x D (cm) without setup solution W* x H x D (cm) incl. table stand (* incl. signature flag) VESA support / Kensignton lock Scope of Delivery Speaker Setup Solution / rotate-able Remote control (incl. batteries) Manual / power cord	● / - / - • (• / •) • (via IP) / • / • G (0,927) / G (1,474) 1942112 220-240V, 50/60 Hz / - / n.a. 12,1 / 15,1 97,5 x 58,9 x 6,6 97,5 x 60,2 x 20,2 300 x 300 / • integrated table stand / - We, REMOTE black (2x AAA) • / • (2,5 m, black)	• / - / - • / • / • • (via IP) / • / • F (0.752) / G (1,249) 1942107 220-240V, 50/60 Hz / - / n.a. 7.2 / 10,3 73,1 × 45.6 × 7,6 73,1 × 46.7 × 20.2 100 × 100 / • integrated table stand / - We. REMOTE black (2x AAA) • / • (2,5 m, black)

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks of registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in a certain territories), updating and termination of the provision of this digital content and are on the device or are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

56 **—**

^{• =} available, o = optional, - = not available

1) according to panel spec typ. values @ HDR 10%

3c| en - de - fr - it - es - pt - nl - el - ru - cs - sk - sl - lt - lv - et - uk - pl - ro - hu - bg - sr - hr - sq - mk - sv - da - fi - no - tr - is - bs - be - kk

^{• =} available, o = optional, - = not available

1) according to panel spec typ. values @ HDR 10%

3C| en - de - fr - it - es - pt - nl - el - ru - cs - sk - sl - lt - lv - et - uk - pl - ro - hu - bg - sr - hr - sq - mk - sv - da - fi - no - tr - is - bs - be - kk

We. by Loewe

We. BEAM

Image		
Resolution (pixels)	Full HD (1920 x 1080)	
Display technology / DMD eye protection	ALPD laser / ◆ / ◆	
Diagonal (ca. cm/inch) / Response time (ms)	min. 100/40 - max. 300/120 / 1	
Luminance (ca. lumen) / Viewing angle	500 / 120°	
24p support	•	
HDR / color gamut	HDR10 / Rec. 709	
Life span @ normal mode (ca. h)	25.000	
Uniformity / contrast ratio (FOFO)	min 85% / typ. 500:1	
Offset / Throw ratio	1/1,2:1	
Auto: focus / keystone / screen align / obstacle	• / • / • / •	
Noise level @ normal mode (dB, 1m)	max. 30	
Audio		
Output (watts sine / music) / driver (active + passive)	2x2,5/2x5/2	
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	Dolby Audio	
Operation and apps		
Loewe chassis / os / home screen / app store	SL6/os6/ • (Linux)/ • (NetRange)	
my Loewe app	•	
Menu languages	>40	
Automatic turn-off / Timer	• / •	
Software update (via USB / Internet)	•	
Multimedia		
Media player / web apps / browser	•/•/•	
YouTube / Amazon prime video / Netflix	• / • / •	
Connectivity and Interfaces		
HDMI	1	
HDCP 1.4 / HDMI-CEC / ARC		
USB	2 (1 x USB-C)	
USB-A power	5V/1,0 A (OUTPUT)	
USB-C power	20 V / 3,25 A (INPUT)	
Bluetooth	•	
Miracast		
WLAN (Wi-Fi)		
Audio out control: fix / variable (3.5 mm jack)	• / •	
Energy		
Mains voltages AC	110-240 V, 50/60 Hz	
WoWLAN / Fast Power-On (increased consumption)	• / •	
Dimensions	• • • • • • • • • • • • • • • • • • • •	
Weight (ca. grams)	830	
	17,5 x 4,8 x 17,5	
WxHxD(cm)	17,3 X 4,0 X 17,3	
Scope of Delivery		
Setup Solution / tripod mount	table stand / •	
Remote control (incl. batteries)	• (Bluetooth, 2x AAA)	
Manual / power cord	• / USB-C power adapter (150 cm, black)	
Others	travel adapter plugs (EU, UK, AUS)	
Optional accessories		
Selection of recommended setup solutions and audio systems	We. HEAR bluetooth speakers	
	Loewe klang bar3 mr	

ullet = available, ullet = optional, - = not available

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks of registered® trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain tertificies), updating and termination of the provision of this digital content and services on the device are of the sole discretion of the third party. Some services many not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

Technical Data

Loewe home

aura.pure

esign olor urface ousing Material aterial Milk Frother Nozzle rewing Unit aterial of the Brewing Unit aterial of the Brewing Unit aterial of the Cup Tray unctions ype of Operation isplay Size in Inches isplay Fechnology olor of Display Illumination emperature Range re-infusion team Wand for Milk Frothing assive Heated Cup Warmer pecialties spresso ouble Espresso ot Water ot Milk ilk Froth Production yggiene Standards	basalt gray matt Painted steel Stainless steel 58mm Chrome Stainless steel Direct selection buttons, rotary controls 1.5" LCD Display white 88-96 Degrees Celsius •
ousing Material aterial Milk Frother Nozzle rewing Unit aterial of the Brewing Unit aterial of the Cup Tray Inctions Ippe of Operation Isplay Size in Inches Isplay Technology Inction of Display Illumination Imperature Range Iteram Wand for Milk Frothing Isassive Heated Cup Warmer Ippecialties Ispresso Inction of Water Inctio	matt Painted steel Stainless steel 58mm Chrome Stainless steel Direct selection buttons, rotary controls 1,5" LCD Display white 88-96 Degrees Celsius
ousing Material aterial Milk Frother Nozzle rewing Unit aterial of the Brewing Unit aterial of the Brewing Unit aterial of the Cup Tray unctions ype of Operation splay Size in Inches isplay Technology olor of Display Illumination emperature Range re-infusion team Wand for Milk Frothing assive Heated Cup Warmer pecialties spresso ouble Espresso out Water of Milk ilk Froth Production yygiene Standards	Painted steel Stainless steel 58mm Chrome Stainless steel Direct selection buttons, rotary controls 1.5" LCD Display white 88-96 Degrees Celsius • •
aterial Milk Frother Nozzle rewing Unit aterial of the Brewing Unit aterial of the Cup Tray Inctions Imperior of Operation Implay Size in Inches Imperior of Size in Inches Imperior of Display Illumination Imperior of Display Illumination Imperior of Display Illumination Imperior of Display Illumination Imperior of Milk Frothing Imperior of Milk Frothin	Stainless steel 58mm Chrome Stainless steel Direct selection buttons, rotary controls 1,5" LCD Display white 88-96 Degrees Celsius • •
rewing Unit aterial of the Brewing Unit aterial of the Cup Tray unctions yne of Operation ysplay Size in Inches ysplay Size in Inches ysplay Fechnology yolor of Display Illumination emperature Range yer-infusion team Wand for Milk Frothing yassive Heated Cup Warmer pecialties ypresso youble Espresso youble Espresso yout Water of Milk ilk Froth Production yygiene Standards	58mm Chrome Stainless steel Direct selection buttons, rotary controls 1,5" LCD Display white 88-96 Degrees Celsius • • •
aterial of the Brewing Unit aterial of the Cup Tray Inctions Ippe of Operation Isplay Size in Inches Isplay Technology Inction Inches Isplay Technology Incomplete Inches Isplay Technology Incomplete Inches Isplay Technology Incomplete Incom	Chrome Stainless steel Direct selection buttons, rotary controls 1.5" LCD Display white 88-96 Degrees Celsius • • •
aterial of the Cup Tray unctions ype of Operation isplay Size in Inches isplay Technology olor of Display Illumination emperature Range re-infusion team Wand for Milk Frothing assive Heated Cup Warmer pecialties spresso ouble Espresso out Water of Milk ilk Froth Production ygiene Standards	Stainless steel Direct selection buttons, rotary controls 1.5" LCD Display white 88-96 Degrees Celsius • •
Inctions Inperiod Operation Isplay Size in Inches Isplay Size in Inches Isplay Technology Isplay Illumination Imperature Range Incernity Illumination Illuminatio	Direct selection buttons, rotary controls 1.5" LCD Display white 88-96 Degrees Celsius • • •
ripe of Operation Isplay Size in Inches Isplay Technology Isplay Hechnology Isplay Illumination Imperature Range Imperature R	1.5" LCD Display white 88-96 Degrees Celsius • • •
isplay Size in Inches isplay Technology olor of Display Illumination emperature Range re-infusion team Wand for Milk Frothing assive Heated Cup Warmer pecialties spresso obt Water of Milk ilk Froth Production ygiene Standards	1.5" LCD Display white 88-96 Degrees Celsius • • •
isplay Technology olor of Display Illumination emperature Range re-infusion team Wand for Milk Frothing assive Heated Cup Warmer pecialties spresso out Water ot Milk ilk Froth Production ygiene Standards	1.5" LCD Display white 88-96 Degrees Celsius • • •
olor of Display Illumination emperature Range re-infusion team Wand for Milk Frothing assive Heated Cup Warmer pecialties spresso ouble Espresso out Water of Milk ilk Froth Production ygiene Standards	white 88-96 Degrees Celsius • • •
olor of Display Illumination emperature Range re-infusion team Wand for Milk Frothing assive Heated Cup Warmer pecialties spresso ouble Espresso out Water of Milk ilk Froth Production ygiene Standards	white 88-96 Degrees Celsius • • •
re-infusion team Wand for Milk Frothing assive Heated Cup Warmer pecialties spresso obuble Espresso ot Water ot Milk ilk Froth Production ygiene Standards	•
team Wand for Milk Frothing assive Heated Cup Warmer pecialties spresso ouble Espresso ot Water ot Milk ilk Froth Production ygiene Standards	•
assive Heated Cup Warmer pecialties spresso ouble Espresso ot Water ot Milk ilk Froth Production ygiene Standards	•
pecialties spresso ouble Espresso ot Water ot Milk ilk Froth Production ygiene Standards	•
spresso puble Espresso ot Water ot Milk ilk Froth Production ygiene Standards	•
spresso puble Espresso ot Water ot Milk ilk Froth Production ygiene Standards	•
ouble Espresso ot Water ot Milk ilk Froth Production ygiene Standards	•
ot Water ot Milk ilk Froth Production ygiene Standards	
ot Milk ilk Froth Production ygiene Standards	
ilk Froth Production ygiene Standards	
ygiene Standards	
tor Cartridges	
Iter Cartridges	•
onitoring of Residual Water Tray	•
echnical Features	
	2 DID The condition to
eating System	3 PID Thermoblocks
umber of Heating Circuits	2 Vibration pump
rpe of Pumps	Vibration pump 2
umber of Pumps offee Extraction Pump Pressure	
team Extraction Pump Pressure rewing Pressure Gauge	4 bar
ater Tank ater Tank Capacity	2,51
arer farik Capacity emovable Water Tank	
onnectivity and Interfaces	
tegrated Grinder	•
umber of Grinding Mechanisms	1
nizer / Anti-Static Design	•
pe of Grinding Mechanism	Stainless steel
umber of Grind Settings	66
peed	1400 U/min.
rinding Discs	Stainless steel, 54mm
umber of Bean Containers	1
ean Container Capacity	200gr
onnections	
ains Voltage AC	220-240V.50 Hz
ower Consumption / Energy Efficiency Class	220-240V, 50 HZ 2350-2850W/—
ower Consumption / Energy Efficiency Class tandby Power	<0.5W
andby Power ength of Power Cord	1,1m
ompliance Markings	CE
	OL .
imensions	
eight (approx. kg)	22kg
x H x D (approx. cm)	36,0 x 49,0 x 49,0
cope of Delivery	
Spout Portafilter Spout Portafilter	•
ind Filter	•
leaning Brush	
amper	
amper amper Pad	
amper amper Pad arista Cloth	•
amper amper Pad arista Cloth ilk Pitcher	
amper amper Pad arista Cloth	
amper amper Pad arista Cloth ilk Pitcher	Loewe aura.pure barista set
amper Amper Pad Arrista Cloth All Pitcher ptional accessories	
amper Amper Pad Arrista Cloth All Pitcher ptional accessories	Loewe aura.pure barista set Loewe aura.pure milk jug 600 ml Loewe aura descaler
amper Amper Pad Arrista Cloth All Pitcher ptional accessories	Loewe aura.pure milk jug 600 ml Loewe aura descaler
amper Amper Pad Arrista Cloth All Pitcher ptional accessories	Loewe aura.pure milk jug 600 ml

^{• =} available, • = optional, — = not available

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required. Ultra HD and HDR availability subject to subscription plan, internet service, device features and content availability.

 $_{58}$ - $_{59}$

Technical data	bar5 mr
Loewe klang	
Audio (acoustic)	
Frequency range (Hz) @ ±3 dB	60-20.000 •/•/•/—
Orientation front / side / up / rear firing Acoustic speaker concept	closed bar + klang sub5
Channel configuration (speaker layout)	5.1.2 (surround)
Driver total amount	11
Driver active 2-channel crossover	4x 48 x 90 mm, 3x 0,75", 2x 44 x 74 mm, 2x 3" • active
	active
Audio (electric)	100 20 000 - 10 200
Frequency range (Hz) @ ±1 dB Class-D amp	100-20.000 + 10-200
Power (watts sine / music)	220 / 440
Total harmonic distortion @ 1 watt /10 watts	< 0,5
Dynamic range / Signal to noise ratio (dB) Bass and treble control / loudness	24 bit / > 75 • (remote) / dynamic
Balance / gain adjustment (dB)	— / ● (+/-6 dB)
Protection circuit: heat / current / voltage / short cut	•/•/•/•
Dolby Audio / Digital / Digital Plus / Volume / Atmos / Atmos	•/•/•/•/•
Music DTS HD / DTS:X	•/•
Operation and apps	
* **	White D-LED
Display technology Screen resolution (pixels)	5 x 16 segments
Screen diagonal (cm / inch)	6/2,4
my Loewe app / smart apps (all: Android + iOS)	◆ (DTS Play-Fi)
Voice control by Alexa skills Software update (via USB / Internet)	• / • (DTS Play-Fi)
	Transfer and the second
Media and receiption	
USB music player Bluetooth music player	•
Internet radio	(via DTS Play-Fi app)
DTS Play-Fi / Hi-Res Audio	•/•
Spotify Connect / Google Cast / Apple AirPlay Roon tested	•/•/•
Multiroom audio support	•
Multichannel home cinema support	•
Connectivity and interfaces	
HDMI	2 x HDMI 2.0b (incl. 4K pass-through)
HDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•/•
USB	1 x USB 2.0 (MP3 only)
Bluetooth WLAN (Wi-Fi) integrated	•
Wireless Digital Audiolink (second generation)	•
Optical TOSLINK	•
Analogue audio jack in (3.5 mm stereo) Wall mount	•
	0
Network and formats	IEEE 000 11 - /h /n /n /n
WLAN (Wi-Fi) standard WLAN (Wi-Fi) power (max. mW)	IEEE 802.11a/b/g/n/ac <100
WLAN (Wi-Fi) frequency range	2400-2483,5 / 5150-5725 MHz
WLAN (Wi-Fi) encryption	WEP 64, 128 Bit (ASCII, HEX)
WLAN (Wi-Fi) encryption WPA	WPA PSK, WPA2 AES, WPS
Bluetooth standard Bluetooth power (max_mW)	4.2 <10
Bluetooth frequency range	2,4 GHz
Bluetooth protocols	A2DP SNK, AVRCP
Supported audio formats	MP3, AAC, AAC+, M4A, WAV, FLAC, PCM, Dolby True HI
	Dolby Audio, Dolby Digital, Dolby, Digital Plus, Dolby Atn Dolby Atmos Music, DTS, DTS HD, DTS Virtual X, DTS P
Supported video formats	Fi, Hi-Res AUDIO
	4K Video Pass-Through, Dolby Vision, DR10,
	HDR10+
Energy and environment	
Mains voltages AC	100-240V, 50/60 Hz
Power consumption eco standby mode (watts) Power consumption multiroom sleep mode (watts)	0,5
Ambient temperature while in operation	5-35° C
Relative humidity (non-condensing)	20-80%
Dimensions	
Weight (approx. kg)	6,5 + 8,8
W* x H x D (approx. cm)	120,0 × 7,1 × 16,0
Scope of Delivery	
Remote control (incl. batteries)	Loewe remote klang mr (2x CR2032)
Manual / power cord	•/•
Others	klang sub5, HDMI cable
Optional accessories	
Selection of recommended setup solutions	bild i, floor stand flex, spacer table stand v, spacer table
and audio systems	stand i, wall mount klang bar, klang mr5, klang mr3, klang mr1,

Loewe klang	sub5
Audio (acoustic)	
Frequency range (Hz) @ ±3 dB	35-150
Orientation front / side / up / rear firing	radial (motion compensation
Acoustic speaker concept	closed + passive membrane
Channel configuration (speaker layout)	0.1 (subwoofer)
Driver total amount	6
Driver active	2x 6"
Driver passive	4x 6"
2-channel crossover	• low pass
Audio (electric)	
Frequency range (Hz) @ ±1 dB	10-200
Class-D amp	•
Power (watts sine / music)	180 / 360
Total harmonic distortion @ 1 watt /10 watts	<1
Dynamic range / Signal to noise ratio (dB)	16 bit / > 60
Bass and treble control / loudness	(gain adjustment) / —
Balance / gain adjustment (dB)	— / ● (via volume knob)
Protection circuit: heat / current / voltage / short cut	•/•/•/•
Media and receiption	/: II
Multiroom audio support	• (via klang bar mr)
Multichannel home cinema support	
Connectivity and interfaces	
Bluetooth	
Wireless Digital Audiolink (second generation) Analogue audio jack in (3.5 mm stereo)	•
Network and formats	
WLAN (Wi-Fi) standard WLAN (Wi-Fi) power (max. mW)	<100
WLAN (Wi-Fi) frequency range	5725-5850 MHz
WLAN (Wi-Fi) encryption	
WLAN (Wi-Fi) encryption WPA	_
Energy and environment	-
Mains voltages AC	100-240V, 50/60 Hz
Power consumption eco standby mode (watts)	0.5
Power consumption network standby mode (watts)	0.5
Ambient temperature while in operation	5-35° C
Relative humidity (non-condensing)	20-80%
Dimensions	
Weight (approx. kg)	8,8
W* x H x D (approx. cm)	38,0 x 21,4 x 38,0
Scope of Delivery	
Manual / power cord	•/•
Others	_
Optional accessories	
Selection of recommended setup solutions	klang bar5 mr, klang bar3 m
and audio systems	iconic v, iconic i

• = available, • = optional, — = not available

Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service matters are all handled individually.

	bar3 mr
Loewe klang Audio (acoustic)	
Frequency range (Hz) @ ±3 dB	50-20.000
Orientation front / side / up / rear firing	•/•/-
Acoustic speaker concept	closed bar, twin drive sub, bass reflex
Channel configuration (speaker layout) Driver total amount	3.1 (surround)
Driver active	4x 48 x 90 mm, 3x 0,75", 2x 4"
2-channel crossover	• active
Audio (electric)	
Frequency range (Hz) @ ±1 dB	20-20.000
Class-D amp	•
Power (watts sine / music) Total harmonic distortion @ 1 watt /10 watts	180 / 360 < 0.5
Dynamic range / Signal to noise ratio (dB)	24 bit / > 75
Bass and treble control / loudness	• (remote) / dynamic
Distance adjustment (m)	•
Balance / gain adjustment (dB) Protection circuit: heat / current / voltage / short cut	
Dolby Audio / Digital / Digital Plus / Volume / Atmos / Atmos Music	•/•/•/•
DTS HD / DTS:X	●/●
Operation and apps	
Display technology	White D-LED
Screen resolution (pixels)	5 x 16 segments
Screen diagonal (cm / inch)	6/2,4
my Loewe app / smart apps (all: Android + iOS) Voice control by Alexa skills	• (DTS Play-Fi)
Software update (via USB / Internet)	●/●(DTS Play-Fi)
Media and receiption	(2.2)
USB music player	•
Bluetooth music player	
Internet radio	• (via DTS Play-Fi app)
DTS Play-Fi / Hi-Res Audio	•/•
Spotify Connect / Google Cast / Apple AirPlay Roon tested	•/•/•
Multiroom audio support	*
Multichannel home cinema support	•
Connectivity and interfaces	
HDMI	2 x HDMI 2.0b (incl. 4K pass-through)
HDCP 2.2 / HDMI-CEC / ARC / eARC	•/•/•
USB	1 x USB 2.0 (MP3 only)
Bluetooth WLAN (Wi-Fi) integrated	
Wireless Digital Audiolink (second generation)	
Optical TOSLINK	•
AV receiver analog pre-amp cinch out 5.1 / 3.1 / 2.1 / 2.0	●/●/●/●
Analogue audio jack in (3.5 mm stereo) Wall mount	
Network and formats	IFF 00011 // / /
WLAN (Wi-Fi) standard WLAN (Wi-Fi) power (max. mW)	IEEE 802.11a/b/g/n/ac <100mW @2400-2485 MHz
WEAR (WITT) power (max.mw)	<200mW @5150-5250 MHz
	<100mW @5250-5350 MHz
	<100mW @5470-5725 MHz
WLAN (Wi-Fi) encryption	<25mW@5725-5875 MHz (SRD) WEP 64, 128 Bit (ASCII, HEX)
WLAN (Wi-Fi) encryption WPA	WPA PSK, WPA2 AES, WPS
Bluetooth standard	5.0 + EDR
Bluetooth power (max. mW)	<10
Bluetooth frequency range	2.4 GHz
Bluetooth protocols Supported audio formats	A2DP SNK, AVRCP MP3, AAC, AAC+, M4A, WAV, FLAC, PCM, Dolby True HD, Dolby Audio, Dolby Digital, Dolby, Digital Plus, Dolby
	Atmos, Dolby Atmos Music, DTS, DTS HD, DTS Virtual X, DTS Play-Fi, Hi-Res AUDIO
Supported video formats	4K Video Pass-Through, Dolby Vision, HDR10, HDR10+
Energy and environment	
Mains voltages AC	100-240V, 50/60 Hz
Power consumption eco standby mode (watts)	0,5
Power consumption multiroom sleep mode (watts) Ambient temperature while in operation	
Ambient temperature while in operation Relative humidity (non-condensing)	20-80%
Dimensions	
Weight (approx. kg)	5,9
Weight (approx. kg) W* x H x D (approx. cm)	5.9 95.0 x 7.1 x 16,0
Scope of Delivery	
Remote control (incl. batteries)	Loewe remote klang mr (2x CR2032)
Manual / power cord	•/•
Others	HDMI cable
Optional accessories	
Selection of recommended setup solutions and audio systems	bild i, floor stand flex, spacer table stand v, spacer table stand i, wall mount klang bar, klang mr5, klang mr3, klang mr1, kla

• = available, • = optional, — = not available

Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service matters are all handled individually.

60 — --- 61

Technical data		
Loewe klang	sub1	
Audio (acoustic)		
Frequency range (Hz) @ ±3 dB	40-100	
Orientation front / side / up / rear firing	radial (motion compensation)	
Acoustic speaker concept	closed + passive membranes	
Channel configuration (speaker layout)	0.1 (subwoofer)	
Driver total amount	6	
Driver active	2x 4"	
Driver passive	4x 4"	
2-channel crossover	• low pass	
Audio (electric)		
Frequency range (Hz) @ ±1 dB	40-100	
Class-D amp	•	
Power (watts sine / music)	80 / 160	
Total harmonic distortion @ 1 watt /10 watts	< 0,5	
Dynamic range / Signal to noise ratio (dB)	24 bit / > 80	
Bass and treble control / loudness	• (gain adjustment) / —	
Balance / gain adjustment (dB)	— / ● (via volume knob)	
Protection circuit: heat / current / voltage / short cut	●/●/●/●	
Media and receiption		
Multiroom audio support	_	
Multichannel home cinema support	• (stereo + sub)	
Connectivity and interfaces		
Bluetooth	(aptX Low Latency)	
Wireless Digital Audiolink (second generation)		
Analogue audio jack in (3.5 mm stereo)	•	
Network and formats		
Bluetooth standard	5.0	
Bluetooth power (max. mW)	<10	
Bluetooth frequency range	2,4 GHz	
Bluetooth protocols	A2DP SNK, AVRCP	
Energy and environment		
Mains voltages AC	100-240V, 50/60 Hz	
Power consumption eco standby mode (watts)	0.5	
Power consumption network standby mode (watts)		-
Ambient temperature while in operation	5-35° C	
Relative humidity (non-condensing)	20-80%	
Dimensions		
Weight (approx. kg)	4.6	
W* x H x D (approx. cm)	28.7 x 15.8 x 28.7	
Scope of Delivery		
Manual / power cord	•/•	
Others	transmitter	
Optional accessories		
Selection of recommended setup solutions and audio systems	bild v, bild i, bild c, We. SEE	

= available, o = optional, — = not available

Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service matters are all handled individually.

Technical data	
Loewe	multi.room amp
Audio (acoustic)	
Channel configuration (speaker layout)	2.0 (stereo)
2-channel crossover	• (var. level, var. frequency)
Audio (electric)	
Frequency range (Hz) @ ±1 dB	20-20.000
Class-D amp	• (min. speaker impedance 4Ω)
Power (watts sine / music) Total harmonic distortion @ 1 watt /10 watts	300 / 600 @ 8Ω, 600 / 1.200 @ 4Ω < 0,05 / < 0,05
Dynamic range / Signal to noise ratio (dB)	24 bit / > 100
Damping factor of power stage (dB) Scalable output power / limiter / custom tuning	>50
Bass and treble control / loudness	• (remote) / —
Balance / gain adjustment (dB) Mono mix function	●/●(subwoofer)
Protection circuit: heat / current / voltage / short cut	
Dolby Audio / Digital / Digital Plus / Volume / Atmos / Atmos Music	via klang bar mr
DTS HD / DTS:X	via klang bar mr
Operation	
Display technology	White LED + Color LED (dimmable)
Screen resolution (pixels)	LED line
Screen diagonal (cm / inch) Smart apps (all: Android + iOS)	TS Play-Fi, my Loewe app
Voice control by Alexa skills	•
Software update (via USB / Internet)	● / ● (DTS Play-Fi)
Media and receiption	
USB music player	
Bluetooth music player Internet radio	• (via DTS Play-Fi app)
DTS Play-Fi / Hi-Res Audio	•/•
Spotify Connect / Google Cast / Apple AirPlay Roon tested	•/•/•
Multiroom audio support	· · · · · · · · · · · · · · · · · · ·
Multichannel home cinema support	• (front / rear surround)
Connectivity and Interfaces	
HDMI	• (PCM audio only)
HDCP 2.2 / HDMI-CEC / ARC / eARC	- (row additionity) -/•/•/-
USB	1 x USB 2.0 (MP3 only)
Bluetooth WLAN (Wi-Fi) integrated	<u>•</u>
LAN network connection	2 x RJ45 (daisy chain)
Wireless Digital Audiolink (second generation)	•
AV receiver analog pre-amp cinch out 5.1/3.1/2.1/2.0 Analogue audio cinch in / out (stereo)	- / - / • (gold plated) • / • (gold plated)
Speaker terminals / banana plugs (stereo)	
Wall mount	• (integrated)
Network and formats	
WLAN (Wi-Fi) standard	IEEE 802.11a/b/g/n/ac
WLAN (Wi-Fi) power (max. mW)	<100mW @2400-2485 MHz <200mW @5150-5250 MHz
	<100mW @5250-5350 MHz
	<100mW @5470-5725 MHz
WLAN (Wi-Fi) encryption	<25mW @5725-5875 MHz (SRD) WEP 64, 128 Bit (ASCII, HEX)
WLAN (Wi-Fi) encryption WLAN (Wi-Fi) encryption WPA	WPA PSK, WPA2 AES, WPS
Bluetooth standard	5.0
Bluetooth power (max. mW)	<10
Bluetooth frequency range Bluetooth protocols	2.4 GHz A2DP SNK, AVRCP
Supported audio formats	PCM, MP3, M4A, AAC, FLAC, WAC, AIFF, Hi-Res AUDIO
Supported video formats	
Energy and environment	
Mains voltages AC	220-240V, 50/60 Hz
Power consumption eco standby mode (watts) Power consumption network standby mode (watts)	0.5
Power consumption multiroom sleep mode (watts)	5
Ambient temperature while in operation Relative humidity (non-condensing)	5-40° C 20-90%
neiative numitality (non-condensing)	20-3070
Dimensions	
Mains voltages AC	2,2
Power consumption standby / network standby (watts)	21,7 × 7,9 × 21,7
Scope of Delivery	
Remote control (incl. batteries)	Loewe remote mr (2x CR2032)
Manual / power cord Others	
Optional accessories	

ullet = available, ullet = not available, -- = not available

Selection of recommended setup solutions and audio systems

Optional accessories

Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service matters are all handled individually.

All product and company names are trademarks™ or registeredR trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Google and Chromecast built-in are trademarks of Google LLC.

klang bar5 mr, klang bar3 mr, klang mr5, klang mr3, klang mr1

Technical data			
Loewe klang	mr5	mr3	mr1
Audio (acoustic)			
Frequency range (Hz) @ ±3 dB	35-20.000	40-20.000	55-20.000
Orientation front / side / up / rear firing	•/•/-/•	•/•/-/•	•/-/-/-
Acoustic speaker concept Channel configuration (speaker layout)	closed + passive membranes 1.0 (mono)	closed + passive membranes 1.0 (mono)	closed 1.0 (mono, rear surround)
Driver total amount	9	6	1.0 (Horio, real surround)
Driver active	3x 3/4", 3x 2,5", 1x 5"	3x 2", 1x 3,5" + 2x 3,5"	1x 3"
Driver passive	2x 5"	2x 3,5"	_
2-channel crossover	• active	active	_
Audio (electric)			
Frequency range (Hz) @ ±1 dB	20-20.000	20-20.000	20-20.000
Class-D amp Power (watts sine / music)	90/180	• 75 / 150	15/30
Total harmonic distortion @ 1 watt /10 watts	<0,3/<0,3	<0,3/<0,3	< 0,3 / < 0,3
Dynamic range / Signal to noise ratio (dB)	24 bit / > 80	24 bit / > 80	24 bit / > 80
Bass and treble control / loudness	(remote) / dynamic	(remote) / dynamic	 (remote) / dynamic
Protection circuit: heat / current / voltage / short cut	•/•/•/•	•/•/•/•	•/•/•/•
Dolby Audio / Digital / Digital Plus / Volume / Atmos / Atmos Music DTS HD / DTS:X	via klang bar mr via klang bar mr	via klang bar mr via klang bar mr	via klang bar mr via klang bar mr
	via riang par mi	Are yignig bai Tili	Are yearly not the
Operation and apps	White LED : Oct LED	With LED Color ED	With LED - Oak LED
Display technology Screen resolution (pixels)	White LED + Color LED 5x dot + 1x line	White LED + Color LED 5x dot + 1x line	White LED + Color LED 5x dot + 1x line
Screen diagonal (cm / inch)	6/2,4	6/2,4	6/2,4
my Loewe app / smart apps (all: Android + iOS)	• / DTS Play-Fi app	• / DTS Play-Fi app	• / DTS Play-Fi app
Voice control by Alexa skills	•	•	•
Software update (via USB / Internet)	• / • (DTS Play-Fi)		✓ • (DTS Play-Fi)
Media and receiption			
USB music player	•	•	•
Bluetooth music player	•	• (: PTO PI - F:	•
Internet radio DTS Play-Fi / Hi-Res Audio	• (via DTS Play-Fi app)	(via DTS Play-Fi app) / ●	(via DTS Play-Fi app) / ◆
Spotify Connect / Google Cast / Apple AirPlay		•/•/•	•/•/•
Roon tested	•	•	•
Multiroom audio support	•	•	•
Multichannel home cinema support	•	•	•
Connectivity and interfaces			
USB	1 x USB 2.0 (SW update)	1 x USB 2.0 (SW update)	1 x USB 2.0 (SW update)
Bluetooth		•	•
WLAN (Wi-Fi) integrated LAN network connection	_ •	•	•
Wireless Digital Audiolink (second generation)	·	•	•
Analogue audio jack in (3.5 mm stereo)	•	•	•
Wall mount	_	_	•
Network and formats			
WLAN (Wi-Fi) standard	IEEE 802.11a/b/g/n/ac	IEEE 802.11a/b/g/n/ac	IEEE 802.11a/b/g/n/ac
WLAN (Wi-Fi) power (max. mW)	<100mW @2400-2483,5 MHz	<100mW @2400-2483,5 MHz	<100mW @2400-2483,5 MHz
	<100mW @5150-5350 MHz	<100mW @5150-5350 MHz	<100mW @5150-5350 MHz
	<100mW @5470-5725 MHz <25mW @5725-5850 MHz	<100mW @5470-5725 MHz <25mW @5725-5850 MHz	<100mW @5470-5725 MHz <25mW @5725-5850 MHz
WLAN (Wi-Fi) encryption	WEP 64, 128 Bit (ASCII, HEX)	WEP 64, 128 Bit (ASCII, HEX)	WEP 64, 128 Bit (ASCII, HEX)
WLAN (Wi-Fi) encryption WPA	WPA PSK, WPA2 AES, WPS	WPA PSK, WPA2 AES, WPS	WPA PSK, WPA2 AES, WPS
Bluetooth standard	4.2	4.2	4.2
Bluetooth power (max. mW)	<10	<10	<10 2.4 GHz
Bluetooth frequency range Bluetooth protocols	2,4 GHz A2DP SNK, AVRCP	2,4 GHz A2DP SNK, AVRCP	A2DP SNK, AVRCP
Supported audio formats	MP3, M4A, AAC, FLAC, WAC, AIFF, Hi-Res	MP3, M4A, AAC, FLAC, WAC, AIFF, Hi-Res	MP3, M4A, AAC, FLAC, WAC, AIFF, Hi-Res
	AUDIO	AUDIO	AUDIO
Energy and environment			
Mains voltages AC	100-240V, 50/60 Hz	100-240V, 50/60 Hz	100-240V, 50/60 Hz
Power consumption eco standby mode (watts)	0,3	0,3	0,3
Power consumption multiroom sleep mode (watts)	6	6	6
Ambient temperature while in operation	5-35° C 20-80%	5-35° C 20-80%	5-35° C
Relative humidity (non-condensing)	20-0070	2U OU70	20-80%
Dimensions			
Weight (approx. kg)	4,5	3,2	1,4
W* x H x D (approx. cm)	22,5 x 40,1 x 21,5	19,6 x 32,1 x 18,7	16,0 x 18,8 x 15,4
Scope of Delivery			
	•/•	•/•	•/•
Manual / power cord Others	_ 	_	wall mount klang mr1

ullet = available, ullet = optional, — = not available

Selection of recommended setup solutions and audio systems

Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service matters are all handled individually.

remote klang mr, klang bar5 mr, klang bar3 mr, klang mr5, klang mr3, klang mr1, iconic v, iconic i

Technical data		
Loewe klang	s3	s1
Audio (acoustic)		
Frequency range (ca. Hz) @ ±3 dB	50-20.000	70-20.000
Orientation front / side / up / rear firing	•/-/-	•/-/-
Acoustic speaker concept	bass reflex	bass reflex
Channel configuration (speaker layout)	2.0 (stereo)	2.0 (stereo)
Driver total amount	4	4
Driver active	2x 32mm, 2x 3"	2x 32mm, 2x 3"
2-channel crossover	•	•
Audio (electric)		
requency range (ca. Hz) @ ±1 dB	20-20.000	20-20.000
Class-D amp	•	•
Power (ca. watts sine / music)	60 / 120	40 / 80
Bass and treble control / loudness	(remote) / dynamic	(remote) / dynamic
Operation and apps		
Display technology	LCD+LED	LCD + LED
Screen resolution (pixels)	320 x 240	320 x 240
4 /	8,1 / 3,2	8,1/3,2
Screen diagonal (cm / inch) Software update (via USB / Internet)	8,1/3,2 -/•	8,1 / 3,2 - / •
	_/•	_ / •
Media and receiption		
CD player	• (12 cm compact disc)	
USB music player		. •
Bluetooth music player		•
JKW radio (analog FM) / mono / stereo / RDS	87,5 - 108,0 ● / ● / ●	87,5 - 108,0 ● / ● / ●
DAB band III (MHz) / DAB / DAB+ / EWF	174,9 - 239,2 • / • /—	174,9 - 239,2 • / • /—
Internet radio		•
Spotify Connect / Google Cast / Apple AirPlay	●/-/-	•/-/-
Connectivity and interfaces		
USB	1 x USB 2.0	1 x USB 2.0
Bluetooth	<u> </u>	•
WLAN (Wi-Fi) integrated	•	•
Antenna IEC	•	•
Network and formats		
WLAN (Wi-Fi) standard	IEEE 802.11a/b/g/n	IEEE 802.11a/b/g/n
WLAN (Wi-Fi) power (mW)	<100	<100
WLAN (Wi-Fi) frequency range	2412-2472 / 5180-5700 MHz	2412-2472 / 5180-5700 MHz
WLAN (Wi-Fi) encryption	WEP 64, 128 Bit (ASCII, HEX)	WEP 64, 128 Bit (ASCII, HEX)
WLAN (Wi-Fi) encryption WPA	WPA PSK, WPA2 AES, WPS	WPA PSK, WPA2 AES, WPS
Bluetooth standard	4.2	4.2
Bluetooth power (mW)	<10	<10
Bluetooth frequency range	2400-2483,5 MHz	2400-2483,5 MHz
Bluetooth protocols	A2DP SNK, AVRCP	A2DP SNK, AVRCP
Supported audio formats	MP3, AAC, AAC+, M4A, WAV, FLAC, PCM, CD-DA, CD-R, CD-RV	MP3, AAC, AAC+, M4A, WAV, FLAC, PCM
Energy and environment		
Mains voltages AC	100-240V, 50/60 Hz	100-240V, 50/60 Hz
Power consumption standby mode (watts)	0,8	0,7
Power consumption network standby mode (watts)	1.0	1.0
Ambient temperature while in operation	5-35° C	5-35° C
Relative humidity (non-condensing)	20-80%	20-80%
Dimensions		
	5,1	3,3
Weight (approx. kg) W* x H x D (approx. cm)	5,1 46.0 x 16.0 x 9.0	3,3 33.5 x 12.0 x 9.0
	40,0 X 10,0 X 9,0	33,3 x 12,0 x 3,0
Scope of Delivery		
Remote control (incl. batteries)	Loewe remote klang s (2x CR2032)	Loewe remote klang s (2x CR2032)
Manual / power cord	•/•	•/•

• = available, • = optional, — = not available

Technical changes, delivery options, errors and price changes reserved. All product and company names are trademarks of their respective owners. Their use does not imply any affiliation with or endorsement by these companies. Digital services and content (e.g. apps.) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability (including in certain territories), updating and termination of the provision of this digital content and services on the device are at the sole discretion of the third party. Some services may not be available at the time of purchase of this product. Internet access required. Separate (paid) subscriptions and/or membership required.

Loewe klang	radio.frequency
Audio (acoustic)	
Frequency range (Hz) @ ±3 dB	80-20.000
Orientation front / side / up / rear firing	•/-/-
Acoustic speaker concept	closed + passive membrane
Channel configuration (speaker layout)	2.0 (stereo)
Driver total amount	3
Driver active	2x 2,5"
2-channel crossover	•
Audio (electric)	
Frequency range (Hz) @ ±1 dB	20-20.000
Class-D amp	•
Power (watts sine / music)	14 / 28
Bass and treble control / loudness	(EQ settings)
Operation and apps	
Display technology	LCD (dimmable)
Screen resolution (pixels)	multi segment
Screen diagonal (cm / inch)	7,0 / 2,7
my Loewe app / smart apps (all: Android + iOS)	•/-
Media and receiption	
Bluetooth music player	•
UKW radio (analog FM) / mono / stereo / RDS	87,5 - 108,0 / • / • / •
DAB band III (MHz) / DAB / DAB+ / EWF	174,9 - 239,2 / • / • / •
Connectivity and Interfaces	
USB	1 x USB-C (charge)
Bluetooth	•
Headphone out	•
Antenna IEC	• (fixed telescope)
Kensington anti theft lock	•
Network and formats	
Bluetooth standard	5.0
Bluetooth power (max. mW)	<3
Bluetooth frequency range	2,4 GHz
Bluetooth protocols	A2DP SNK, AVRCP
Mobility	
Battery type	7,4V / 2200mAh
Charging current	9V, 2A
Charging time	3h
Playing time	12-14h @ 60dB
Energy and environment	
Mains voltages AC	100-240V, 50/60 Hz
Power consumption eco standby mode (watts)	1,01
Ambient temperature while in operation	5-40° C
Relative humidity (non-condensing)	35-90%
Dimensions	
Weight (approx. kg)	1,2
W* x H x D (approx. cm)	21,1 x 13,2 x 6,8
Scope of Delivery	
Manual / power cord	● / USB-C cable (90 cm)

¹⁾ original power supply

Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service matters are all handled individually. All product and company names are trademarks™ or registered® trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them.

Technical data

We. by Loewe

We. HEAR pro by Kylian Mbappé

50-20,000 • / • closed + passive membrane 2.0 (stereo) 6 2x 2,75", 2x 1" 2 • 20-20,000 • 50 / 100 • 1 x USB-C (charge) • -/ •
2.0 (stereo) 6 2x 2.75", 2x 1" 2 • 20-20.000 • 50 / 100 • 1 x USB-C (charge) •
6 2x 2,75", 2x 1" 2 • 20-20,000 • 50 / 100 • 1 x USB-C (charge)
20-20.000 20-20.000 50 / 100 1 x USB-C (charge)
20-20.000
20-20.000
20-20.000 • 50 / 100 • 1 x USB-C (charge)
1 x USB-C (charge)
1 x USB-C (charge)
1 x USB-C (charge)
50 / 100 • 1 x USB-C (charge)
1 x USB-C (charge)
<u> </u>
<u> </u>
<u> </u>
• (hands-free phone)
• (narias-riee priorie)
5.3
<13
2,4 GHz
A2DP, AVRCP, AAC
7,2V, 5100mAh
min. 5V, 2A - max. 20V, 1,5A
min, 2h @ max, 30W
typ. 24h
IPX6
0-40° C
20-70%
2.2
28.0 x 13.8 x 13.5
20,0 × 10,0 × 10,0
• / USB-C cable
Shoulder strap incl. buttons
onodiadi odiap mon pattorio
Maria Dana and Maria dan adam fashara dalam 19 11 (1900)
We. HEAR pro as additional speakers for true wireless multi pairing (TWMP) USB-C PD power supply (30W)

Iechnical changes, delivery options, errors and price changes reserved. All product and company names are trademarks—"or registered "trademarks or their respective owners. I heir use does not mip ay affiliation with or endorsement by theory are services and content (e.g. apps) and server platforms are provided by third parties. Available for download in the App Store. Observe the terms of use of the third party on the device. The provision, availability for continuing in certain terrotrones), updating or certain terrotrones, updating in certain terrotrones, updating in certain terrotrones, updating in certain terrotrones, updating or certain terrotrone

^{• =} available — = not available

Our way to sustainability.

We are committed to producing beautifully designed, highly functional, modern and timeless objects. By selecting the finest, highest-quality materials, Loewe creates sustainable products with careful precision work that impress with energy efficiency, software updates and years of reparability, thus underscoring our sustainability concept.



LOEWE.

The Loewe service promise.

For Loewe, service does not end with the purchase: customers can rely on comprehensive service solutions at all times. Our detailed online based FAQ will help you with short questions anytime. Since sustainability is a big part of Loewe's DNA, Loewe's own technical repair shop is able to repair products up to ten years of age - depending on the model and the fault of the unit. A deliberately generous stock of spare parts makes it possible. In addition regular software updates keep Loewe products state-of-theart technology.



LOEWE.



Loewe Technology GmbH

Industriestraße 11 96317 Kronach Germany Subject to technical modifications, delivery options, errors, and price changes. Furthermore, additional service offerings will be provided and billed on an individual basis.



loewe.tv

Loewe 10/2024 99.006.711